

DeckHand *Portable Scale*



Approvals



Standard Features

- Mild or stainless steel frame, base, and mast
- 500 lb, 1,000 lb, 2,000 lb capacity
- One-person portability
- Large rubber wheels simplify movement on uneven floors
- Aluminum load cells (2)
- Treaded top plate
- Standard indicator mount with integral handles for the IQ plus 355, IQ plus 390-DC, IQ plus 510, IQ plus 590-DC, IQ plus 710, IQ plus, and IQ 700.

DeckHand *Rough-n-Ready System*



Approvals



See page I-8 for Indicator specifications.

Standard Features

- Mild steel wheeled frame, base, and mast
- 500 lb, 1,000 lb, 2,000 lb capacity
- One-person portability
- Large rubber wheels simplify movement on uneven floors
- Aluminum load cells (2)
- Treaded top plate
- Package includes: Mild steel DeckHand Portable Scale and IQ plus 590-DC indicator
- Battery life 40 hours continuous
- Factory-wired and calibrated

Specifications

DECKHAND PORTABLE SCALE

END LOAD CAPACITY:

100% end loading

mV/V OUTPUT:

2 mV/V

CABLE LENGTH:

9' 10" (3 m)

HEIGHT:

Weighing platter: 4.5" H when in weigh mode

COLUMN HEIGHT:

59"

APPROVALS:

NTEP-certified, CC# 98-004, Class III, 2500d
Measurement Canada approved, AM-5218



WARRANTY:

One-year limited warranty

Please refer to indicator section for IQ plus 590-DC specifications

DeckHand & DeckHand *Rough-n-Ready* System

Specifications (continued)



DECKHAND PORTABLE SCALE — SCALE ONLY

PART #	MODEL	OVERALL SIZE (W x L x H)	CAPACITY	EST. SHIP WT
Mild Steel				
41293	DH-500	31" x 41" x 4.5"	500 lb (226.8 kg)	336 lb (152 kg)
41294	DH-1000	31" x 41" x 4.5"	1,000 lb (453.6 kg)	356 lb (161 kg)
41295	DH-2000	31" x 41" x 4.5"	2,000 lb (907.2 kg)	373 lb (169 kg)
Stainless Steel				
41296	DH-500	31" x 41" x 4.5"	500 lb (226.8 kg)	336 lb (152 kg)
41297	DH-1000	31" x 41" x 4.5"	1,000 lb (453.6 kg)	356 lb (161 kg)
41298	DH-2000	31" x 41" x 4.5"	2,000 lb (907.2 kg)	373 lb (169 kg)

DECKHAND *ROUGH-N-READY* SYSTEM — SCALE AND INDICATOR PACKAGE

PART #	DECKHAND CAPACITY	OVERALL SIZE (W x L x H)	INDICATOR	EST. PACKAGE SHIP WEIGHT*
Mild Steel Only				
69525	500 lb x 0.2 lb	31" x 41" x 4.5"	IQ plus 590-DC, 115 VAC	343 lb (155 kg)
69526	1,000 lb x 0.5 lb	31" x 41" x 4.5"	IQ plus 590-DC, 115 VAC	363 lb (164 kg)
69527	2,000 lb x 1.0 lb	31" x 41" x 4.5"	IQ plus 590-DC, 115 VAC	380 lb (172 kg)
69528	500 lb x 0.2 lb	31" x 41" x 4.5"	IQ plus 590-DC, 230 VAC	343 lb (155 kg)
69529	1,000 lb x 0.5 lb	31" x 41" x 4.5"	IQ plus 590-DC, 230 VAC	363 lb (164 kg)
69530	2,000 lb x 1.0 lb	31" x 41" x 4.5"	IQ plus 590-DC, 230 VAC	380 lb (172 kg)

* Approximate weight for scale and indicator.

DeckHand & DeckHand *Rough-n-Ready* System

PART #	OVERALL SIZE (W X L X H)	CAPACITY	EST. SHIP WEIGHT	PRICE
DeckHand Portable Scale (Scale Only)				
Mild Steel				
41293	31" x 41" x 4.5"	500 lb	336 lb	\$2,050.00
41294	31" x 41" x 4.5"	1,000 lb	356 lb	2,050.00
41295	31" x 41" x 4.5"	2,000 lb	373 lb	2,150.00
Stainless Steel				
41296	31" x 41" x 4.5"	500 lb	336 lb	3,190.00
41297	31" x 41" x 4.5"	1,000 lb	356 lb	3,190.00
41298	31" x 41" x 4.5"	2,000 lb	373 lb	3,390.00
DeckHand Rough-n-Ready System (Scale and Indicator Package)				
Mild Steel w/IQ plus 590-DC, 115 VAC Indicator				
69525	31" x 41" x 4.5"	500 lb	343 lb*	2,600.00
69526	31" x 41" x 4.5"	1,000 lb	363 lb*	2,600.00
69527	31" x 41" x 4.5"	2,000 lb	380 lb*	2,700.00
Mild Steel w/IQ plus 590-DC, 230 VAC Indicator				
69528	31" x 41" x 4.5"	500 lb	343 lb*	2,600.00
69529	31" x 41" x 4.5"	1,000 lb	363 lb*	2,600.00
69530	31" x 41" x 4.5"	2,000 lb	380 lb*	2,700.00
<i>* Approximate weight for scale and indicator</i>				
Options/Accessories				
DeckHand Portable Scale & DeckHand Rough-n-Ready System				
43376	Ramp assembly, 500/1,000 lb, mild steel, 25" x 27"			215.00
43378	Ramp assembly, 2,000 lb, mild steel, 25" x 27"			260.00
43978	Additional DeckHand operating manual			25.00
DeckHand Portable Scale only				
89576	Clam shell for 1,260 load cell, stainless steel			170.00
43377	Ramp assembly, 500/1,000 lb, stainless steel, 25" x 27"			645.00
43379	Ramp assembly, 2,000 lb, stainless steel, 25" x 27"			750.00
DeckHand Portable Scale Optional Indicator Mounts				
41371	Mounting bracket for IQ 700 IS, 320IS with battery option stainless steel			90.00
43938	Mounting bracket for CW-80-I, stainless steel			90.00