



2½" Pitch Hinged Steel Belt Conveyors

STANDARD AND CUSTOM DESIGNS

- *2500W models feature welded wing*

SurePath
BELTING

- *Both models include easy access removable bottom covers*



- *2500S models include slide on wing belting*



Phone: 800-356-1593

Visit our website: www.endura-veyor.com

Model 2500W

2500 Series Hinged

The model 2500W's modular design has helped us make custom conveyor options and custom belt designs more accessible and affordable.

- Equipped with our most rugged and reliable 2 1/2" pitch belting—welded wing SurePath Belts stay firmly on track to help you maximize uptime and meet your production goals.

SurePath
BELTING



- The 2500 Series can be outfitted with any of EVI's valuable belting designs including plastic pans, stainless steel, wire mesh, and zinc coated
- 2500 lb. belt pull capacity with our standard welded wing belt



Conyeyor is shown with optional:

- Top covers
- Discharge hood
- Start/stop control
- Inspection panels


Steel Belt Conveyor

Model 2500S


The model 2500S has been engineered to effectively handle a wide range of scrap materials. It has also been designed to fit a wide range of budgets.

- Outfitted with our economical slide-on wing belting in standard widths of 6", 12", 18" or 24"


S-O Belting



S-1 Belting



- Energy efficient chainless drive package includes a virtually wear-free clutch
- 1250 lb. belt pull capacity with our standard S-O belting



- Easy Access Bottom Covers that help reduce time spent on maintenance are standard on both models.

Endura-Veyor offers 2½" replacement hinged belting for all manufacturers

Slimline Designs



2500L Low Profile

- Reduces overall frame height to fit into smaller openings



2500N Neck Down

- The lowest possible frame height
- Reduced to 5" in the horizontal area of the frame

Belt Design Options



Stainless Steel

- Corrosion resistant
- Less magnetic than standard steel belt



Plastic Pan

- Gentler on finished parts
- Corrosion resistant



Wire Mesh

- High heat up to 1500°F
- Drain liquids



Zinc Coated


- Corrosion resistant
- More economical than stainless steel

Belt Accessories




Impact Pads

- Reduce belt deflection from heavier loads
- Used with wider belts




Top Plates

- Protect hinge from heavy impacts
- Increases temp. rating



Powder Coated

- Special colors for brand recognition
- Visually appealing



Wiper Cleats

- Self cleaning frame

Options



Stainless Steel Construction

- Corrosion resistant
- Less magnetic than carbon steel



Liquid Tight Frames

- Captures liquids for cleaner work areas
- Fluid recovery



Top Covers

- Controls product in inclined areas
- Guarding purposes



Hoods & Chutes

- Directs product flow
- Air quality management



Custom Tank Systems

- Coolant filtering and recycling
- Heat quenching



Controls

- Start/stop
- Variable speed
- E-stops

Fax: 989-358-7065
Phone: 800-356-1593

www.endura-veyor.com