

Handle tough, everyday loads with steel handtrucks

Model Number	Wheel Type	Handle Type	Height (Inches)	Wt. (Lbs.)
1040-01	Pneumatic	Double Grip	48"	32
1040-02	Semi-Pneumatic			36
5310-01	Pneumatic	Loop	54"	38
5310-02	Semi-Pneumatic			42

Steel hand trucks survive the day-to-day abuse of doing the most demanding jobs. Rugged and made to last, hand trucks are workhorses for your warehouse, retail store, or production floor. Large 8"x 14" nose plate. Robotic welded for greater consistency & durability. Green epoxy

powder coated for a longer lasting finish. Curved crossbars hold load in place. D-Lock axle flattened on one side so it cannot rotate and cause wear.

WHEELS: 10" Semi-Pneumatic wheel is a popular shock-absorbing, rupture proof hand truck wheel that requires no air pressure. 10" full pneumatic wheels offer excellent rollability, even over rough surfaces, grass, & gravel. Quiet, easy operation and terrific maneuverability, even on rough flooring, parking lots, etc.

HANDLES: Continuous loop handle lets you decide the best place for your hands on the truck. Push or pull style for excellent mobility with one or two hands. Loop permits easier "breaking" of the load and acts as leg when truck is placed horizontally for loading. Dual grip handle provides rubber grippers with preformed finger indentions for a firm load hold.



Super Slik™ raised runners to help slide load on and off with minimal effort

Use versatile, lightweight aluminum handtrucks for loads up to 600 pounds

Completely user friendly, heavy-duty, all aluminum, modular hand trucks. These lightweight handtrucks are easier to maneuver and have more balance and overall performance than steel handtrucks. Standard handtrucks: Excellent all purpose hand trucks for the warehouse, shop floor, retail store, back room, delivery truck, and other applications. Stairclimber handtrucks: Includes stair climbers for easier loads over curbs and stairs.

Handle Type	Frame W x H	Wheel Type	Cap. (Lbs.)	Standard Model No.	Wt. (Lbs.)	Stairclimber Model No.	Wt. (Lbs.)
D-Loop	17" x 52"	Mold-On	500	FBAL14-8ACRT	22	FBAL14-SC-8ACRT	25
	21" x 52"	Pneumatic	600	FBAL14-10FPN	25	FBAL14-SC-10FPN	28
	18" x 52"	Semi-Pneumatic	600	FBAL14-10PN	32	FBAL14-SC-10PN	35
	21" x 52"	Foam Filled	600	FBAL14-10FF	30	FBAL14-SC-10FF	33
Double Loop	17" x 51"	Mold-On	500	FBAL48-8ACRT	20	FBAL48-SC-8ACRT	23
	21" x 51"	Pneumatic	600	FBAL48-10FPN	23	FBAL48-SC-10FPN	26
	18" x 51"	Semi-Pneumatic	600	FBAL48-10PN	30	FBAL48-SC-10PN	33
	21" x 51"	Foam Filled	600	FBAL48-10FF	28	FBAL48-SC-10FF	31
Continuous Loop	17" x 50"	Mold-On	500	FBAL18-8ACRT	21	FBAL18-SC-8ACRT	24
	21" x 50"	Pneumatic	500	FBAL18-10FPN	24	FBAL18-SC-10FPN	27
	18" x 50"	Semi-Pneumatic	600	FBAL18-10PN	31	FBAL18-SC-10PN	34
	21" x 50"	Foam Filled	600	FBAL18-10FF	29	FBAL18-SC-10FF	32



High-capacity convertible handtrucks easily convert from a 2-wheel handtruck to a 4-wheel platform truck

You can easily and quickly transform your hand truck into a platform cart for real versatility. The truck features a high strength double locking cam mechanism that securely locks the pivoting handle. The frame and cross tubes are made of heavy-duty extruded aluminum. Swivel casters are 5 X 1 1/4 thermoplastic rubber with thread guards.

- 2-Wheel Handtruck Capacity as a hand truck: 600 pounds; 4-wheel platform capacity: 800 pounds.

Model Number	Hand Truck H x W (In.)	Platform Truck L x W x H	Wheel Type	Wheel Size	Wt. (Lbs.)
FBALCV-15-10FPN	52"H x 21"W	39" x 12" x 42"	Pneumatic	10" x 3.5"	38
FBALCV-15-10PN			Semi-Pneumatic	10" x 2.75"	45
FBALCV-15-10FF			Foam Filled	10" x 3.5"	43

Tough, versatile platform trucks for smooth, high-capacity transport

For most operations, the platform truck is a reliable workhorse that is useful nearly every day. They're great for stacking cartons prior to shipment or to receive, and good for order picking, ergonomics and a list of other tasks.



Model Number	Type	W x L (Inches)	Cap. (Lbs.)	Wt. (Lbs.)
RCP-4400-BLA	Light Duty	20.5" x 32.5"	250	23
RCP-4401-BLA		20-7/8" x 31-3/4"	400	26
RCP-4403-BLA	Heavy Duty	24" x 36"	500	51
RCP-4406-BLA			1,000	66
RCP-4433-BLA		24" x 48"	500	68
RCP-4436-BLA			1,000	77
RCP-4441-BLA			2,000	76
RCP-4461-BLA		30" x 60"	500	84
RCP-4466-BLA			1,000	94
RCP-4471-BLA			2,000	107

Duramold Platform Trucks

Sturdy single-crossbar handle design offers easy maneuvering and great load stability. Structural foam honeycomb deck construction won't rust, dent, chip, peel, or splinter.

Corrosion resistant aluminum platform trucks with capacities to 2,600 pounds

Heavy-duty, extra strong, corrosion resistant aluminum platform trucks have a clean, attractive appearance and are constructed for heavy-duty jobs. Applications include offices, stockrooms, warehouses, schools, laboratories, etc. The frame is constructed with high-strength, welded aluminum channel with a diamond pattern aluminum deck.

Model Number	Deck Dimensions (In.)		Cap. (Lbs.)	Wheel Size	Wheel Type	Wt. (Lbs.)			
	W x L	Height							
AL95-2448-RT-H	24" x 48"	9.25"	1,400	5" x 2"	Rubber Mold-on	51			
AL96-2448-RT-H		10.5"	1,640	6" x 2"		55			
AL98-2448-RT-H		12.25"	2,000	8" x 2"		66			
AL95-2448-PO-H		24" x 48"	9.25"	2,600	5" x 2"	Polyurethane Mold-on	53		
AL96-2448-PO-H			10.5"	2,600	6" x 2"		56		
AL98-2448-PO-H			12.25"	2,600	8" x 2"		69		
AL28-2448-FPN-H			24" x 48"	13.5"	1,200	8" x 2.5"	Full Pneumatic	56	
AL210-2448-FPN-H				15.5"	1,400	10" x 3.5"		63	
AL25-2448-PRB-H				9.25"	2,600	5" x 2"	Polyurethane/Polyethylene	45	
AL26-2448-PRB-H								10.5"	47
AL28-2448-PRB-H								12.25"	50
AL95-3060-RT-H				30" x 60"	9.25"	1,400	5" x 2"	Rubber Mold-on	59
AL96-3060-RT-H	10.5"				1,640	6" x 2"	63		
AL98-3060-RT-H	12.25"				2,000	8" x 2"	74		
AL95-3060-PO-H	30" x 60"				9.25"	2,600	5" x 2"	Polyurethane Mold-on	61
AL96-3060-PO-H		10.5"			2,600	6" x 2"	64		
AL98-3060-PO-H		12.25"			2,600	8" x 2"	77		
AL28-3060-FPN-H		30" x 60"			13.5"	1,200	8" x 2.5"	Full Pneumatic	64
AL210-3060-FPN-H			15.5"		1,400	10" x 3.5"	71		
AL25-3060-PRB-H			9.25"		2,600	5" x 2"	Polyurethane/Polyethylene	53	
AL26-3060-PRB-H								10.5"	55
AL28-3060-PRB-H								12.25"	58



- The frame is constructed with high strength welded extruded aluminum channel with heavy-duty diamond pattern aluminum deck
- Optional removable aluminum handles can be placed on both or either end of the platform truck
- Two swivel and two rigid casters with roller bearing wheels in 5", 6", 8" or 10" sizes

Double-tough steel deck platform trucks

Heavy-duty steel platform trucks are reinforced with steel cross-battens to evenly distribute loads of up to 2,000 pounds. Platform edges have been rounded to reduce damage to doorways, walls, nicks, and cuts. Platform is mounted on 2 rigid casters and 2 swivel casters with 6" x 2" wheels. Casters are securely bolted onto extra caster top plates which are then welded to the underside of the platform for high-strength applications.



Standard: 14-gauge steel and removable rack handle with front bumper guards.

Heavy-Duty: 12-gauge steel and removable rack handle can be installed on either side. An extra handle can be added to the front side of this truck.

Model Number	Type	Platform W x L (In.)	Cap. (Lbs.)	Wt. (Lbs.)
SD-26-2448-RT	Standard (14-gauge)	24" x 48"	1,600	93
SD-28-2448-RT			2,000	99
SD-26-3060-RT		36" x 60"	1,600	133
SD-28-3060-RT			2,000	139
ESD-96-2448-RTE	Heavy Duty (12-gauge)	24" x 48"	1,600	93
ESD-98-2448-RTE			2,000	99
ESD-96-3060-RT		36" x 60"	1,600	133
ESD-98-3060-RT			2,000	139

Model Number	Deck Size (Inches)	Handle Type	Wheel Type	Cap. (Lbs.)	Wt. (Lbs.)	
41-2448-14	24 x 48"	Fixed Rack	5 x 2 Rubber	1,200	101	
41-2448-11			5 x 2 Phenolic	1,500	101	
51-2448-14		Removable	5 x 2 Rubber	1,200	101	
51-2448-11			5 x 2 Phenolic	1,500	101	
41-2754-14	27 x 54"	Fixed Rack	5 x 2 Rubber	1,200	114	
41-2754-09			6 x 2 Rubber	1,640	114	
41-2754-11			5 x 2 Phenolic	1,500	114	
41-2754-10			6 x 2 Phenolic	2,000	114	
51-2754-14		Removable	5 x 2 Rubber	1,200	114	
51-2754-09			6 x 2 Rubber	1,640	114	
51-2754-11			5 x 2 Phenolic	1,500	114	
51-2754-10			6 x 2 Phenolic	2,000	114	
41-3060-14		30 x 60"	Fixed Rack	5 x 2 Rubber	1,200	137
41-3060-09				6 x 2 Rubber	1,640	137
41-3060-04				8 x 2 Rubber	2,000	137
41-3060-11				5 x 2 Phenolic	1,500	137
41-3060-10	6 x 2 Phenolic			2,000	137	
41-3060-17	8 x 2 Phenolic			2,500	137	
51-3060-14	Removable		5 x 2 Rubber	1,200	137	
51-3060-09			6 x 2 Rubber	1,640	137	
51-3060-04			8 x 2 Rubber	2,000	137	
51-3060-11			5 x 2 Phenolic	1,500	137	
51-3060-10			6 x 2 Phenolic	2,000	137	
51-3060-17			8 x 2 Phenolic	2,500	137	

High-capacity double-tough wood platform trucks

Versatile platform trucks are constructed from 1" thick kiln-dried hardwood oak decks, built tough to handle your toughest tasks. They take the punishment of industrial, warehousing, or other high capacity applications, and deliver years of maintenance-free service. Pile the load on—these trucks can handle it with capacities up to 2,500 pounds.



- Rugged fixed handle is constructed from high-quality welded steel
- Removable handle is constructed from high-quality welded steel and allows you the flexibility to take it off for larger loads
- Casters are 5 x 2" rubber or 6 x 2" phenolic—2 swivel & 2 rigid. Swivel casters are mounted in the back for maneuverability


Portable Tables with 800 pounds capacity are an excellent mobile work surface

Constructed tough with 13-gauge steel shelves that have stiffeners installed underneath. Supplied with 4-ea. 5" rubber, ball-bearing swivel casters. Casters are mounted in quick-change casters brackets to make replacement a snap. Finish: Gray.



Model Number	Shelves	Depth (In.)	Length (In.)	Wt. (Lbs.)
HMT-183630-2-95	2	18	36	85
HMT-243630-2-95		24	36	93
HMT-244830-2-95		24	48	102
HMT-306030-2-95		30	60	133
HMT-183630-3-95	3	18	36	105
HMT-243630-3-95		24	36	114
HMT-244830-3-95		24	48	135
HMT-306030-3-95		30	60	178

Push versatile service carts around - they can take it - great for maintenance and more



Model Number	W x L x H (Inches)	Cart Configuration	Wt. (Lbs.)
33000-028	16" x 30" x 32"	Standard	51
33000-028-CT		Tray, 16" x 30" x 32"	69
33001-028	24" x 36" x 32"	Standard	69
33014-028		1 drawer, 15.75"	87
33015-028		2 drawers, 15.75"	105
33017-028		3 drawers, 15.75"	123
33018-028		1 drawer, 21.75"	94
33019-028		2 drawers, 21.75"	119
33021-028		3 drawers, 21.75"	144

Components

Model Number	Type	Size (Inches)	Wt. (Lbs.)
33010H-028	Center Tray	16" x 30"	18
33011H-028		24" x 36"	26
30962-028	Drawer	21.75" x 20" x 6.75"	25
30960-028		15.75" x 20" x 6.75"	20
33010H-028	Tray	16" x 30"	18



Efficient movement of materials, tools, mail or stocks through your facility

Equipped with two rigid and two swivel 5" casters for maneuverability. Multiple options for a number of applications include: 3" deep steel trays with smooth formed edges. The top tray can be turned upside down for a flush surface. The handle is secured at either end.

Accessories

Add center trays for extra storage. Case and drawers can be ordered with carts, to hang beneath the trays, per the table at right. The 36" deep carts accept 15-3/4" wide drawers mounted side by side as well as vertically. Options can be purchased separately to create exactly the cart you need for your application.

Use inventory carts to economically transport bulk items on rock solid rivet shelving

Based on Penco single rivet shelving, inventory carts transport supplies, orders, merchandise, tools or files from point to point with ease. The cart is easy to assemble and additional shelves can be quickly added. Shelves can be adjusted to fit a wide variety of load sizes, providing greater flexibility than traditional carts. Shelf height is adjustable on 1.5" centers. Shelves are easily removed, installed, and repositioned with no shelving clips or tools required.



NOTES:

- 1) Cart Capacity (evenly distributed): Maximum load per shelf 300 Lbs. Maximum cart capacity 1200 pounds.
- 2) 723 Light Putty baked enamel finish.
- 3) 5" polypropylene static casters and two 5" polypropylene swivel casters with wheel locks for safety.
- 4) Extra shelves can be added.



Model Number	Decking Type	No. of Shelves	W x D x H (Inches)	Wt. (Lbs.)
35080P	Melamine	3	36" x 24" x 48"	94
35083P		4	36" x 24" x 60"	117
35081P		3	48" x 24" x 48"	116
35084P		4	48" x 24" x 60"	145
35082P		3	60" x 24" x 48"	139
35085P		4	60" x 24" x 60"	181
35095P	No Decking	3	36" x 24" x 48"	49
35092P		4	36" x 24" x 60"	57
35096P		3	48" x 24" x 48"	56
35093P		4	48" x 24" x 60"	65
35097P		3	60" x 24" x 48"	64
35094P		4	60" x 24" x 60"	81
35076P	Particle Board	3	36" x 24" x 48"	94
35074P		4	36" x 24" x 60"	117
35077P		3	48" x 24" x 48"	116
35073P		4	48" x 24" x 60"	145
35078P		3	60" x 24" x 48"	139
35075P		4	60" x 24" x 60"	181



Decking Types: which do you need?

- **Particle Board:** 1-M-1 Grade Interior Decking; Functional and economical decks that have proven their worth in years of shelving applications
- **White Melamine Decking:** Smooth Laminated Surface makes an attractive finish - packages slide off deck easily and is easy to clean
- **Without decking:** You can save freight charges and install your own decking materials

Model Number	No. of Shelves	W x D x H (Inches)	Caster & Wheel	Cap. (Lbs.)	Wt. (Lbs.)
EU2-1824Z	2	24" x 18"	4" Resilient Rubber	500	32
EU2-1830Z		30" x 18"			35
EU2-1836Z		36" x 18"			38
EU2-2136Z		36" x 21"			42
EU2-2436Z		36" x 24"			45
U2-1836Z		36" x 18"	5" Resilient Rubber	800	38
U2-2136Z		36" x 21"			42
U2-2436Z		36" x 24"			46
U2-1842Z		42" x 18"			41
U2-2142Z		42" x 21"			44
U2-2442Z		42" x 24"			50
U2-2148Z		48" x 21"			48
U2-2448Z		48" x 24"			52
U2-2460Z		60" x 24"			62
EU3-1824Z		3			24" x 18"
EU3-1830Z	30" x 18"		41		
EU3-1836Z	36" x 18"		45		
EU3-2136Z	36" x 21"		5" Resilient Rubber	800	48
EU3-2436Z	36" x 24"				58
U3-1836Z	36" x 18"				48
U3-2136Z	36" x 21"				53
U3-2436Z	36" x 24"				59
U3-1842Z	42" x 18"				52
U3-2142Z	42" x 21"				56
U3-2442Z	42" x 24"				65
U3-2148Z	48" x 21"				62
U3-2448Z	48" x 24"				68
U3-2460Z	60" x 24"				83

Maneuverable, easy-clean cart for office, retail, industrial, food service & more

A highly flexible and maneuverable transport cart

Open-wire construction promotes higher visibility by allowing light to pass through the shelves, permits greater air circulation reducing dust and contamination buildup, and increases the effectiveness of fire-suppression systems. The patented QuadTruss® design makes shelves up to 25% stronger. All units come with chrome handles.

- Carts are 40" tall at top of handle
- Chrome loop handles are easy to grip and facilitate maneuverability
- Casters are 4" or 5" for easy rollability
- Shelves adjust easily on 2" centers
- Solid shelf models are available - call us for assistance



Use security trucks to lock away packages or incoming shipments on the dock, in the warehouse, in warehousing, retail, or commercial applications



The Security Truck consolidates freight handling for better and faster pick-up and delivery service, complete security, distribution flexibility, and lower total labor costs. All-welded heavy angle frame construction with flattened, expanded metal mesh on all four sides and the top allows easy contents inspection while providing a lockable, yet mobile truck with plenty of capacity—up to 2,500 pounds. Front left door is hinged with full-length piano hinge. Front right panel lifts out. The truck can be padlocked, and

Model Number	Size (Inches)	Wt. (Lbs.)
HTL-2436-DD-95	24 x 36	320
HTL-2442-DD-95	24 x 42	325
HTL-2448-DD-95	24 x 48	330
HTL-2460-DD-95	24 x 60	340
HTL-3042-DD-95	30 x 42	345
HTL-3048-DD-95	30 x 48	350
HTL-3060-DD-95	30 x 60	355
HTL-3660-DD-95	36 x 60	365
HTL-3672-DD-95	36 x 72	370
HTL-4474-DD-95	44 x 74	390

includes a blackboard for marking. It's supplied with 6" x 2" plastic roller bearing casters—two rigid & two swivel for easy maneuverability. Finish: Gray.