

# **GARLOCK**

**SAFETY SYSTEMS**



## **The Better Solution for Your Safety Needs**



**FALL PROTECTION**



**FALL ARREST/RESTRAINT**



**INDUSTRIAL PLANT SAFETY**

For more than 30 years Garlock Safety Systems has provided solutions that protect workers from falls while improving workplace productivity on the job site or in your facility. Our US made products are designed, produced, and tested to comply with all pertinent OSHA standards for workers in at-height exposures. With our broad product offering we can reduce your exposure to fines related to OSHA codes and provide a safer working environment for your employees. We provide the right balance of installation ease, quality, affordability and service to make Garlock your single source supplier and a better solution for your safety needs. Depending on the application, our products comply with OSHA 1910.23 (a) (c) (2) (4) (8), 1926.501 (b) (1) (4), 1926.502 (d) (15) , 1926.502 (f) (2).

## Industrial Plant Safety

### SKYDOME SKYLIGHT PROTECTOR



OSHA compliant, set-in-place, non-penetrating solution. Standard and custom sizes. Permanent or temporary solution. Color options available.

### SCREENGUARD SKYLIGHT PROTECTOR



Provides cost-effective OSHA compliant fall protection. Secures to the skylight frame with compression fit- no mechanical fasteners, adhesive or straps. Galvanized screen resists corrosion.

### CAGEGUARD SKYLIGHT PROTECTOR



Fast install solution to guard skylights, roof or floor openings. Free-standing, nonpenetrating design meets OSHA requirements. Can be mechanically attached.

### SKYGUARD SKYLIGHT PROTECTOR



Non-penetrating solution for smoke hatches and venting skylights. OSHA compliant. Free standing design allows quick installation. Multiple sizes. Bases galvanized to resist corrosion. Rails available in galvanized (*shown*) or powder coated finishes.

### HATCHPROTECTOR ROOF HATCH SYSTEM



Installs quickly and mounts directly to the roof hatch maintaining rooftop water integrity. The unique design also protects hatch integrity with a compression fit. No drilling necessary. 5 standard sizes are available to fit almost any hatch.

### SENTRYGUARD GATES



Fall prevention gate to protect open loading docks, mezzanines and more.

#### Two Styles:

- Single opening for hazards up to 12 ft wide.
- Split opening for wider hazards and low ceiling heights.

Easy operation and OSHA compliant. Optional air operated remote control available. Multiple sizes and colors.

## SWING GATES



Swing Gates from 4' to 12' wide used in conjunction with RailGuard 200 systems. Meets all OSHA standards and is available in powder coat or galvanized finished.

## PERMANENT RAIL



Standard railings in 5', 7½' and 10' lengths powder coated in safety yellow with multiple mounting options (floor and wall). Railings are 1-5/8" diameter and weigh 23-28 lbs. per section. Custom colors also available.

## VERSAGATE SELF-CLOSING GATE



OSHA compliant gate that protects workers from stairway and ladder falls. Two-piece gate for adjustability with 4 adjustable sizes to 48 inches. Spring loaded hinge provides self-closing feature.

## SPEEDGUARD FLATBED PROTECTION



An OSHA compliant system that prevents falls from trailer decks. Sets up completely in under 15 minutes on most trailers. Standard system includes rolling access ladder, safety rails and drop in pockets. Choose the Clamp On System for trailers without stake pockets. Extension kit for 53 ft. trailers available.

## LEDGEGUARD



Protects elevated access points for material loading and unloading. Easy-to-use, easy-to-install. Protects without affecting productivity. Two-gate system means one gate is always closed and OSHA compliant fall protection is in place.

## SPEEDGUARD II FLATBED PROTECTION



Same features as the original SpeedGuard in a more compact, easy-to-install and transport package. Fits in standard trailer pockets and includes all components necessary to protect trailers up to 48-ft long. (Order extension kit to protect trailers up to 53-ft.) Installs in 10 minutes.

## LADDERGUARD



Fastest, easiest, and most affordable way to create a safety egress and ingress zone to guard rooftop ladder access starting 6 ft. from leading edge.



# Fall Arrest/Restraint

## LIFEPOINT STOP SYSTEM



A non-penetrating single tie off anchor that works on flat surfaces (single ply membrane, BUR, concrete, TPO and EPDM) with a maximum 5 degree incline. Meets fall-arrest ratings for one person. Modular design sets-up quickly with no component over 32 pounds. Optional Transport cart allows repositioning quickly without disassembly. Corrosion-resistant for long term usage.



**GARLOCK**  
SAFETY SYSTEMS

## Stay Off OSHA's Most Wanted List

Inadequate fall protection is the #1 OSHA Violation. We are your #1 Source for Fall Arrest & Fall Prevention Equipment.

- Safety Guardrails
- Mobile Fall Arrest Carts
- Skylight & Hatch Protection
- Loading Dock & Mezzanine Protection

**30 YEARS ON TOP**

[www.garlocksafety.com](http://www.garlocksafety.com)

2601 Niagara Lane North Plymouth, MN 55447  
(877) 791-4446 | P: (763) 694-2624 | F: (800) 820-3268

# Fall Protection

## RAILGUARD 200



The original non-penetrating rail system. Exceeds requirements for OSHA temporary and permanent guard rail standards. Modular system allows total flexibility. Bases and railings set-up fast anywhere. Lengths from 2' to 13.5'. Custom lengths and colors available.

## INVISI-RAIL



The perfect accessory for visible areas such as building fronts. Allows RailGuard 200 to fold out of sight when no workers are on-site. Simply fold up when workers are present.

## TURBORAIL PERIMETER SYSTEM



The premier leading edge rail protection system with heavy-duty steel clamps, stanchions and snap on horizontal rails. Standard clamps work for low-edge roof details and parapet edges or optional Slab Grabber clamp for exposed slab edges. Systems are available up to 412-feet with steel storage boxes.

## TURBOCABLE PERIMETER SYSTEM



A leading edge cable system with heavy-duty steel clamps and stanchions. Uses the same clamp and stanchion components as the TurboRail system for maximum interchangeability. Systems are available up to 540-feet with steel storage boxes.

## PERIMETER CLAMP



OSHA compliant leading edge system that can be used on both flat edge surfaces and parapet walls. (2x4's not included).

## GARLOCK FOLDING WARNING LINES




The premier folding line system that installs in minutes to provide visual warning. Meets OSHA regulations. Add the optional cart to store and transport up to 9 folding warning line systems.

## SENTINEL WARNING LINES



The original warning line system with flat bases and 100-feet of flagged rope.

## EVERLAST WARNING LINES



A permanent warning system with heavy-duty RailGuard base plates, plastic coated cable and your choice of plastic or metal pennants.

# Accessories

## CENTURION SERVICE CART RAILGUARD



Holds 8 bases, 7 rails, base transporter and 6 toe boards. Base winch included.

## GOLIATH CART RAILGUARD



Carry 19 10-ft rails, 5' swing gate, base transporter and 19 toe boards. Base winch included.

## TOE-BOARDS RAILGUARD



Telescoping steel 2x4 fits base. Four lengths available.

## BASE TRANSPORTER RAILGUARD



Two-wheel design with hook to engage base.

## TRANSPORT CART LIFEPOINT



Two-wheel transporter with flat free tires.

## PERMANENT RAIL BASES



Single Post Floor Mount  
 Double Post Floor Mount  
 Box Floor Mount  
 Zip Base  
 Wrap Over Single Post  
 Wrap Over Double Post  
 Flush Mount Single Post  
 Flush Mount Double Post  
 Wrap Over Box Mount

FULL PRODUCT LINE



Distributed By:



2601 Niagara Lane North Plymouth, MN 55447  
 (877) 791-4446 | P: (763) 694-2624 | F: (800) 820-3268  
[www.garlocksafety.com](http://www.garlocksafety.com)