



DOLAV®
PLASTIC PRODUCTS



BOX PALLET TYPE **1120**

The Unique Super Performance Bin

- One-piece injection moulded bin that provides great strength and resistance to damage from impact
- HDPE structural foam
- Available in solid or perforated
- For all types of powders, liquids, granulated materials
- Fully recyclable
- Easily customised
- Excellent performance for extreme temp. -40°C up to 60°C
- UV radiation resistant
- Long life span



1120
BOX PALLET TYPE



BOX PALLET TYPE 1120



Features

Super performance box pallets manufactured from structural foam high density polyethylene.

Available in standard sizes as well as customised to meet your exact requirements.

Our rigid boxes are a one-piece moulding in materials that provide great strength and resistance to impact damage - even at low temperatures.

Base reinforcement ribs and side walls linked to column corner posts, allow safe stacking up to eight high with a total load of 4 tonnes.


Resistant to chemical corrosion and Ultra-Violet rays, our box pallets are light enough for easy handling and feature anti-slip stack location points.

Colours




Anti-slip Corners

A unique stacking system with inter-lock positioning plugs that give you the safety of stacking up to 8 boxes high.



Integrally Injected Runners

Especially designed "built in" plastic runners for your heavy-duty usages, injected integrally during the production process.



Personalizing Dolav Products

Your Logo on DOLAV Products



SILK SCREEN



NAME PLATE



LABELLING OPTIONS



EMBOSSSED

Sequential Numbering



Lid



WHITE



BOX PALLET TYPE 1120

Customised Products

Our special options:




1 Special Length-2240



2 Special Height-440



3 Special Height-1260



4 Drainage valve



5 Lower door



6 Steel Runners



7 Stackable wheels



8 Body attached wheels



9 Dolly




10 Opening

Many more options are waiting for you. Just tell us what you require and our product engineers will find the best solution for you.

Technical Data

| | Box Pallet Type 1120 | Lid 1120 |
|--------------------------------|----------------------------------|--------------|
| External Dimensions (LxWxH) mm | 1120x1120x780 | 1130x1130x55 |
| Internal Dimensions (LxWxH) mm | 1035x1035x650 | |
| Volume (liter) | 700 | |
| Tare Weight (Kg) | 40 | 5.0 |
| Thickness (mm) | | 4.0 |
| Max Load (Kg) | 700 | |
| Stack Load (Kg) | 4000 | |
| Material | HDPE (Structural Foam) | |
| Temperature Range | -40°C up to +60°C | |
| Type* | Perforated / Solid / Combination | |
| Quantity in container (units) | 20ft | 40ft |
| | 30 | 63 |
| | | 40hc |
| | | 64 |

* Available in combination:
Solid walls and perforated base or perforated walls and solid base



BOX PALLET TYPE 1120



Bi-colour combination allows you to create your individual box pallet.
Many colour combinations available.



Kibbutz Dvir M.P. HaNegev 85330
Tel: 972-8-9111700
Fax: 972-8-9918710
E-mail: dolav@dolav.com
Web: www.dolav.com

