




Stor-More® Tenant Storage Lockers


Galvanized Welded Wire - Installation Instructions

TABLE OF CONTENTS:



Page 1	COVER, TOOLS REQ'D
Page 2	SPECIFICATIONS
Page 3	PARTS LIST
Page 4	HARDWARE PROVIDED
Page 5	STARTER & ADD-ON LOCKER ASSEMBLY INSTRUCTIONS
Page 6	OPTIONAL SHELF ASSEMBLY INSTRUCTIONS
Page 7	WALL MOUNTING INSTRUCTIONS
Page 8	OPTIONAL WIRE BACK & TOP ASSEMBLY INSTRUCTIONS



TOOLS REQUIRED:



SPECIFICATIONS:



PART NO.	# OF TIERS	WIDTH	DEPTH	HEIGHT
ST133-GALV	1	36"	36"	90"
ST134-GALV	1	36"	48"	90"
ST135-GALV	1	36"	60"	90"
ST143-GALV	1	48"	36"	90"
ST144-GALV	1	48"	48"	90"
ST145-GALV	1	48"	60"	90"
ST233-GALV	2	36"	36"	90"
ST234-GALV	2	36"	48"	90"
ST235-GALV	2	36"	60"	90"
ST243-GALV	2	48"	36"	90"
ST244-GALV	2	48"	48"	90"
ST245-GALV	2	48"	60"	90"
ST333-GALV	3	36"	36"	90"
ST334-GALV	3	36"	48"	90"
ST335-GALV	3	36"	60"	90"
ST343-GALV	3	48"	36"	90"
ST344-GALV	3	48"	48"	90"
ST345-GALV	3	48"	60"	90"

PART NO.	# OF TIERS	WIDTH	DEPTH	HEIGHT
AD133-GALV	1	36"	36"	90"
AD134-GALV	1	36"	48"	90"
AD135-GALV	1	36"	60"	90"
AD143-GALV	1	48"	36"	90"
AD144-GALV	1	48"	48"	90"
AD145-GALV	1	48"	60"	90"
AD233-GALV	2	36"	36"	90"
AD234-GALV	2	36"	48"	90"
AD235-GALV	2	36"	60"	90"
AD243-GALV	2	48"	36"	90"
AD244-GALV	2	48"	48"	90"
AD245-GALV	2	48"	60"	90"
AD333-GALV	3	36"	36"	90"
AD334-GALV	3	36"	48"	90"
AD335-GALV	3	36"	60"	90"
AD343-GALV	3	48"	36"	90"
AD344-GALV	3	48"	48"	90"
AD345-GALV	3	48"	60"	90"


PARTS LIST:

FRONT:
FRAMED DOOR


SIDE:
WELDED WIRE MESH

SIDE SUPPORT:
(FOR MESH SIDE)


HARDWARE KIT:




SINGLE TIER (x1)



DOUBLE TIER (x1)




TRIPLE TIER (x1)



STARTER (x2)
ADD-ON (x1)



x2




x1

OPTIONS:


SHELF:
(STANDARD ON DOUBLE TIER
& TRIPLE TIER LOCKERS)

BACK:
WELDED WIRE MESH

TOP:
WELDED WIRE MESH




OF SHELVES PER TIER:
x3 = 36" DEEP
x4 = 48" DEEP
x5 = 60" DEEP




x2


SHELF SUPPORT:
(PROVIDED WITH SHELF)



x1



x1




x1


TOP SUPPORT ANGLE:
(PROVIDED WITH TOP)

HARDWARE PROVIDED:

STARTER LOCKER




ADD-ON LOCKER




OPTIONS:


WIRE MESH TOP



WIRE MESH BACK



LOCKER SHELF




HARDWARE LIST:

- (C) 1/4"-20 x 1" SQUARE NECK CARRIAGE BOLT
- (H) #12-14 x 1" HEX HEAD SELF-DRILLING SCREW
- (I) 1/4" FLAT WASHER
- (K) 1/4"-20 FLANGE NUT
- (N) #14-10 x 1-1/4" SLOTTED HEX HEAD SMS
- (O) #14 x 1" TUBULAR PLASTIC ANCHOR
- (AG) 1/4"-20 x 3/4" SQUARE NECK CARRIAGE BOLT


1

2a STARTER



NOTE: DO **NOT** TIGHTEN ANY NUTS, FULLY TIGHTEN AFTER STEP 2


2b ADD-ON



NOTE: REPEAT STEP 2b IF INSTALLING ANOTHER ADD-ON, OTHERWISE COMPLETE THE LOCKER SIDE INSTALLATION AS SHOWN IN STEP 2a


3a STARTER

NOTE: STEPS 3 & 4 ARE FOR
OPTIONAL SHELF ASSEMBLY




4a

DOUBLE TIER




4b

TRIPLE TIER




3b ADD-ON




5


NOTE: STEPS 5 - 8 ARE FOR WALL MOUNTING ONLY.



6




7




8


NOTE: IF INSTALLING AN OPTIONAL WIRE TOP, INSTALL THE TOP SUPPORT ANGLE AS SHOWN IN STEP 10



9a SINGLE UNIT




9b BACK TO BACK UNIT




NOTE:

- STEP 9 IS FOR OPTIONAL WIRE BACK ASSEMBLY
- STEPS 10, 11 & 12 ARE FOR OPTIONAL WIRE TOP ASSEMBLY


10a



11



10b



12

