







For over 30 years Garlock™ Safety Systems has been arming worksites with best-in-class fall protection solutions. Our rooftop and industrial product lines are engineered by safety experts, manufactured in the USA, and rigorously test-ed to exceed government regulations so you can be certain you get the right solution to protect the men and women who depend on it. Delivered with cus-tomer service you can count on, we leave nothing to chance. Because when it comes to worker safety, we "Leave No Doubt".



ROOF EDGE PROTECTION

Safety guardrails are the preferred method for passive roof edge protection and requires the least amount of employee training and required inspection. Choose from weighted base systems, perimeter clamping, or permanent mount options. Visual warning line systems are also available. All Garlock™ Safety products are independently tested and certified to meet OSHA regulations.

RAILGUARD 200™


THE ORIGINATOR: For more than 35 years, RailGuard 200[™] has been protecting workers at-height. RailGuard exceeds OSHA requirements for temporary and permanent guardrail applications. Available in three standard lengths (10, 7.5, and 5 ft.) with your choice of powder coated or galvanized finish. For that last section or obstacle, select an adjustable rail section. Add a self-closing or swing gate to complete your system.

- Std. yellow rail
- Std. galvanized base
- Custom colors available
- Galvanized or stainless rails also available
- Optional standing, seam bases in three sizes




RAILGUARD GC™

Designed specifically for the general construction industry for construction of high-rises, elevator shafts, and other fall hazards. Integrated toeboard. One anchor per base only for quick install. Yellow powder coated surfaces for durability.



RAILGUARD FIT-RITE™

Custom perimeter safety rail just got easier with RailGuard Fit-Rite™ railing systems. Assembled on site for complete customization to fit any rooftop, mezzanine, or loading dock. Weighted or standing seam bases available. Three styles of stanchions to choose from.






Many Fit-Rite™ fittings to choose from.



ROOF EDGE PROTECTION

TURBORAIL™

Parapet clamp leading edge rail protection system with heavy-duty steel clamps, stanchions, and snap-on horizontal rails. Three styles of stanchions. Systems are available up to 412 feet with steel storage boxes.



TURBOCABLE™

Common stanchions and clamps with TurboRail™ with a cable barrier. Systems are available up to 540 feet with steel storage boxes.





PERIMETER CLAMP

Parapet clamping system is easily set up by one person with no tools required. The ergonomically designed tensioning handle allows fast and secure tightening of the clamp on any parapet from 8" to 24" wide. Designed to accommodate 2 x 4 lumber (not included).



SLAB GRABBER™

Quickly install the Slab Grabber™ on any slab or deck from 2" to 24" with the simple tensioning handle. The easy adjuster can be adjusted by hand or use a speed wrench for maximum productivity. Designed to accommodate 2 x 4 or 2 x 6 lumber (not included).





WARNING LINES

Warning lines are an economical option to mark safe zones for workers. Three models to choose from. Folding and Sentinal™ Systems are ideal for temporary use. For permanent applications, choose Everlast™ which includes heavy duty plastic coated cable with Tuff Poly pennants.







SKYLIGHT PROTECTION



Skylight roof covers and frames offer a safe OSHA-compliant solution for skylight fall protection, with easy, non-invasive installation. Non-penetrating designs keep skylight curbs intact protecting your warranty and your workers.

SCREENGUARD™

Provides cost-effective OSHA compliant fall protection. Secures to the skylight frame with compression fit - no mechanical fasteners, adhesive or straps. Galvanized screen resists corrosion.



SKYGUARD™

Non-penetrating solution for smoke hatches and venting skylights. OSHA compliant. Freestanding design allows quick installation. Multiple sizes. Bases and corner stanchions galvanized to resist corrosion.



SKYDOME™

OSHA compliant, set-in-place, non-penetrating solution. Standard and custom sizes. Permanent or temporary solution. Color options available.



HATCH AND LADDER PROTECTION

HATCHPROTECTOR™

A non-penetrating affordable roof hatch guard solution. With easy setup, it can be used for both temporary and permanent solutions. The self-closing gate prevents accidental entrance. Custom Fit-Rite model available for particular applications.





LADDERGUARD™

Fastest, easiest, and most affordable way to create a safety egress and ingress zone to guard rooftop ladder access starting 6 ft. from leading edge.



FALL ARREST/ RESTRAINT ANCHORS

LIFEPOINT™

A non-penetrating single tie off anchor that works on flat surfaces (single ply membrane, BUR, concrete, TPO, and EPDM). Lifepoint™ meets fall-arrest ratings for one person. Modular design sets-up quickly. Transport cart allows repositioning quickly without disassembly. Corrosion resistant for long-term usage.



COBRA CART™

With multiple workers on a job-site requiring Personal Fall Arrest systems, the Cobra Cart™ is the solution. With anchor points for five for fall restraint or two people for fall restraint and up to three for fall arrest. As a fall occurs, the Cobra's engagement claw quickly penetrates the substrate to secure the cart.

LIFEPOINT™ DUO

The perfect solution for two-person fall protection when circumstances require nonpenetrating versatility. LifePoint™ Duo provides the answer with an easy to set up and quick-move solution. LifePoint™ Duo protects one worker in restraint and one worker in arrest.





In Plant Safety Solutions

MEZZANINE AND PICK SOLUTIONS



Stairways should be protected with safety rails and gates. Mezzanines should have guardrails, ladder safe-zones and guarded loading access points. Explore Garlock's solutions for elevated loading access points in controlled areas and warehouse worker safety in transition areas including modular safety rail systems, gates, and one-way pallet flow solutions to allow products to pass through an area without leaving an access point open.

ROLLBACK BAY GATE

Designed to fit within standard and custom racking systems, protect elevated access points for material loading and unloading. Easy-to-use and install. Protects without hindering productivity. The two-gate system means one gate is always closed and OSHA compliant is in place.



LEDGEGUARD™ MEZZANINE GATE

LedgeGuard™ is a warehouse guardrail system that protects elevated access points for material loading and unloading. Easy-to-use, easy-to-install. Garlock warehouse guardrails protect without affecting productivity. The two-gate system means one gate is always closed and OSHA compliant fall protection is in place. Multiple sizes available for up to 100" wide or deep.




ROLLBACK SAFETY GATE

A stand-alone version of the Rollback Bay Gate for protection of elevated access points. Easy-to-use and install. Protects without hindering productivity. The two-gate system means one gate is always closed and OSHA compliant fall protection is in place.



PALLET FLOW GATE

Allow one-way flow of pallets when stocking racks and maintain OSHA compliance without hindering productivity. Fingers are spring loaded for self-closing efficiency. Gate quickly attaches to you existing racking. Available in single or dual gate systems and a variety of sizes.



In Plant Safety Solutions

LOADING DOCK AND STAIR PROTECTION



Typically, one of the busiest places in your facility. Many fall injuries occur at heights of 48" or less. Minimize your exposure and protect loading docks or pits without hindering productivity with a combination of SentryGuard™ and safety guardrail. Complete the installation by protecting stairwells and high traffic areas with self-closing or swing gates. Let one of our experts assist with developing your solution.

SENTRYGUARD™

Fall prevention gate to protect open loading docks, bays, mezzanines, and more. Two types available.

- Single gate for up to 12 ft. wide.
- Split gate for wider openings or low ceiling heights.




VERSAGATE™ SELF-CLOSING GATE

OSHA compliant gate that protects workers from stairway and ladder falls. Two-piece gate for adjustability with six adjustable sizes from 17" to 60". Spring loaded hinge provides a self-closing feature. Can be mounted to either square or round stanchions or directly to a wall.



SAFETY GUARDRAIL

Standard railings in 5', 71/2', and 10' lengths powder coated in safety yellow with multiple mounting options (floor and wall). Railings are 1-5/8" diameter and weigh 23-28 lbs. per section. Weighted portable bases available. Custom colors also available.



MANUAL CLOSING GATES

Swing gates from 4' to 12' wide-used in conjunction with RailGuard 200™ systems or stand alone with weighted bases or permanent mount. Available in powder coat or galvanized finishes.



Flatbed Trailer Solutions

SPEEDGUARD™

An OSHA compliant system that prevents falls from trailer decks. SpeedGuard[™] sets up in under 15 minutes on most trailers. The standard system includes a rolling access ladder, safety rails, and drop in pockets. Clamp options for trailers without stake pockets. Systems for 53 ft. trailers also available.





SPEEDGUARD™ II

Same features as the original SpeedGuard™ in a more compact, easy-to-install, and transport package. Fits in standard trailer pockets and includes all components necessary to protect trailers 48-53 ft. long.





