

LEADERS IN PROFESSIONAL ROOFING EQUIPMENT

Powered Deck Equipment
Cold Process
Portable Generator
On-Deck Equipment
Waterproofing
Material Handling



GARLOCKEQUIP.COM

Customer Support: (800) 328-5914

General Number: (763) 553-1935

Email : info@garlockequip.com

With a focus on performance, productivity and reliability, we offer a broad lineup of powered deck equipment.

NEW DESIGN



R800 Workhorse

- 13 HP Honda power, 5 mph top speed, forward/reverse and short turning radius
- Lift Capacity: Up To 850 lb
- Towing Capacity: Up To 3000 lb
- Improved break design: Ergonomic and limits wear
- 2 Hydraulic motors drive wheels

NEW DESIGN



Mustang Workhorse

- Powered by 5.5 HP Honda with forward and reverse power
- Move heavy loads easily, versatile
- Carrying capacity: up to 850 lb
- Heavy duty frame
- 2 Swivel wheels

ATTACHMENT OPTIONS



High Lift Fork

- Attachment for R800
- Capacity 850 lb



Tuff Tray

- Width of Trash Chute Hopper
- Use with R800 or Mustang



#30 Dump Tray

- Capacity 30 cubic feet
- Use with R800 or Mustang
- Not compatible with older workhorse



Gravel Spreader

- Handles large and small rock
- Use with R800 or Mustang

POWERED DECK EQUIPMENT



Ultra Cutter Pro Saw

- All cutters feature pivoting blade guard to ensure uniform contact with the roof surface and easier blade inspection
- Choose from 9 or 13 HP Honda power
- Remote breather



Roof Warrior

- #1 selling tear off machine in the U.S. with hydrostatic transaxle, forward and reverse
- Adjustable pitch blade
- 13 HP Honda electric-start engine
- Optional 30" straight blade or 18" tined blade
- Dual wheel option also available



Enforcer Twin Saw

- Self-propelled, with hydrostatic drive increases production three times over single-blade cutters
- 20 HP Honda electric-start engine
- Maximize productivity
- Minimize cutting time



Ultra Cutter Mini-Saw

- 5.5 HP Honda powered
- No-tool floating shroud
- Forward cutter design allows 2 inch wall clearance and lower height means less jacking of on-roof obstructions



Dust Master

- Maximum protection against hazardous dust and airborne particulates including asbestos
- Water-dampening system releases a precision spray pattern inside the blade guard
- 9 HP Honda engine

NEW DESIGN



GS-36 Sweeper

- Adjust sweep angle 15 degrees left or right
- Ergonomic operator controls and flat free tires
- Broom drive and propulsion with 5.5 HP Honda engine
- New design: Brush casters reduce bounce



Rocker

- An affordable rock-removal system that handles pea gravel up to 2 ½" rock.
- Clears up to 10-12 tons per hour(20 squares)
- Hydrostatic transaxle for forwarding and reverse maneuverability
- 13 HP Honda electric-start engine



NO. 12 Scratcher

- Leaves a 4-½" wide semi-smooth surface with 12 carbide pins
- Adjustable depth and rotating speed for different surfaces
- 5.5 HP Honda powered



Rotary Planer

- Easy handle-mounted depth control
- Throttle controls at easy reach
- Chain fence minimizes flying debris
- 10.5 HP Honda powered
- 12" path with 4 carbide bits

COLD PROCESS EQUIPMENT

NEW DESIGN



CYCLONE 5/15

- Use either 5 gallon bag-in-a-box or 15 gallon kegs
- Automatic break
- Towable
- Fit through standard door opening
- Barrell loading safe and easy
- 50 ft bonded 2000 PSI hose industry proven pump and motor
- Dual component pump from single drive motor
- Easy front loading product trays
- V Manifold now standard on Cyclone units



PORTABLE GENERATORS

NEW DESIGN



G12 GENERATORS

- Industry proven engine and gen head
- Robust frame made for trades
- Automatic break
- Handles fold in for easy transportation
- Mountable on Little Giant Trailer or Fall Cart
- Outlet switch limits potential overdraw issue(s)
- Tip and go design is balance for easy rolling when lifted and automatically breaking when set down
- 4 lift points double as overhead fork pockets for easier ground to roof top transitions
- Wheel kits can be mounted inside or outside frame to pass through doorways
- 32 Amp breakers in the G12, competition uses 30 Amp.
- Sound panel and wheel kit optional



With a focus on productivity and durability, Garlock offers a broad lineup of on-deck equipment.



Little/Giant Trailer

- Carries bundles of insulation or debris on 30"x 60" 2,000 lb capacity bed
- Drop-handle braking. 18"x 8.5" 4-ply tires
- Can be towed in tandem. Also available with 30" x 84" bed and 2,000 lb capacity (Big Giant)



30 Dump Tray

- Hauls tear-off and debris
- Holds 30 cubic feet of material
- 800 lb capacity
- Clamps to frame of Little Giant trailers
- Dumps easily with one handle



Wheelbarrow

- The tube frame construction and built-in bumper stop protect from damage and provide long life
- Haul up to 5.75 cu ft
- The long straight handles position the load over the axle
- The dual flat free tires wheels provide stability

NEW DESIGN



shown with Little Giant Trailer/ not included

Tuff Tray Twin

- Load up to 700 lb (18 cu ft) per tray transport up to 1400 lb
- Dump directly into trash chute, square chute, and square chute parapet
- Move large volume of debris safely and dump with one operator
- Large tip handle allows quick and efficient operation and locks in place while in the work position
- Mounts to any Little Giant trailer
- Towable R800 haulers
- 1/4" thick poly design built to last and ribbed for strength

THE SUPER WHEELBARROW



Smart Cart Pro with Tuff Tray

- Large capacity debris handle
- Move heavy loads easily
- Dump directly into trash chute
- Transport up to 600 lb

Pallet Packer

- Picks a variety of materials
- Forks are 32.5" on center
- 800 lb capacity
- Packer Pal option shown
- Large wheels and wide wheelbase provide stability



Power Jack

- 2500 lb lifting capacity with only 110 lb/per sq ft weight on surface
- 21" lifting height
- Hand pump raises forks
- Built-in parking brake
- Towable with R800 Workhorse



NEW DESIGN

E-Z Roll Carrier

- Handles rolls to 134" long. Optional 5' extension
- Rotating spindles for easy unrolling
- Swivel dollies for maneuvering with rests to hold rolls off the ground
- Optional Featherlite flat free tires
- 3" O.D. spindle easily accommodates either 3" or 4" core materials



Insulation Fork

- Designed specifically for moving palletized load of roofing insulation products
- Haul up to 600 lb with the wide 32" forks
- The 4 wheel design and wide stance provide stability for oversized sheet products



Air Conditioner Jacks

- Slides under a/c unit and raise 18 in
- 6 ft reach standard
- Up to 10 ft with extensions
- 4 3/4" x 8 1/4" base protects the roof
- Four jacks with two extension bars standard



3 1/2 Scraper Bar

- Also available in 7"



Heavyduty 5" Wedged Spud Bar



3 1/2 Tined Dry Bar



Super Shingle Tearoff Bar

- Tined shingle blade

Super Tearoff Bar

- Steel blade



Save time and labor with the Garlock GSX spray applied waterproofing system.

RAM Mobile Rubberized Asphalt Melter

- Oil-jacketed melter features a hot-air burner chamber that provides uniform heat in as little as 45 minutes
- Powered agitator keeps materials suspended and redistributes heat
- Draincock for gravity fed filling
- Diesel fired burner with temperature controls and diesel-powered 6 HP Kubota engine for an agitator
- Torsion suspended trailers for 150 and 230 gallon capacity models



RAM 60 Mobile Melter

The Ram 60 mobile rubberized asphalt melter gives contractors yet another option in accessing hard to reach application points on job sites.

- Hot-air burner chamber heats an oil chamber which in turn melts the rubberized asphalt material
- The oil chamber provides uniform soft heat capability which melts materials in as little as 45 minutes from a cold start
- A powered agitator keeps materials suspended and distributes heat inside the material chamber
- Diesel fired burner, 100% temperature controls, 8.5 Kohler engine, draincock
87" L x 33" W x 72" H. Weight 1589 lb

GARLOCK
GSX
WATERPROOFING




GSX Spray Applicator

- Spray applies waterproofing on any horizontal or vertical surface. Up to 5 times faster than trowel methods on plaza decks, roofs, foundation walls, tunnels or green roofs/gardens
- Work safely by spraying material at temperatures below 260°F. which is classified as cold-applied in most regions
- Material capacities of 150 and 230 gallons
- The fully enclosed double boiler is oil jacketed for indirect heating
- An onboard digital system with automatic control of melter temperatures
- Auger/Agitator eliminates temperature stratification and recirculation ensures fast heat up and recovery times

MATERIAL HANDLING

With a focus on productivity and durability, Garlock offers a broad lineup of on-deck equipment.



Trash Tray

- 14.5 cu ft / 800 lb capacity
- Opening dimension 50" x 43" x 13"




Atlas 2000 lb Hydraulic Hoist

- Self-contained with 18 HP Honda engine
- Swings left or right with 160 fpm hoisting speed and 225 ft of $\frac{5}{16}$ " cable standard
- OSHA compliant load limiting switch standard on every hoist
- Safe set up



400 lb Hand Swing Art Hoist

- Left or right swing, 400 lb capacity
- Outrigger stabilization
- Optional counterweight system with tray and five cans
- Lift loads directly onto virtually any rooftop
- Increased control over rooftop loads



300 lb Hand Power Hoist

- Optional counter balance pans and hoisting wheel
- Capacity 300 lb
- Sets up and dismantles in minutes with no tools
- Full clearance for parapet walls and rooftop obstructions

NEW DESIGN



Standard



Pro-Series



Square Chute Trash System

- Reduce jams and remove debris faster
- Stackable
- 3/16" thick construction
- Integrated chains with tool-free connection
- Choose either the standard system or the Pro-Series with swivel hopper

Options:

- Square Chute Pallet
- Square Chute Pick Box
- Square Chute Hoist


NEW PRODUCT



Parapet Adapter

- Adapts easily to wall heights from 6" to 48"
- Rugged, galvanized design
- Safe and reliable
- Compatible only with Square Chute and Square Chute Pro
- Maintains the wide approach widths available to the square chute systems
- For use on roofs with up to a 1 / 12 pitch (5 degrees)
- Weight box and mid support utilization is critical

NEW PRODUCT



Narrow Trash System

- Hopper and chutes are 3/16" min thick recycled LLDPE plastic that is good from -40 to 120 degrees
- Self-supporting system no need for attaching to walls, floors or window sills
- Support system can hold up to 20 chutes
- Hopper can fit over building walls between 4" and 24" thick
- Lock-out points are standard on each hopper
- Fits through openings as small as 32" wide
- Support system components sized to fit in elevators
- Hoppers can be used separately and may be supported with scaffolding



Trash Chute Support System & Winch System

- Supports up to 20 Trash Chutes
- Order with winch support that fits inside the chute support to hoist the hopper and chute sections to the roof edge
- Slide out support system secures hopper and chute sections
- 750 lb capacity
- 43 in tall guardrails with counterweights

Trusted Name Since 1959



Since 1959, Garlock has been filling the needs of commercial roofing contractors with quality equipment that gets the job done. Garlock continues this tradition today as the premier equipment manufacturer in the industry. With a focus on safety, performance, and productivity, Garlock has the equipment for your next job. Parts are now online for your convenience.

Headquarter

Garlock Equipment Company

2601 Niagara Ln N
Plymouth, MN 55447
Customer Support: (800) 328-5914
General Number: (763) 553-1935

Retail Locations

Garlock North

2601 Niagara Ln N
Plymouth, MN 55447
Phone: (763)-694-2669
Fax : (952)-831-1740

Garlock Chicago

626 Thomas Drive,
Bensenville, IL, 60106
Phone: (630)-521-9645
Fax : (630)-521-9648

Garlock East Long Island

51-35 34th Street
Long Island City, New York 11101
Phone: (718) 706-0094
Fax : (718) 706-8348

Distributed By:



garlockequip.com