

Lista Drawer Storage Cabinets



Lista cabinets can be configured in a variety of ways, from high-density drawers, to convenient roll-out trays, to shelf cabinets for bulk storage. In the parts department of Rhode Island's Viti Mercedes, storage capacity has been greatly increased without having to add to the department's square footage.

MODULAR CABINETS FOR THE STORAGE OF ITEMS OF DIVERSE SIZE AND SHAPE

Lista Drawer Storage Cabinets

Features 12

MP Width Cabinets 14

MP Width Easy-Order Combinations 16

MP Width Easy-Order Mobile Combinations 18

MP Width Drawer Interior Sets 19

SC Standard Width Cabinets 20

Standard Width Easy-Order Combinations 22

Standard Width Easy-Order Mobile Combinations 25

Standard Width Drawer Interior Sets 26

MW Mid-Width Cabinets 28

Mid-Width Easy-Order Combinations 30

Mid-Width Easy-Order Mobile Combinations 32

Mid-Width Drawer Interior Sets 33

DW Double Width Cabinets 34

Double Width Easy-Order Combinations 36

Double Width Easy-Order Mobile Combinations 38

Double Width Drawer Interior Sets 39

Shallow Depth Cabinets 40

ST Width Cabinets 42

ST Width Easy-Order Combinations 44

ST Width Easy-Order Mobile Combinations 46

ST Width Drawer Interior Sets 47

HS Width Cabinets 48

HS Width Easy-Order Combinations 50

HS Width Easy-Order Mobile Combinations 52

HS Width Drawer Interior Sets 53

Mobile Cabinets and Accessories 54

Cabinet Tops 57

Cabinet Lock Options 58

Shelf Cabinets 60

How to Order Custom Cabinets 62

Cabinet Bases 62

Cabinet Doors 63



Lista Cabinets Make Any Workspace Work

Lista's versatile and flexible storage cabinets are an ideal fit for a wide range of workspace and storage needs – from manufacturing to warehousing to research and development.



In the maintenance department of this biotech company, mobile repair cabinets allow technicians to bring tools and parts directly to repair sites in other buildings, increasing flexibility and efficiency.



This major microchip manufacturer equipped the mobile aisles in its warehouse with stacked Lista drawer and shelf cabinets. The cabinets perfectly fit the mobile aisle housings, and their one-drawer-at-a-time PrevenTip® feature fits the company's safety needs.



By topping a row of Lista cabinets with a butcher block counter top, Mary Hitchcock Hospital's maintenance area created an efficient issue counter with plenty of convenient under-counter storage.



Rusty Wallace, Inc. outfitted its shop with a variety of Lista storage cabinet solutions, including drawer cabinets and double-hinged door cabinets with shelves and roll-out trays. This configuration enables the race team to store everything from small parts to large supplies and equipment in the same work bay.

Lista's full height sidewalls allow the complete use of the cubic storage capacity of the drawer. Items stored in the drawer cannot fall out either the sides or the back of the drawer – compare this feature with the side-walls of any of our competitors.



Lista's e-Lock electronic locking system can be paired with tool control software to allow controlled access to and inventory tracking of cabinet contents. Lista drawers easily accept barcode labels for operator scanning. The system is also available for retrofit to most existing Lista cabinets.



Stacked Lista cabinets at this government agency's repair facility feature a variety of door styles to protect contents in drawers, on shelves and on roll-out trays.



Utilizing stacked Lista drawer and shelf cabinets, NASA's Kennedy Space Center was able to consolidate storage in their development and testing labs, while providing a convenient home for a variety of precision instruments, welding tools, etc.

Lista Cabinet Features

Lista cabinets are durable, secure solutions constructed to provide years of safe, convenient storage and problem-free operation.

Lista has modular drawer storage cabinets that perfectly suit the widest range of applications. Our cabinets:

- *provide the highest density storage*
- *provide maximum weight-bearing capacity, organization and access*
- *feature all the benefits of our unique, infinitely customizable drawer*
- *offer the flexibility to adapt to your future requirements*

Unique drawer construction

Lista's drawers are constructed like no other competitive drawer. Their superior engineering and construction give them unmatched capacity and durability.



Seven full-height sidewalls allow for complete use of cubic space.



The drawer front has an integral handle and is welded to the bottom of the drawer for added stability (shown above without handle end cap).



Steel bearings glide on our Z-bar, which wraps under the drawer body for additional reinforcement.

Feature: Variety of locking systems

Security options to suit the widest variety of applications. Removable/replaceable lock core for field repairs. See pages 58-59 for details.

Benefit: Reduces shrinkage, limits access, improves safety

Feature: 100% full extension on drawers and roll-out trays

Continuous smooth extension even with a full 440 lb. load.

Benefit: Easy access and full use of the furthest corner of storage

Feature: Drawer dividers with ability to add bar code labeling

Angled tops allow easy identification of contents, and can accommodate most bar code labels. Dividers can be fastened to drawer bottom for mobile applications.

Benefit: Fast, accurate identification of compartment contents and easier inventory control

Feature: Housing supports slotted at 1" increments

Drawers, shelves and roll-out trays can be assembled in any sequence.

Benefit: Easily reconfigured for maximum versatility

Feature: Customizable drawer compartments

Drawers have partitioning slots on all four sides and can be subdivided with a wide variety of drawer accessories for maximum partitioning flexibility. See pages 119-122 for details.

Benefit: Better organization, faster retrieval

Feature: Ergonomic handles

When drawers are closed, handles are flush with housing so nothing protrudes.

Drawer handles are full width, and are located at top of drawer.

Benefit: Improved safety, appearance and ergonomics

Feature: Label holders

Paper labels, with clear plastic covers, run full width of handle for fast, easy identification. Free downloadable ListaScript software allows for finished, customized labels with bar codes.

Benefit: Faster retrieval and easier inventory control

Feature: PrevenTip® interlock system

Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over.

Benefit: Added safety and security

Feature: Variety of bases

Different bases allow for easy stacking or moving with a fork or pallet truck, even when fully loaded. Mobile bases can be added to most cabinets. See page 62 for details.

Benefit: Flexibility and ease of relocation or rearrangement



A variety of locking options offer exactly the security enhancements your application demands. For more information, see pages 58-59.



Casters can be added to most Lista cabinets to transform them into mobile workstations on wheels. For more information, see pages 54 and 62.

MP Width Cabinets – 22 3/16" wide x 28 1/2" deep

Multi-purpose versatility and functionality


- perfect storage solutions when space is at a premium
- ideal for laboratory case work
- can be adapted to serve as mobile cabinets



WE OFFER A NUMBER OF PRE-CONFIGURED
EASY-ORDER COMBINATIONS

- MP WIDTH CABINETS: PAGES 16-17
- MP WIDTH MOBILE CABINETS: PAGE 18

Lista MP width mobile cabinets have helped the New York Daily News increase overall efficiency and reduce printing press downtime at their printing facility. Mechanics at the plant can roll tools directly to the press area to facilitate equipment maintenance. Full extension drawers enable mechanics to have access to the drawer's entire contents.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.

1 Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

MP Width Cabinet Housings

22 3/16" wide x 28 1/2" deep
(564mm x 725mm)

PART NO.	OVERALL HEIGHT (without base)
MP300	15 3/4" (400mm)
MP450	21 5/8" (550mm)
MP600	27 1/2" (700mm)
MP750	33 1/2" (850mm)
MP900	39 3/8" (1000mm)
MP1225	52 3/16" (1325mm)
MP1350	57 1/8" (1450mm)

MP Width Double Hinged Door Cabinet Housings

Double hinged door housings are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Doors include individual lock (RG) and 2 keys.

22 3/16" wide x 29 1/2" deep
(564mm x 750mm)

PART NO.	OVERALL HEIGHT (without base)
MPDHD600	27 1/2" (700mm)
MPDHD750	33 1/2" (850mm)
MPDHD900	39 3/8" (1000mm)
MPDHD1225	52 3/16" (1325mm)
MPDHD1350	57 1/8" (1450mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. For descriptions, see page 62.

Fork Truck Base

PART NO.	HEIGHT
MP-FTB	2 3/8" (60mm)

Pallet Truck Base

PART NO.	HEIGHT
MP-PTB	3 15/16" (100mm)

Frame Bases

PART NO.	HEIGHT
MP-2	2" (50mm)
MP-4	4" (100mm)
MP-6	6" (150mm)

Mobile Bases

Mobile bases include a set of 2 fixed and 2 swivel casters with wheel locks.

PART NO.	CASTERS	OAH	CAP.
Use with 1 MP housing			
CB-MP4B	4" x 2"	6 1/4"	1400 lb.
CB-MP6B	6" x 2"	8"	2400 lb.
Use with 2 MP housings on 1 base			
CB-544B	4" x 2"	6 1/4"	1400 lb.
CB-546B	6" x 2"	8"	2400 lb.

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Lista representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
MP-RT	retainer top with ribbed mat	3/4"
MP1BCT	butcher block	1 3/4"
MP1PCT	plastic laminate	1 9/16"
MP1RCT	phenolic resin	1"
MP1LSCT	galvanized steel over wood	1 13/16"
MP1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Lista drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
MP75F	2 1/8" (54mm)	2" (52mm)
MP100F	3 1/8" (79mm)	3" (77mm)
MP125F	4 1/16" (104mm)	3" (77mm)
MP150F	5 1/16" (129mm)	5" (127mm)
MP175F	6 1/16" (154mm)	5" (127mm)
MP200F	7 1/32" (179mm)	7" (177mm)
MP225F	8" (203mm)	7" (177mm)
MP250F	9" (229mm)	8 15/16" (227mm)
MP300F	11" (279mm)	10 15/16" (277mm)
MP350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-AS	19 3/4" (502mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-BS	19 13/16" (503mm)	23 3/4" (604mm)

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-TCF	18" (244mm)	24" (609mm)

Flush Hinged Doors

Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number. **Only bottom and adjustable shelves may be installed behind flush doors.**

PART NO.	HEIGHT
FD300-27 ■	11 13/16" (300mm)
FD450-27 ■	17 11/16" (450mm)
FD600-27 ■	23 5/8" (600mm)
FD750-27 ■	29 9/16" (750mm)
FD900-27 ■	35 7/16" (900mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/MP	solid steel door	8 5/16"
RD450/MP	solid steel door	14 1/4"
RD600/MP	solid steel door	20 1/8"


*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- MP Width drawer interior sets, page 19
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.




Lista's modular building block system means that your MP Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

Example: 900 housing



Example: 900 housing with flush hinged door



MP Width **Easy-Order** Cabinet Combinations – 22 3/16" wide x 28 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 19)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 19)

How to order an MP Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" at the end of the part number – i.e., MP0750-0302FA).

2. ■ Select base type.

- NB = none
FT = fork truck
PT = pallet truck
F2 = 2" frame base
F4 = 4" frame base
F6 = 6" frame base

For additional bases, see page 15; for Easy-Order mobile combinations, see page 18.

3. ■ Select lock type.

- NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

4. □ Select paint color. For color chart, see page 63 or below.

EXAMPLE: to order an MP0750-0302FA cabinet with a fork truck base, an individual lock and Pearl Gray paint, the part number would be MP0750-0302FA-**FT****RG****PG** (shown in photo at top of page).

MP300 Cabinets 15 3/4" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	316
2" (75F)	316
2" (75F)	209
2" (75F)	209

PART NO.	DRWS.	COMPARTS.
MP0300-0401F- ■ ■ ■	4	-
MP0300-0401FA- ■ ■ ■	4	50

DRAWER HT.	DRAWER INTERIOR
2" (75F)	316
3" (100F)	209
4" (125F)	209

PART NO.	DRWS.	COMPARTS.
MP0300-0301F- ■ ■ ■	3	-
MP0300-0301FA- ■ ■ ■	3	34

DRAWER HT.	DRAWER INTERIOR
3" (100F)	209
7" (200F)	104

PART NO.	DRWS.	COMPARTS.
MP0300-0201F- ■ ■ ■	2	-
MP0300-0201FA- ■ ■ ■	2	13

DRAWER HT.	DRAWER INTERIOR
5" (150F)	209
5" (150F)	104

PART NO.	DRWS.	COMPARTS.
MP0300-0202F- ■ ■ ■	2	-
MP0300-0202FA- ■ ■ ■	2	13

MP600 Cabinets 27 1/2" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	316
2" (75F)	316
2" (75F)	209
2" (75F)	209
3" (100F)	209
3" (100F)	209
3" (100F)	209

PART NO.	DRWS.	COMPARTS.
MP0600-0701F- ■ ■ ■	7	-
MP0600-0701FA- ■ ■ ■	7	77

DRAWER HT.	DRAWER INTERIOR
2" (75F)	028
2" (75F)	316
3" (100F)	316
3" (100F)	209
3" (100F)	209
5" (150F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0601F- ■ ■ ■	6	-
MP0600-0601FA- ■ ■ ■	6	82

DRAWER HT.	DRAWER INTERIOR
2" (75F)	316
2" (75F)	316
3" (100F)	209
5" (150F)	104
7" (200F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0501F- ■ ■ ■	5	-
MP0600-0501FA- ■ ■ ■	5	49

DRAWER HT.	DRAWER INTERIOR
3" (100F)	316
3" (100F)	209
3" (100F)	209
5" (150F)	104
5" (150F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0502F- ■ ■ ■	5	-
MP0600-0502FA- ■ ■ ■	5	42

DRAWER HT.	DRAWER INTERIOR
2" (75F)	316
3" (100F)	209
4" (125F)	104
11" (300F)	-

PART NO.	DRWS.	COMPARTS.
MP0600-0401F- ■ ■ ■	4	-
MP0600-0401FA- ■ ■ ■	4	29

DRAWER HT.	DRAWER INTERIOR
3" (100F)	316
5" (150F)	209
5" (150F)	104
7" (200F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0402F- ■ ■ ■	4	-
MP0600-0402FA- ■ ■ ■	4	33

DRAWER HT.	DRAWER INTERIOR
5" (150F)	209
7" (200F)	104
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0302F- ■ ■ ■	3	-
MP0600-0302FA- ■ ■ ■	3	17

DRAWER HT.	DRAWER INTERIOR
5" (150F)	104
450 DOOR	
BOTTOM SHELF	

PART NO.	DRWS.	COMPARTS.
MP0600-0202F- ■ ■ ■	1	-
MP0600-0202FA- ■ ■ ■	1	4

MP Width **Easy-Order** Mobile Cabinet Combinations – 22 3/16" wide x 28 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 19)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 19)

How to order an MP Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., MP0600-0402FA-M).

2. **Select lock type.**


NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or back cover.

EXAMPLE: to order an MP0600-0501FA-M cabinet with an individual lock, Bright Blue paint and a retainer top, the part number would be MP0600-0501FA-M-**RG**BB, with MP-RT top (shown in photo at top of page).

MP300 Mobile Carts 32 1/2" high



PART NO.	DRWS.	COMPARTS.
MSC- <input type="checkbox"/>	-	-
includes 4" x 1 1/4" casters		
includes 4-sided retainer top with ribbed mat		

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	3" (100F)	209
	4" (125F)	209

PART NO.	DRWS.	COMPARTS.
MCMP0300-0301F- <input type="checkbox"/>	3	-
MCMP0300-0301FA- <input type="checkbox"/>	3	34
includes 4" x 1 1/4" casters		
includes 4-sided retainer top with ribbed mat		

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	209
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
MCMP0300-0201F- <input type="checkbox"/>	2	-
MCMP0300-0201FA- <input type="checkbox"/>	2	13
includes 4" x 1 1/4" casters		
includes 4-sided retainer top with ribbed mat		

MP600 Mobile Cabinets 35 1/2" high



	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	028
	2" (75F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	5" (150F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0601F-M- <input type="checkbox"/>	6	-
MP0600-0601FA-M- <input type="checkbox"/>	6	82
includes 6" x 2" casters		



	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	2" (75F)	316
	3" (100F)	209
	5" (150F)	104
	7" (200F)	104


PART NO.	DRWS.	COMPARTS.
MP0600-0501F-M- <input type="checkbox"/>	5	-
MP0600-0501FA-M- <input type="checkbox"/>	5	49
includes 6" x 2" casters		



	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	5" (150F)	209
	5" (150F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
MP0600-0402F-M- <input type="checkbox"/>	4	-
MP0600-0402FA-M- <input type="checkbox"/>	4	33
includes 6" x 2" casters		

MP600 Mobile Work Centers 35 1/2" high




	DRAW. HT.	INT.		INCL.	INT.
	2" (75F)	316		600 DOOR	
	2" (75F)	316		ADJ. SHELF	
	3" (100F)	209			
	5" (150F)	104			
	7" (200F)	104			

PART NO.	DRWS.	COMPARTS.
MMP0600-0702F- <input type="checkbox"/>	5	-
MMP0600-0702FA- <input type="checkbox"/>	5	49
includes 6" x 2" casters		
44 3/8" wide		



	DRAW. HT.	INT.		DRAW. HT.	INT.
	5" (150F)	104		5" (150F)	104

PART NO.	DRWS.	COMPARTS.
MMP0600-0402F- <input type="checkbox"/>	2	-
MMP0600-0402FA- <input type="checkbox"/>	2	8
includes 6" x 2" casters		
44 3/8" wide		



	DRAW. HT.	INT.		INCL.	INT.
	2" (75F)	510		600 DOOR	
	2" (75F)	018		ADJ. SHELF	
	3" (100F)	316			
	5" (150F)	209			
	7" (200F)	104			

PART NO.	DRWS.	COMPARTS.
MMPNW0600-0703F- <input type="checkbox"/>	5	-
MMPNW0600-0703FB- <input type="checkbox"/>	5	57
includes 6" x 2" casters		
39" wide (MP width drawers, NW width door)		

Mobile Cabinet Options



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep. Not for use with mobile carts.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

MP Mobile Cabinet Tops

For additional top choices, see page 15. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
MP-RT	retainer top with ribbed mat	3/4"
2MP-RT*	retainer top with ribbed mat	3/4"
MP1BCT	butcher block	1 3/4"
MP2BCT*	butcher block	1 3/4"
MP1PCT	plastic laminate	1 9/16"
MP2PCT*	plastic laminate	1 9/16"

*use with 2 MP housings



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
MPDR104-■	2	7 1/2"
	2	9 1/4"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
MPDR206-■	6	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
MPDR209-■	9	5 1/2"

How to order an MP Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an MPDR206 drawer interior set for a 100 height (3") drawer, the part ordering number would be MPDR206-100.



For drawer heights 50 through 150

PART NO.	COMPTS.	CMPT. WIDTH
MPDR312-■	3	3 1/2"
	9	4 1/8"



For drawer heights 50 through 150

PART NO.	COMPTS.	CMPT. WIDTH
MPDR316-■	4	3 1/2"
	12	4 1/8"




For drawer heights 50 through 125

PART NO.	COMPTS.	CMPT. WIDTH
MPDR430-■	18	2 5/8"
	12	3 1/2"



For drawer heights 50 through 150

PART NO.	COMPTS.	CMPT. DEPTH
MPDR510-■	3	3 1/2"
	4	15 5/8"



For drawer heights 50 through 125

PART NO.	COMPTS.	CMPT. WIDTH
MPDR524-■	12	2 1/8"
	12	2 5/8"



For drawer heights 50 through 125

PART NO.	COMPTS.	CMPT. SIZE
MPDR012-■	12	6" x 6"



For drawer heights 50 through 125

PART NO.	COMPTS.	CMPT. SIZE
MPDR018-■	12	3" x 6"
	6	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
MPDR024-■	24	3" x 6"



For drawer heights 50 and 75

PART NO.	COMPTS.	CMPT. SIZE
MPDR028-■	16	3" x 3"
	8	3" x 6"
	4	6" x 6"



For drawer heights 50 and 75

PART NO.	COMPTS.	CMPT. WIDTH
MPDR480-■	24	1 1/4"
	16	1 3/4"



For drawer heights 50 and 75

PART NO.	COMPTS.	CMPT. WIDTH
MPDR482-■	23	1 3/4"
	14	2 3/4"



For drawer heights 100 through 350

PART NO.	COMPTS.	CMPT. WIDTH
MPDR-AT10-■	sliding accessory tray	
	1	6"
	8	3"

SC Standard Width Cabinets – 28 1/4" wide x 28 1/2" deep

Setting the standard for versatility

- our most popular storage cabinet
- available with a variety of drawer heights and drawer interior configurations
- can fit the needs of a wide range of installations and applications

WE OFFER A NUMBER OF PRE-CONFIGURED **EASY-ORDER COMBINATIONS**

- SC WIDTH CABINETS: PAGES 22-24
- SC WIDTH MOBILE CABINETS: PAGE 25



Stacked Standard Width and Double Width cabinets provide the avionics maintenance department at Northwest Airlines with the best of both worlds. Delicate aircraft components such as black boxes, wiring harnesses and navigation equipment are stored in the Standard Width drawer cabinets, where they are protected from dirt and dust. Large, bulky items are stored in the Double Width open shelf cabinets above.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.

1 Select cabinet housing

Listo's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

Standard Width Cabinet Housings

28 1/4" wide x 28 1/2" deep
(717mm x 725mm)

PART NO.	OVERALL HEIGHT
	(without base)
SC300	15 3/4" (400mm)
SC600	27 1/2" (700mm)
SC750	33 1/2" (850mm)
SC900	39 3/8" (1000mm)
SC1050	45 1/4" (1150mm)
SC1225	52 3/16" (1325mm)
SC1350	57 1/8" (1450mm)
SC1525	64" (1625mm)

Standard Width Double Hinged Door Cabinet Housings

Double hinged door housings are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Doors include individual lock (RG) and 2 keys.

28 1/4" wide x 29 1/2" deep
(717mm x 750mm)

PART NO.	OVERALL HEIGHT
	(without base)
SCDHD600	27 1/2" (700mm)
SCDHD750	33 1/2" (850mm)
SCDHD900	39 3/8" (1000mm)
SCDHD1050	45 1/4" (1150mm)
SCDHD1225	52 3/16" (1325mm)
SCDHD1350	57 1/8" (1450mm)
SCDHD1525	64" (1625mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Listo offers a wide array of cabinet bases to suit any need. Mobile bases not recommended for use with 1225 height or higher cabinets. For descriptions, see page 62.

PART NO.	DESCRIPTION	OAH
SC-FTB	fork truck base	2 3/8"
SC-PTB	pallet truck base	3 15/16"
SC-2FB	frame base	2"
SC-4FB	frame base	4"
SC-6FB	frame base	6"
CB-SC4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-SC6B	6" x 2" casters, 2400 lb. cap.	8"
CB-SC6ML	6" x 2" casters, 3600 lb. cap.	8"
CB-726B*	6" x 2" casters, 2400 lb. cap.	8"
CB-726ML*	6" x 2" casters, 3600 lb. cap.	8"

*use with 2 SC housings on 1 base

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Listo representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
SC-RT	retainer top with ribbed mat	3/4"
SC1BCT	butcher block	1 3/4"
SC1PCT	plastic laminate	1 9/16"
SC1RCT	phenolic resin	1"
SC1LSCT	galvanized steel over wood	1 13/16"
SC1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
SC75F	2 1/8" (54mm)	2" (52mm)
SC100F	3 1/8" (79mm)	3" (77mm)
SC125F	4 1/16" (104mm)	3" (77mm)
SC150F	5 1/16" (129mm)	5" (127mm)
SC175F	6 1/16" (154mm)	5" (127mm)
SC200F	7 1/32" (179mm)	7" (177mm)
SC225F	8" (203mm)	7" (177mm)
SC250F	9" (229mm)	8 15/16" (227mm)
SC300F	11" (279mm)	10 15/16" (277mm)
SC350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-AS	25 13/16" (655mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-BS	25 7/8" (656mm)	23 3/4" (604mm)

Vertical Dividers for Adjustable Shelf

PART NO.	HEIGHT
VSD100/36	4"
VSD150/36	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
SC-TCF	24" (610mm)	24" (610mm)

Flush Hinged Doors

Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number. **Only bottom and adjustable shelves may be installed behind flush doors.**

PART NO.	HEIGHT
FD450-36 ■	17 11/16" (450mm)
FD600-36 ■	23 5/8" (600mm)
FD750-36 ■	29 9/16" (750mm)
FD900-36 ■	35 7/16" (900mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/SC	solid steel door	8 5/16"
RD450/SC	solid steel door	14 1/4"
RD600/SC	solid steel door	20 1/8"
RD450/SC-P	with plexiglas window	14 1/4"
RD600/SC-P	with plexiglas window	20 1/8"


*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- Standard Width drawer interior sets, pages 26-27
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.




Listo's modular building block

system means that your Standard Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

Example: 900 housing



Example: 900 housing with flush hinged door



SC Standard Width **Easy-Order** Cabinet Combinations – 28 1/4" wide x 28 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (see pages 26-27)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (see pages 26-27)

How to order a Standard Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" at the end of the part number – i.e., SC0750-0703FA).

2. **Select base type.**

- NB** = none
FT = fork truck
PT = pallet truck
F2 = 2" frame base
F4 = 4" frame base
F6 = 6" frame base

For additional bases, see page 21; for Easy-Order mobile combinations, see page 25.

3. **Select lock type.**

- NL*** = none
RG = individual
KA = keyed-alike
MA = master

*not available for double hinged door cabinets

For additional lock options, see pages 58-59.

4. **Select paint color.** For color chart, see page 63 or below.

EXAMPLE: to order an SC0900-1101FA cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be SC0900-1101FA-**FTRG**BB (shown in photo at top of page).

SC750 Cabinets 33 1/2" high

DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	420
3" (100F)	312
3" (100F)	312
3" (100F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0901F-	9	-
SC0750-0901FA-	9	193

DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	312
5" (150F)	312
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0703F-	7	-
SC0750-0703FA-	7	133

DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	312
3" (100F)	312
3" (100F)	209
3" (100F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0704F-	7	-
SC0750-0704FA-	7	91

DRAWER HT.	DRAWER INT.
5" (150F)	312
7" (200F)	209
7" (200F)	104
7" (200F)	104

PART NO.	DRWS.	COMPARTS.
SC0750-0404F-	4	-
SC0750-0404FA-	4	29

SC900 Cabinets 39 3/8" high

DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	420
2" (75F)	420
3" (100F)	312
3" (100F)	312
3" (100F)	312

PART NO.	DRWS.	COMPARTS.
SC0900-1101F-	11	-
SC0900-1101FA-	11	244

DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
4" (125F)	316
4" (125F)	316

PART NO.	DRWS.	COMPARTS.
SC0900-1001F-	10	-
SC0900-1001FA-	10	252

DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
2" (75F)	420
2" (75F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	316
5" (150F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0901F-	9	-
SC0900-0901FA-	9	154

DRAWER HT.	DRAWER INT.
3" (100F)	524
3" (100F)	524
3" (100F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	316

PART NO.	DRWS.	COMPARTS.
SC0900-0904F-	9	-
SC0900-0904FA-	9	180

DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	312
3" (100F)	312
3" (100F)	312
5" (150F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0804F-	8	-
SC0900-0804FA-	8	114

DRAWER HT.	DRAWER INT.
2" (75F)	420
2" (75F)	420
3" (100F)	420
3" (100F)	420
5" (150F)	316
7" (200F)	209
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0703F-	7	-
SC0900-0703FA-	7	114

DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
5" (150F)	312
5" (150F)	209
9" (250F)	104







PART NO.	DRWS.	COMPARTS.
SC0900-0704F-	7	-
SC0900-0704FA-	7	113





DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	316
5" (150F)	316
7" (200F)	209
9" (250F)	104






PART NO.	DRWS.	COMPARTS.
SC0900-0602F-	6	-
SC0900-0602FA-	6	85





SC1050 Cabinets






45 1/4" high





	DRAWER HT.	DRAWER INT.
	5" (150F)	316
	5" (150F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	104
	5" (150F)	104


PART NO.	DRWS.	COMPARTS.
SC0900-0605F-  	6	-
SC0900-0605FA-  	6	58



	DRAWER HT.	DRAWER INT.
	5" (150F)	316
	5" (150F)	316
	5" (150F)	316
	7" (200F)	209
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC0900-0501F-  	5	-
SC0900-0501FA-  	5	61









	DRAWER HT.	DRAWER INT.
	5" (150F)	316
	5" (150F)	316
	7" (200F)	209
	7" (200F)	209
	7" (200F)	104





PART NO.	DRWS.	COMPARTS.
SC0900-0504F-  	5	-
SC0900-0504FA-  	5	54

















PART NO.	TRAYS
SC0900-0304D-  	3







door cabinet is 29 1/2" deep





	DRAWER HT.	DRAWER INT.
	2" (75F)	036
	2" (75F)	036
	2" (75F)	524
	3" (100F)	420
	3" (100F)	420
	3" (100F)	420
	5" (150F)	312
	5" (150F)	312


PART NO.	DRWS.	COMPARTS.
SC1050-1001F-  	10	-
SC1050-1001FA-  	10	216


	DRAWER HT.	DRAWER INT.
	3" (100F)	420
	3" (100F)	420
	3" (100F)	312
	3" (100F)	312
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	209
	7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC1050-0801F-  	8	-
SC1050-0801FA-  	8	106

	DRAWER HT.	DRAWER INT.
	3" (100F)	420
	5" (150F)	312
	5" (150F)	312
	7" (200F)	209
	7" (200F)	209
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC1050-0601F-  	6	-
SC1050-0601FA-  	6	66



















PART NO.	TRAYS
SC1050-0301D-  	3











door cabinet is 29 1/2" deep





SC1225 Cabinets










52 3/16" high





	DRAWER HT.	DRAWER INT.
	2" (75F)	524
	2" (75F)	524
	2" (75F)	524
	2" (75F)	524
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209









PART NO.	DRWS.	COMPARTS.
SC1225-1301F-  	13	-
SC1225-1301FA-  	13	241





	DRAWER HT.	DRAWER INT.
	2" (75F)	036
	2" (75F)	036
	2" (75F)	524
	3" (100F)	524
	3" (100F)	420
	3" (100F)	420
	5" (150F)	312
	5" (150F)	312
	7" (200F)	209
	7" (200F)	209








PART NO.	DRWS.	COMPARTS.
SC1225-1001F-  	10	-
SC1225-1001FA-  	10	202





	DRAWER HT.	DRAWER INT.
	2" (75F)	524
	2" (75F)	524
	2" (75F)	524
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	7" (200F)	209
	9" (250F)	104
	9" (250F)	104







PART NO.	DRWS.	COMPARTS.
SC1225-0901F-  	9	-
SC1225-0901FA-  	9	137





	DRAWER HT.	DRAWER INT.
	3" (100F)	420
	3" (100F)	420
	4" (125F)	420
	5" (150F)	316
	5" (150F)	316
	7" (200F)	209
	7" (200F)	209
	7" (200F)	104






PART NO.	DRWS.	COMPARTS.
SC1225-0801F-  	8	-
SC1225-0801FA-  	8	114





	DRAWER HT.	DRAWER INT.
	4" (125F)	420
	5" (150F)	316
	5" (150F)	316
	5" (150F)	316
	7" (200F)	209
	7" (200F)	209
	9" (250F)	104


PART NO.	DRWS.	COMPARTS.
SC1225-0701F-  	7	-
SC1225-0701FA-  	7	90


	DRAWER HT.	DRAWER INT.
	4" (125F)	420
	7" (200F)	316
	7" (200F)	209
	7" (200F)	209
	9" (250F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC1225-0601F-  	6	-
SC1225-0601FA-  	6	62

	DRAWER HT.	DRAWER INT.
	8" (225F)	209
	9" (250F)	206
	9" (250F)	206
	9" (250F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC1225-0502F-  	5	-
SC1225-0502FA-  	5	29



PART NO.	TRAYS
SC1225-0301D-  	3







door cabinet is 29 1/2" deep

SC Standard Width *Easy-Order* Cabinet Combinations – 28 1/4" wide x 28 1/2" deep







SC1350 Cabinets

57 1/8" high







DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	420
2" (75F)	420
3" (100F)	420
3" (100F)	312
3" (100F)	312
3" (100F)	312
3" (100F)	312

PART NO.	DRWS.	COMPARTS.
SC1350-1601F-   	16	-
SC1350-1601FA-   	16	344







DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
3" (100F)	316
3" (100F)	316
3" (100F)	316
3" (100F)	316
3" (100F)	316
4" (125F)	316
6" (175F)	209
6" (175F)	209
6" (175F)	209

PART NO.	DRWS.	COMPARTS.
SC1350-1204F-   	12	-
SC1350-1204FA-   	12	203







DRAWER HT.	DRAWER INT.
5" (150F)	316
5" (150F)	316
5" (150F)	316
5" (150F)	316
5" (150F)	212
5" (150F)	212
5" (150F)	212
5" (150F)	212

PART NO.	DRWS.	COMPARTS.
SC1350-0903F-   	9	-
SC1350-0903FA-   	9	124







DRAWER HT.	DRAWER INT.
5" (150F)	312
5" (150F)	312
5" (150F)	209
5" (150F)	209
7" (200F)	209
9" (250F)	104
11" (300F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-0703F-   	7	-
SC1350-0703FA-   	7	59







DRAWER HT.	DRAWER INT.
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
3" (100F)	320
4" (125F)	320

PART NO.	DRWS.	COMPARTS.
SC1350-1502F-   	15	-
SC1350-1502FA-   	15	300







DRAWER HT.	DRAWER INT.
2" (75F)	320
2" (75F)	320
2" (75F)	320
2" (75F)	320
4" (125F)	316
4" (125F)	316
4" (125F)	316
4" (125F)	316
5" (150F)	312
5" (150F)	312
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-1103F-   	11	-
SC1350-1103FA-   	11	172







DRAWER HT.	DRAWER INT.
5" (150F)	312
5" (150F)	312
5" (150F)	312
5" (150F)	209
5" (150F)	209
7" (200F)	209
7" (200F)	209
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC1350-0801F-   	8	-
SC1350-0801FA-   	8	81







DRAWER HT.	DRAWER INT.
7" (200F)	206
7" (200F)	206
7" (200F)	206
7" (200F)	206
9" (250F)	104
11" (300F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-0601F-   	6	-
SC1350-0601FA-   	6	32







DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
3" (100F)	524
3" (100F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	312
5" (150F)	312
5" (150F)	312

PART NO.	DRWS.	COMPARTS.
SC1350-1302F-   	13	-
SC1350-1302FA-   	13	252







DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	316
5" (150F)	316
5" (150F)	316
7" (200F)	209
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-1002F-   	10	-
SC1350-1002FA-   	10	169







DRAWER HT.	DRAWER INT.
5" (150F)	312
5" (150F)	312
5" (150F)	312
5" (150F)	312
5" (150F)	312
5" (150F)	312
7" (200F)	206
9" (250F)	206

PART NO.	DRWS.	COMPARTS.
SC1350-0803F-   	8	-
SC1350-0803FA-   	8	84







DRAWER HT.	DRAWER INT.
9" (250F)	104
9" (250F)	104
9" (250F)	104
9" (250F)	104
11" (300F)	104
11" (300F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-0501F-   	5	-
SC1350-0501FA-   	5	20







DRAWER HT.	DRAWER INT.
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	524
2" (75F)	420
2" (75F)	420
2" (75F)	420
2" (75F)	420
4" (125F)	316
6" (175F)	209
7" (200F)	209
9" (250F)	104


PART NO.	DRWS.	COMPARTS.
SC1350-1202F-   	12	-
SC1350-1202FA-   	12	214

DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	420
3" (100F)	420
5" (150F)	316
5" (150F)	316
5" (150F)	316
5" (150F)	316
5" (150F)	316
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC1350-1004F-   	10	-
SC1350-1004FA-   	10	169

DRAWER HT.	DRAWER INT.
5" (150F)	312
7" (200F)	312
7" (200F)	312
7" (200F)	209
7" (200F)	209
7" (200F)	209
7" (200F)	209
7" (200F)	104

PART NO.	DRWS.	COMPARTS.
SC1350-0701F-   	7	-
SC1350-0701FA-   	7	67



PART NO.	TRAYS
SC1350-0401D-   	4

door cabinet is 29 1/2" deep

SC600 Mobile Cabinets

35 1/2" high



DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	420

PART NO.	DRWS.	COMPARTS.
SC0600-0701F-M- <input type="checkbox"/>	7	-
SC0600-0701FA-M- <input type="checkbox"/>	7	180



DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	316
5" (150F)	316
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0600-0502F-M- <input type="checkbox"/>	5	-
SC0600-0502FA-M- <input type="checkbox"/>	5	81



DRAWER HT.	DRAWER INT.
3" (100F)	420
5" (150F)	316
5" (150F)	316
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC0600-0402F-M- <input type="checkbox"/>	4	-
SC0600-0402FA-M- <input type="checkbox"/>	4	61

SC750 Mobile Cabinets

41 1/2" high



DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	420
2" (75F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0801F-M- <input type="checkbox"/>	8	-
SC0750-0801FA-M- <input type="checkbox"/>	8	162



DRAWER HT.	DRAWER INT.
3" (100F)	316
3" (100F)	316
3" (100F)	316
5" (150F)	209
5" (150F)	209
5" (150F)	209

PART NO.	DRWS.	COMPARTS.
SC0750-0617F-M- <input type="checkbox"/>	6	-
SC0750-0617FA-M- <input type="checkbox"/>	6	75



DRAWER HT.	DRAWER INT.
5" (150F)	316
5" (150F)	316
7" (200F)	209
9" (250F)	104

PART NO.	DRWS.	COMPARTS.
SC0750-0401F-M- <input type="checkbox"/>	4	-
SC0750-0401FA-M- <input type="checkbox"/>	4	45

SC900 Mobile Cabinets

47 3/8" high



DRAWER HT.	DRAWER INT.
2" (75F)	036
2" (75F)	036
2" (75F)	524
2" (75F)	524
3" (100F)	420
3" (100F)	420
3" (100F)	316
3" (100F)	316
3" (100F)	209
3" (100F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-1002F-M- <input type="checkbox"/>	10	-
SC0900-1002FA-M- <input type="checkbox"/>	10	210



DRAWER HT.	DRAWER INT.
3" (100F)	420
3" (100F)	420
3" (100F)	316
3" (100F)	316
4" (125F)	312
4" (125F)	312
4" (125F)	209
4" (125F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0805F-M- <input type="checkbox"/>	8	-
SC0900-0805FA-M- <input type="checkbox"/>	8	114



DRAWER HT.	DRAWER INT.
3" (100F)	420
5" (150F)	420
5" (150F)	316
5" (150F)	316
5" (150F)	209
7" (200F)	209

PART NO.	DRWS.	COMPARTS.
SC0900-0607F-M- <input type="checkbox"/>	6	-
SC0900-0607FA-M- <input type="checkbox"/>	6	90



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (see pages 26-27)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (see pages 26-27)

How to order a Standard Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" near the end of the part number — i.e., SC0600-0502FA-M).

2. **Select lock type.**

NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or below.

EXAMPLE: to order an SC0600-0502FA-M cabinet with an individual lock, Red paint and a retainer top, the part number would be SC0600-0502FA-M-**RG**NR, with an SC-RT top (shown in photo at top of page).

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 28 1/4" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



PART NO.	DESCRIPTION
OHC2829-CM	shelf cabinet
OHC1BCT/36	butcher block top (28 1/4" x 15" x 1 1/4")



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

Standard Width Mobile Cabinet Tops

For additional top choices, see page 21. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
SC-RT	retainer top with ribbed mat	3/4"
SC1BCT	butcher block	1 3/4"
SC1PCT	plastic laminate	1 9/16"

SC Standard Width **Easy-Order** Drawer Interior Sets

How to order a Standard Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on these two pages, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order a DR312 drawer interior set for a 100 height (3") drawer, the part ordering number would be DR312-100.



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR104-■	4	11 1/2"



For drawer heights 75 through 300

PART NO.	COMPTS.	CMPT. WIDTH
DR106-■	6	11 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR206-■	6	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR209-■	9	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR211-■	11	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR212-■	12	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR3AD-■	4	5 1/2"
	3	7 1/2"
	2	9 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR312-■	12	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR316-■	16	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR319-■	19	5 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR4AD-■	15	3 1/2"
	11	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
DR406-■	2	5 1/2"
	4	5 1/2" x 18"




For drawer heights 50 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR420-■	16	4 1/8"
	4	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR425-■	20	4 1/8"
	5	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR518-■	18	3 1/2"



For drawer heights 50 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR524-■	24	3 1/2"




For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR530-■	30	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR548-■	48	3 1/2"




For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
DR635-■	30	2 5/8"
	5	3 1/2"



For drawer heights 75 through 150

PART NO.	COMPTS.	CMPT. WIDTH
DR712-■	6	3 1/2"
	6	3 1/2" x 16"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
DR740-■	20	2 1/8"
	20	2 5/8"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
DR818-■	18	2 1/8"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR016-■	16	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR024-■	16	3" x 6"
	8	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
DR032-■	32	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
DR036-■	16	3" x 3"
	16	3" x 6"
	4	6" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
DR064-■	64	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR162-■	38	2 3/4"




For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR163-■	51	1 3/4"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR164-■	64	1 1/4"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
DR3PG-■	4	5 7/8"

MW Mid-Width Cabinets – 47" wide x 28 1/2" deep

The benefits of these cabinets are a long story

- *ideal for storage of tools and parts that are 24" in length or longer*
- *allow combined storage of short and long items together*
- *ideal for special automotive tools, measurement devices and other longer items*




WE OFFER A NUMBER OF PRE-CONFIGURED
EASY-ORDER COMBINATIONS

- MID-WIDTH CABINETS: PAGES 30-31
- MID-WIDTH MOBILE CABINETS: PAGE 32

Mid-Width cabinets in the service department of Cincinnati's BMW Store provide ample storage space for a variety of tools and parts. Technicians can store tools of all sizes and shapes in the wide drawers.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.



*inside dimensions

1 Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

Mid-Width Cabinet Housings

47" wide x 28 1/2" deep
(1194mm x 725mm)

PART NO.	OVERALL HEIGHT
	(without base)
MW300	15 3/4" (400mm)
MW450	21 5/8" (550mm)
MW600	27 1/2" (700mm)
MW750	33 1/2" (850mm)
MW900	39 3/8" (1000mm)
MW1050	45 1/4" (1150mm)
MW1225	52 3/16" (1325mm)
MW1350	57 1/8" (1450mm)

Mid-Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

47" wide x 29 1/2" deep
(1194mm x 750mm)

PART NO.	OVERALL HEIGHT
	(without base)
MWDHD600	27 1/2" (700mm)
MWDHD750	33 1/2" (850mm)
MWDHD900	39 3/8" (1000mm)
MWDHD1225	52 3/16" (1325mm)
MWDHD1350	57 1/8" (1450mm)

Mid-Width Sliding Door and Hinged Door Shelf Cabinets

See page 61.

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. For descriptions, see page 62.

PART NO.	DESCRIPTION	OA H
MW-FTB	fork truck base	2 3/8"
MW-PTB	pallet truck base	3 15/16"
CB-MW4ML	4" x 2" casters, 2400 lb. cap.	6 1/4"
CB-MW6ML	6" x 2" casters, 3600 lb. cap.	8"

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Lista representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
MW-RT	retainer top with ribbed mat	3/4"
MW1BCT	butcher block	1 3/4"
MW1PCT	plastic laminate	1 9/16"
MW1RCT	phenolic resin	1"
MW1LSCT	galvanized steel over wood	1 13/16"
MW1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) weight capacity for evenly distributed loads.

PART NO.	USABLE HT.	SIDEWALL HT.
MW75F	2 1/8" (54mm)	2" (52mm)
MW100F	3 1/8" (79mm)	3" (77mm)
MW125F	4 1/16" (104mm)	3" (77mm)
MW150F	5 1/16" (129mm)	5" (127mm)
MW175F	6 1/16" (154mm)	5" (127mm)
MW200F	7 1/32" (179mm)	7" (177mm)
MW225F	8" (203mm)	7" (177mm)
MW250F	9" (229mm)	8 15/16" (227mm)
MW300F	11" (279mm)	10 15/16" (277mm)
MW350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MW-AS	44 1/2" (1131mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MW-BS	44 9/16" (1132mm)	23 3/4" (604mm)

Vertical Dividers for Adjustable Shelf

PART NO.	HEIGHT
VSD100/36	4"
VSD150/36	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
MW-TCF	42 13/16" (1088mm)	24" (610mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/MW	solid steel door	8 5/16"
RD450/MW	solid steel door	14 1/4"
RD600/MW	solid steel door	20 1/8"
RD450/MW-P	with plexiglas window	14 1/4"
RD600/MW-P	with plexiglas window	20 1/8"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- Mid-Width drawer interior sets, page 33
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.

Lista's modular building block

system means that your Mid-Width cabinets can be configured to exactly suit your requirements.

To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer model numbers must add up to the model number of the housing.

Example: 900 housing

100 drawer
100 drawer
150 drawer
150 drawer
200 drawer
200 drawer

Total drawer height = 900

MW Mid-Width *Easy-Order* Cabinet Combinations – 47" wide x 28 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 33)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 33)

How to order a Mid-Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by a "B" at the end of the part number – i.e., MW0750-0803FB).

2. **Select base type.**

NB = none
FT = fork truck
PT = pallet truck

For additional bases, see page 29; for Easy-Order mobile combinations, see page 32.

3. **Select lock type.**

NL* = none
RG = individual
KA = keyed-alike
MA = master

*not available for double hinged door cabinets

For additional lock options, see pages 58-59.

4. **Select paint color.** For color chart, see page 63 or below.

EXAMPLE: to order an MW0900-0304D cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be MW0900-0304D-**FT****RG****BB** (shown in photo at top of page).

MW750 Cabinets 33 1/2" high

	DR. HT.	DR. INT.
	2" (75F)	836
	2" (75F)	836
	2" (75F)	836
	2" (75F)	836
	3" (100F)	732
	3" (100F)	732
	4" (125F)	628
	4" (125F)	628

PART NO.	DRWS.	COMPARTS.
MW0750-0802F-	8	-
MW0750-0802FB-	8	264

	DR. HT.	DR. INT.
	2" (75F)	836
	2" (75F)	836
	3" (100F)	635
	3" (100F)	635
	3" (100F)	628
	3" (100F)	628
	3" (100F)	628
	3" (100F)	628

PART NO.	DRWS.	COMPARTS.
MW0750-0803F-	8	-
MW0750-0803FB-	8	261

	DR. HT.	DR. INT.
	2" (75F)	836
	3" (100F)	732
	3" (100F)	732
	4" (125F)	628
	5" (150F)	524
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0604F-	6	-
MW0750-0604FB-	6	172

	DR. HT.	DR. INT.
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	5" (150F)	524
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0605F-	6	-
MW0750-0605FB-	6	184

	DR. HT.	DR. INT.
	2" (75F)	836
	3" (100F)	732
	4" (125F)	628
	5" (150F)	524
	11" (300F)	312

PART NO.	DRWS.	COMPARTS.
MW0750-0501F-	5	-
MW0750-0501FB-	5	132

	DR. HT.	DR. INT.
	3" (100F)	635
	7" (200F)	524
	7" (200F)	524
	9" (250F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0403F-	4	-
MW0750-0403FB-	4	103

	DR. HT.	DR. INT.
	5" (150F)	628
	7" (200F)	420
	7" (200F)	420
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0404F-	4	-
MW0750-0404FB-	4	88

	INCLUDES
	ROLL-OUT TRAY
	ROLL-OUT TRAY

PART NO.	TRAYS
MW0750-0201D-	2

door cabinet is 29 1/2" deep

MW900 Cabinets 39 3/8" high

	DR. HT.	DR. INT.
	2" (75F)	732
	2" (75F)	732
	2" (75F)	732
	3" (100F)	628
	3" (100F)	628
	3" (100F)	628
	5" (150F)	420
	5" (150F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0901F-	9	-
MW0900-0901FB-	9	252

	DR. HT.	DR. INT.
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	3" (100F)	524
	3" (100F)	524
	3" (100F)	524
	3" (100F)	420
	3" (100F)	420
	3" (100F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0904F-	9	-
MW0900-0904FB-	9	237

	DR. HT.	DR. INT.
	3" (100F)	732
	3" (100F)	732
	3" (100F)	732
	3" (100F)	732
	5" (150F)	628
	5" (150F)	628
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0702F-	7	-
MW0900-0702FB-	7	204

	DR. HT.	DR. INT.
	2" (75F)	836
	3" (100F)	732
	4" (125F)	628
	4" (125F)	628
	4" (125F)	628
	5" (150F)	524
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0705F-	7	-
MW0900-0705FB-	7	196



DR. HT.	DR. INT.
3" (100F)	635
4" (125F)	628
4" (125F)	628
5" (150F)	524
7" (200F)	420
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0606F-■ ■ ■ ■ ■ ■	6	-
MW0900-0606FB-■ ■ ■ ■ ■ ■	6	155




DR. HT.	DR. INT.
3" (100F)	635
5" (150F)	524
7" (200F)	420
7" (200F)	420
9" (250F)	312

PART NO.	DRWS.	COMPARTS.
MW0900-0503F-■ ■ ■ ■ ■	5	-
MW0900-0503FB-■ ■ ■ ■ ■	5	111



DR. HT.	DR. INT.
5" (150F)	524
5" (150F)	524
7" (200F)	420
7" (200F)	420
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0504F-■ ■ ■ ■ ■	5	-
MW0900-0504FB-■ ■ ■ ■ ■	5	108



INCLUDES
ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY

PART NO.	TRAYS
MW0900-0304D-■ ■ ■	3
door cabinet is 29 1/2" deep	

MW1225 Cabinets 52 3/16" high



DR. HT.	DR. INT.
2" (75F)	732
2" (75F)	732
2" (75F)	732
3" (100F)	628
3" (100F)	628
3" (100F)	628
5" (150F)	524
7" (200F)	420
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW1225-1001F-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	10	-
MW1225-1001FB-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	10	268




DR. HT.	DR. INT.
3" (100F)	732
3" (100F)	732
4" (125F)	628
5" (150F)	524
5" (150F)	524
7" (200F)	420
7" (200F)	420
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW1225-0801F-■ ■ ■ ■ ■ ■ ■ ■	8	-
MW1225-0801FB-■ ■ ■ ■ ■ ■ ■ ■	8	200



DR. HT.	DR. INT.
4" (125F)	628
7" (200F)	420
7" (200F)	420
7" (200F)	420
9" (250F)	312
9" (250F)	312


PART NO.	DRWS.	COMPARTS.
MW1225-0601F-■ ■ ■ ■ ■ ■	6	-
MW1225-0601FB-■ ■ ■ ■ ■ ■	6	112



INCLUDES
ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY


PART NO.	TRAYS
MW1225-0301D-■ ■ ■	3
door cabinet is 29 1/2" deep	

MW1350 Cabinets 57 1/8" high



DR. HT.	DR. INT.
2" (75F)	836
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	635
3" (100F)	635
3" (100F)	635
3" (100F)	635
3" (100F)	628
3" (100F)	628
3" (100F)	628
4" (125F)	524
4" (125F)	524

PART NO.	DRWS.	COMPARTS.
MW1350-1401F-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	14	-
MW1350-1401FB-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	14	444



DR. HT.	DR. INT.
2" (75F)	836
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	628
3" (100F)	628
3" (100F)	628
3" (100F)	628
5" (150F)	524
5" (150F)	524
5" (150F)	524
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW1350-1201F-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	12	-
MW1350-1201FB-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	12	348



DR. HT.	DR. INT.
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	635
3" (100F)	635
4" (125F)	524
4" (125F)	524
4" (125F)	524
7" (200F)	420
9" (250F)	312

PART NO.	DRWS.	COMPARTS.
MW1350-1102F-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	11	-
MW1350-1102FB-■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	11	317



DR. HT.	DR. INT.
3" (100F)	635
3" (100F)	635
3" (100F)	635
5" (150F)	524
5" (150F)	524
7" (200F)	420
7" (200F)	420
7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW1350-0902F-■ ■ ■ ■ ■ ■ ■ ■	9	-
MW1350-0902FB-■ ■ ■ ■ ■ ■ ■ ■	9	237



DR. HT.	DR. INT.
3" (100F)	635
3" (100F)	635
5" (150F)	524
5" (150F)	524
7" (200F)	420
7" (200F)	420
7" (200F)	420
9" (250F)	312

PART NO.	DRWS.	COMPARTS.
MW1350-0802F-■ ■ ■ ■ ■ ■ ■ ■	8	-
MW1350-0802FB-■ ■ ■ ■ ■ ■ ■ ■	8	190




DR. HT.	DR. INT.
5" (150F)	628
5" (150F)	628
5" (150F)	628
7" (200F)	420
7" (200F)	420
9" (250F)	312
9" (250F)	312

PART NO.	DRWS.	COMPARTS.
MW1350-0702F-■ ■ ■ ■ ■ ■ ■	7	-
MW1350-0702FB-■ ■ ■ ■ ■ ■ ■	7	148



DR. HT.	DR. INT.
9" (250F)	420
9" (250F)	420
9" (250F)	420
11" (300F)	203
11" (300F)	203

PART NO.	DRWS.	COMPARTS.
MW1350-0501F-■ ■ ■ ■ ■	5	-
MW1350-0501FB-■ ■ ■ ■ ■	5	66



INCLUDES
ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY

PART NO.	TRAYS
MW1350-0401D-■ ■ ■ ■	4
door cabinet is 29 1/2" deep	

MW Mid-Width **Easy-Order** Mobile Cabinet Combinations – 47" wide x 28 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 33)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 33)

How to order a Mid-Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by a "B" near the end of the part number – i.e., MW0750-0605FB-M).

2. **Select lock type.**

NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or back cover.

EXAMPLE: to order an MW0750-0605FB-M cabinet with an individual lock, Red paint and a retainer top, the part number would be MW0750-0605FB-M-**RGNR**, with an MW-RT top (shown in photo at top of page).

MW750 Mobile Cabinets 41 1/2" high

	DR. HT.	DR. INT.
	2" (75F)	836
	2" (75F)	836
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	3" (100F)	628
	3" (100F)	628
	3" (100F)	628

PART NO.	DRWS.	COMPARTS.
MW0750-0803F-M- <input type="checkbox"/>	8	-
MW0750-0803FB-M- <input type="checkbox"/>	8	261

	DR. HT.	DR. INT.
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	5" (150F)	524
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0605F-M- <input type="checkbox"/>	6	-
MW0750-0605FB-M- <input type="checkbox"/>	6	184

	DR. HT.	DR. INT.
	5" (150F)	628
	7" (200F)	420
	7" (200F)	420
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0750-0404F-M- <input type="checkbox"/>	4	-
MW0750-0404FB-M- <input type="checkbox"/>	4	88

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 28 1/4" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.

PART NO.	DESCRIPTION
OHC2829-CM	shelf cabinet
OHC1BCT/36	butcher block top (28 1/4" x 15" x 1 1/4")



MW900 Mobile Cabinets 47 3/8" high

	DR. HT.	DR. INT.
	3" (100F)	635
	3" (100F)	635
	3" (100F)	635
	3" (100F)	524
	3" (100F)	524
	3" (100F)	524
	3" (100F)	420
	3" (100F)	420
	3" (100F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0904F-M- <input type="checkbox"/>	9	-
MW0900-0904FB-M- <input type="checkbox"/>	9	237

	DR. HT.	DR. INT.
	2" (75F)	836
	3" (100F)	732
	4" (125F)	628
	4" (125F)	628
	4" (125F)	628
	5" (150F)	524
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0705F-M- <input type="checkbox"/>	7	-
MW0900-0705FB-M- <input type="checkbox"/>	7	196

	DR. HT.	DR. INT.
	5" (150F)	524
	5" (150F)	524
	7" (200F)	420
	7" (200F)	420
	7" (200F)	420

PART NO.	DRWS.	COMPARTS.
MW0900-0504F-M- <input type="checkbox"/>	5	-
MW0900-0504FB-M- <input type="checkbox"/>	5	108



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

Mid-Width Mobile Cabinet Tops

For additional top choices, see page 29. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
MW-RT	retainer top with ribbed mat	3/4"
MW1BCT	butcher block	1 3/4"
MW1PCT	plastic laminate	1 9/16"



For all drawer heights

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR203-■	3	14"



For all drawer heights

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR-LR209-■	9	7 1/2"

How to order a Mid-Width Drawer Easy-Order Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an MWDR203 drawer interior set for a 100 height (3") drawer, the part ordering number would be MWDR203-100.



For all drawer heights

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR312-■	3	6 1/4"
	9	11 1/2"



For all drawer heights

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR-LR312-■	12	5 1/2"



For all drawer heights

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR420-■	4	6 1/4"
	8	7 1/2"
	8	9 1/2"



For drawer heights 75 through 150

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR-LR518-■	18	3 1/2"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR-524-■	16	6 1/4"
	8	7 1/2"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR628-■	24	5 1/2"
	4	6 1/4"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR635-■	30	5 1/2"
	5	6 1/4"



For drawer heights 75 through 200

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR732-■	32	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPARTMENTS	COMPART. WIDTH
MWDR836-■	32	4 1/8"
	4	4 7/8"

DW Double Width Cabinets – 56 1/2" wide x 28 1/2" deep

The benefits of these cabinets stack up

- perfect for stacking above pairs of Standard Width cabinets
- allow storage of items up to 52" in length
- Lista's largest capacity drawers (as much as eight cubic feet!)




WE OFFER A NUMBER OF PRE-CONFIGURED
EASY-ORDER COMBINATIONS

- DOUBLE WIDTH CABINETS: PAGES 36-37
- DOUBLE WIDTH MOBILE CABINETS: PAGE 38

NASA's Kennedy Space Center's Development and Testing labs consolidated their storage into Lista Double Width cabinets. There they house such diverse items as gauges, welding tools and other precision instruments, as well as replacement parts.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.



*inside dimensions

1 Select cabinet housing

Listo's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

Double Width Cabinet Housings

56 1/2" wide x 28 1/2" deep
(1434mm x 725mm)

PART NO.	OVERALL HEIGHT
	(without base)
DW300	15 3/4" (400mm)
DW450	21 5/8" (550mm)
DW600	27 1/2" (700mm)
DW750	33 1/2" (850mm)
DW900	39 3/8" (1000mm)
DW1050	45 1/4" (1150mm)
DW1225	52 3/16" (1325mm)
DW1350	57 1/8" (1450mm)

Double Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

56 1/2" wide x 29 1/2" deep
(1434mm x 750mm)

PART NO.	OVERALL HEIGHT
	(without base)
DWDHD600	27 1/2" (700mm)
DWDHD750	33 1/2" (850mm)
DWDHD900	39 3/8" (1000mm)
DWDHD1225	52 3/16" (1325mm)
DWDHD1350	57 1/8" (1450mm)

Double Width Sliding Door and Hinged Door Shelf Cabinets

See page 61.

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Listo offers a wide array of cabinet bases to suit any need. For descriptions, see page 62.

PART NO.	DESCRIPTION	OAH
DW-FTB	fork truck base	2 3/8"
DW-PTB	pallet truck base	3 15/16"
CB-DW4ML	4" x 2" casters, 2400 lb. cap.	6 1/4"
CB-DW6ML	6" x 2" casters, 3600 lb. cap.	8"

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Listo representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
DW-RT	retainer top with ribbed mat	3/4"
SC2BCT	butcher block	1 3/4"
SC2PCT	plastic laminate	1 9/16"
SC2RCT	phenolic resin	1"
SC2LSCT	galvanized steel over wood	1 13/16"
DW1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) weight capacity for evenly distributed loads.

PART NO.	USABLE HT.	SIDEWALL HT.
DW75F	2 1/8" (54mm)	2" (52mm)
DW100F	3 1/8" (79mm)	3" (77mm)
DW125F	4 1/16" (104mm)	3" (77mm)
DW150F	5 1/16" (129mm)	5" (127mm)
DW175F	6 1/16" (154mm)	5" (127mm)
DW200F	7 1/32" (179mm)	7" (177mm)
DW225F	8" (203mm)	7" (177mm)
DW250F	9" (229mm)	8 15/16" (227mm)
DW300F	11" (279mm)	10 15/16" (277mm)
DW350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
DW-AS	53 29/32" (1369mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
DW-BS	53 15/16" (1370mm)	23 3/4" (604mm)

Vertical Dividers for Adjustable Shelf

PART NO.	HEIGHT
VSD100/36	4"
VSD150/36	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
DW-TCF	52 3/16" (1326mm)	24" (610mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/DW	solid steel door	8 5/16"
RD450/DW	solid steel door	14 1/4"
RD600/DW	solid steel door	20 1/8"
RD450/DW-P	with plexiglas window	14 1/4"
RD600/DW-P	with plexiglas window	20 1/8"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- Double Width drawer interior sets, page 39
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.

Listo's modular building block system means that your Double Width cabinets can be configured to exactly suit your requirements.

To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer model numbers must add up to the model number of the housing.

Example: 900 housing

100 drawer
100 drawer
150 drawer
150 drawer
200 drawer
200 drawer

Total drawer height = 900

Example: 900 housing with retractable door

450 retractable door
100 drawer
150 drawer
200 drawer

Total drawer and door height = 900

DW Double Width **Easy-Order** Cabinet Combinations – 56 1/2" wide x 28 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 39)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 39)

How to order a Double Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by a "B" at the end of the part number – i.e., DW0750-0601FB).

2. **Select base type.**

NB = none
FT = fork truck
PT = pallet truck

For additional bases, see page 35; for Easy-Order mobile combinations, see page 38.

3. **Select lock type.**

NL* = none
RG = individual
KA = keyed-alike
MA = master

*not available for double hinged door cabinets

For additional lock options, see pages 58-59.

4. **Select paint color.** For color chart, see page 63 or below.

EXAMPLE: to order a DW0900-0704FB cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be DW0900-0704FB-**FT****RG****BB**

(shown in photo at top of page).

DW750 Cabinets 33 1/2" high



DRAWER HT.	DRAWER INTERIOR
2" (75F)	940
2" (75F)	940
2" (75F)	836
2" (75F)	836
3" (100F)	732
3" (100F)	732
3" (100F)	732
5" (150F)	621

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0801F-	8	-
DW0750-0801FB-	8	269



DRAWER HT.	DRAWER INTERIOR
2" (75F)	836
2" (75F)	836
3" (100F)	732
5" (150F)	621
5" (150F)	621
7" (200F)	415

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0601F-	6	-
DW0750-0601FB-	6	161



DRAWER HT.	DRAWER INTERIOR
5" (150F)	621
5" (150F)	621
7" (200F)	524
9" (250F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0401F-	4	-
DW0750-0401FB-	4	76



INCLUDES

ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY

PART NO.	TRAYS
DW0750-0201D-	2

door cabinet is 29 1/2" deep

DW900 Cabinets 39 3/8" high



DRAWER HT.	DRAWER INTERIOR
2" (75F)	836
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	621
3" (100F)	621
3" (100F)	621
5" (150F)	524
5" (150F)	524

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0901F-	9	-
DW0900-0901FB-	9	255



DRAWER HT.	DRAWER INTERIOR
2" (75F)	732
2" (75F)	732
3" (100F)	621
3" (100F)	621
5" (150F)	524
5" (150F)	524
9" (250F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0704F-	7	-
DW0900-0704FB-	7	164



DRAWER HT.	DRAWER INTERIOR
3" (100F)	732
5" (150F)	524
7" (200F)	415
7" (200F)	415
9" (250F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0503F-	5	-
DW0900-0503FB-	5	96



INCLUDES

ROLL-OUT TRAY
ROLL-OUT TRAY
ROLL-OUT TRAY

PART NO.	TRAYS
DW0900-0304D-	3







door cabinet is 29 1/2" deep

DW1225 Cabinets

52 3/16" high









DRAWER HT.	DRAWER INTERIOR
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	621
3" (100F)	621
3" (100F)	621
5" (150F)	524
5" (150F)	524
7" (200F)	410
7" (200F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1225-1001F-   	10	-
DW1225-1001FB-   	10	239










DRAWER HT.	DRAWER INTERIOR
3" (100F)	836
3" (100F)	836
4" (125F)	732
5" (150F)	524
5" (150F)	524
7" (200F)	410
7" (200F)	410
7" (200F)	410
7" (200F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1225-0801F-   	8	-
DW1225-0801FB-   	8	182



DRAWER HT.	DRAWER INTERIOR
4" (125F)	621
7" (200F)	415
7" (200F)	415
7" (200F)	415
9" (250F)	410
9" (250F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1225-0601F-   	6	-
DW1225-0601FB-   	6	86






INCLUDES

ROLL-OUT TRAY

ROLL-OUT TRAY

ROLL-OUT TRAY

PART NO.	TRAYS
DW1225-0301D-   	3







door cabinet is 29 1/2" deep

DW1350 Cabinets

57 1/8" high










DRAWER HT.	DRAWER INTERIOR
2" (75F)	940
2" (75F)	940
2" (75F)	940
2" (75F)	940
2" (75F)	836
2" (75F)	836
2" (75F)	836
2" (75F)	836
3" (100F)	732
3" (100F)	732
3" (100F)	732
3" (100F)	732
3" (100F)	732
4" (125F)	621
4" (125F)	621

PART NO.	DRAWERS	COMPARTMENTS
DW1350-1501F-   	15	-
DW1350-1501FB-   	15	506









DRAWER HT.	DRAWER INTERIOR
2" (75F)	940
2" (75F)	940
2" (75F)	940
2" (75F)	940
3" (100F)	836
3" (100F)	836
3" (100F)	836
3" (100F)	836
3" (100F)	836
5" (150F)	524
5" (150F)	524
5" (150F)	415
7" (200F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1350-1201F-   	12	-
DW1350-1201FB-   	12	377









DRAWER HT.	DRAWER INTERIOR
3" (100F)	836
3" (100F)	836
4" (125F)	621
4" (125F)	621
5" (150F)	524
5" (150F)	524
5" (150F)	524
5" (150F)	410
5" (150F)	410
5" (150F)	410
5" (150F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1350-1001F-   	10	-
DW1350-1001FB-   	10	216









DRAWER HT.	DRAWER INTERIOR
3" (100F)	836
3" (100F)	732
3" (100F)	732
5" (150F)	524
5" (150F)	524
5" (150F)	524
7" (200F)	410
7" (200F)	410
7" (200F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW1350-0902F-   	9	-
DW1350-0902FB-   	9	202









DRAWER HT.	DRAWER INTERIOR
5" (150F)	621
5" (150F)	621
5" (150F)	621
7" (200F)	524
7" (200F)	524
9" (250F)	415
9" (250F)	415

PART NO.	DRAWERS	COMPARTMENTS
DW1350-0702F-   	7	-
DW1350-0702FB-   	7	141










DRAWER HT.	DRAWER INTERIOR
7" (200F)	621
7" (200F)	621
7" (200F)	524
7" (200F)	524
9" (250F)	415
11" (300F)	203

PART NO.	DRAWERS	COMPARTMENTS
DW1350-0601F-   	6	-
DW1350-0601FB-   	6	108



DRAWER HT.	DRAWER INTERIOR
9" (250F)	410
9" (250F)	410
9" (250F)	410
11" (300F)	203
11" (300F)	203

PART NO.	DRAWERS	COMPARTMENTS
DW1350-0501F-   	5	-
DW1350-0501FB-   	5	36






INCLUDES

ROLL-OUT TRAY

ROLL-OUT TRAY

ROLL-OUT TRAY

ROLL-OUT TRAY

PART NO.	TRAYS
DW1350-0401D-   	4

door cabinet is 29 1/2" deep

GG (Green paint)

GR (Dark Gray paint)

NR (Red paint)

PG (Pearl Gray paint)

SN (Sand paint)

Double Width **Easy-Order** Mobile Cabinet Combinations – 56 1/2" wide x 28 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 39)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 39)

How to order a Double Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by a "B" near the end of the part number – i.e., DW0750-0503FB-M).

2. **Select lock type.**

NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or back cover.

EXAMPLE: to order a DW0750-0703FB-M cabinet with an individual lock, Black paint and a retainer top, the part number would be DW0750-0703FB-M-**RG BK**, with a DW-RT top (shown in photo at top of page).

DW750 Mobile Cabinets

41 1/2" high



DRAWER HT.	DRAWER INTERIOR
2" (75F)	940
2" (75F)	940
3" (100F)	621
3" (100F)	621
3" (100F)	621
5" (150F)	410
5" (150F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0703F-M- <input type="checkbox"/>	7	-
DW0750-0703FB-M- <input type="checkbox"/>	7	163



DRAWER HT.	DRAWER INTERIOR
3" (100F)	836
5" (150F)	621
5" (150F)	621
5" (150F)	621
7" (200F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0503F-M- <input type="checkbox"/>	5	-
DW0750-0503FB-M- <input type="checkbox"/>	5	109



DRAWER HT.	DRAWER INTERIOR
5" (150F)	621
5" (150F)	621
7" (200F)	524
9" (250F)	410

PART NO.	DRAWERS	COMPARTMENTS
DW0750-0401F-M- <input type="checkbox"/>	4	-
DW0750-0401FB-M- <input type="checkbox"/>	4	76

DW900 Mobile Cabinets

47 3/8" high



DRAWER HT.	DRAWER INTERIOR
3" (100F)	732
3" (100F)	732
3" (100F)	732
3" (100F)	732
3" (100F)	524
3" (100F)	524
3" (100F)	524
3" (100F)	524
3" (100F)	524

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0904F-M- <input type="checkbox"/>	9	-
DW0900-0904FB-M- <input type="checkbox"/>	9	248



DRAWER HT.	DRAWER INTERIOR
3" (100F)	732
3" (100F)	732
5" (150F)	524
5" (150F)	524
5" (150F)	524
9" (250F)	203

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0601F-M- <input type="checkbox"/>	6	-
DW0900-0601FB-M- <input type="checkbox"/>	6	139



DRAWER HT.	DRAWER INTERIOR
5" (150F)	524
5" (150F)	524
7" (200F)	415
7" (200F)	415
7" (200F)	415

PART NO.	DRAWERS	COMPARTMENTS
DW0900-0504F-M- <input type="checkbox"/>	5	-
DW0900-0504FB-M- <input type="checkbox"/>	5	93

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 28 1/4" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



Optional shelf cabinet, painted to match mobile cabinet, is 28 1/4" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.

PART NO.	DESCRIPTION
OH2829-CM	shelf cabinet
OH1BCT/36	butcher block top (28 1/4" x 15" x 1 1/4")



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 1/2" deep.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

Double Width Mobile Cabinet Tops


For additional top choices, see page 35. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
DW-RT	retainer top with ribbed mat	3/4"
SC2BCT	butcher block	1 3/4"
SC2PCT	plastic laminate	1 9/16"



For all drawer heights

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR203-■	3	17 1/4"



For all drawer heights

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR-LR209-■	9	7 1/2"

How to order a Double Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order a DWDR203 drawer interior set for a 100 height (3") drawer, the part ordering number would be DWDR203-100.



For all drawer heights

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR-LR312-■	12	5 1/2"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR410-■	8	9 1/2"
	2	11 1/2"



For all drawer heights

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR415-■	6	7 1/2"
	9	11 1/2"



For drawer heights 75 through 150

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR-LR518-■	18	3 1/2"



For all drawer heights

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR524-■	16	7 1/2"
	8	9 1/2"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR621-■	9	6 1/4"
	12	7 1/2"



For drawer heights 75 through 300

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR732-■	24	5 1/2"
	8	7 1/2"



For drawer heights 75 through 200

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR836-■	12	5 1/4"
	24	5 1/2"



For drawer heights 75 through 200

PART NO.	COMPARTMENTS	COMPARTMENT WIDTH
DWDR940-■	8	4 1/8"
	32	4 7/8"

Listo Shallow Depth Cabinets Make Workspace Work

A new dimension in space savings and ergonomics

Listo's shallow depth cabinets (ST Width and HS Width) provide the ultimate in space savings and ergonomic design. With their high density storage and shallow footprint, these cabinets are ideal for replacing shelves and maximizing floor space in narrow aisles, inside small trucks and vans, or under 24" deep counters.

Our shallow depth drawer is the centerpiece of these remarkably efficient cabinets. Each drawer, while just 18" deep, provides storage for items of up to 24" (ST) or 36" (HS) in length.

At Listo, we recognize the importance of ergonomic design. With 18" deep drawers, all items are within easy reach. In addition, drawer handles are located at the top of each drawer, reducing reach and strain.



With a footprint that is only 22 1/2" deep, Lista's shallow depth cabinets give you high density storage in the most confining workspaces. Shallow depth cabinets require only a 36" aisle to comfortably accommodate a fully extended drawer and the person accessing it. The shallow depth of these cabinets also makes them the perfect retrofit for shelving. Mobile shallow depth cabinets are an ideal means for transporting tools and parts through tight spaces.

Aisle width

Lista's shallow depth cabinets save floor-space. They are 22 1/2" deep and only require a 36" aisle.

Drawer partitioning


The perforated drawer bottom allows for greater partitioning possibilities. This creates custom compartments for items up to 36" long (HS Width cabinet) and almost any shape.

18" deep drawer


The 100% full extension drawer stores all items in a comfortable radius of any worker's reach, making movements easy and natural.

Recessed handles

Full width handles close flush with the face of the housing, preventing possible injury or the snagging of clothing.



This overhead view shows two rows of Lista shallow depth cabinets on either side of a comfortable 36" wide access aisle. The aisle leaves enough room for a fully extended drawer and the person accessing it. The cabinets and aisle occupy a total depth of 6' 9".



This overhead view shows two rows of industry standard cabinets on either side of a 42" wide access aisle. This width aisle is required to accommodate a fully extended standard drawer and the person accessing it. The cabinets and aisle occupy a total depth of 8' 2".

ST Width Cabinets – 28 1/4" wide x 22 1/2" deep

The organization you need is within easy reach

- *high density storage and shallow footprint*
- *ideal for replacing shelves and maximizing floor space in narrow aisles*
- *designed for utmost ergonomic efficiency*
- *with 18" depth, accessing large and/or heavy items is never stressful*
- *a popular footprint for mobile cabinets*




WE OFFER A NUMBER OF PRE-CONFIGURED
EASY-ORDER COMBINATIONS

- ST WIDTH CABINETS: PAGES 44-45
- ST WIDTH MOBILE CABINETS: PAGE 46

At Massachusetts General Hospital's Proton Therapy Center, engineers and technicians rely on a Lista ST Width mobile cabinet to house such items as maintenance tools, vacuum gaskets, connectors, resistors and cables, while delivering them to tight work-spaces for repair of critical medical equipment.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.



1 Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

ST Width Cabinet Housings

28 1/4" wide x 22 1/2" deep
(717mm x 572mm)

PART NO.	OVERALL HEIGHT (without base)
ST300	15 3/4" (400mm)
ST450	21 5/8" (550mm)
ST600	27 1/2" (700mm)
ST750	33 1/2" (850mm)
ST900	39 3/8" (1000mm)
ST1050	45 1/4" (1150mm)
ST1225	52 3/16" (1325mm)
ST1350	57 1/8" (1450mm)

ST Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

28 1/4" wide x 23 1/2" deep
(717mm x 597mm)

PART NO.	OVERALL HEIGHT (without base)
STDHD600	27 1/2" (700mm)
STDHD750	33 1/2" (850mm)
STDHD900	39 3/8" (1000mm)
STDHD1225	52 3/16" (1325mm)
STDHD1350	57 1/8" (1450mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. Mobile bases not recommended for use with 1225 height or higher cabinets. For descriptions, see page 62.

PART NO.	DESCRIPTION	OAH
ST-FTB	fork truck base	2 3/8"
ST-PTB	pallet truck base	3 15/16"
ST-2FB	frame base	2"
ST-4FB	frame base	4"
ST-6FB	frame base	6"
CB-ST4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-ST6B	6" x 2" casters, 2400 lb. cap.	8"

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Lista representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
ST-RT	retainer top with ribbed mat	3/4"
ST1BCT	butcher block	1 3/4"
ST1PCT	plastic laminate	1 9/16"
ST1RCT	phenolic resin	1"
ST1LSCT	galvanized steel over wood	1 13/16"
ST1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
ST75F	2 1/8" (54mm)	2" (52mm)
ST100F	3 1/8" (79mm)	3" (77mm)
ST125F	4 1/16" (104mm)	3" (77mm)
ST150F	5 1/16" (129mm)	5" (127mm)
ST175F	6 1/16" (154mm)	5" (127mm)
ST200F	7 1/32" (179mm)	7" (177mm)
ST225F	8" (203mm)	7" (177mm)
ST250F	9" (229mm)	8 15/16" (227mm)
ST300F	11" (279mm)	10 15/16" (277mm)
ST350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays, doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-AS	25 13/16" (655mm)	18 1/4" (463mm)

Bottom Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-B5	25 7/8" (656mm)	17 3/4" (451mm)

Vertical Dividers for Adjustable Shelves

PART NO.	HEIGHT
VSD100/27	4"
VSD150/27	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
ST-TCF	24" (610mm)	18" (459mm)

Flush Hinged Doors

Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number. **Only bottom and adjustable shelves may be installed behind flush doors.**

PART NO.	HEIGHT
FD450-36 ■	17 11/16" (450mm)
FD600-36 ■	23 5/8" (600mm)
FD750-36 ■	29 9/16" (750mm)
FD900-36 ■	35 7/16" (900mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/ST	solid steel door	8 5/16"
RD450/ST	solid steel door	14 1/4"
RD450/ST-P	with plexiglas window	14 1/4"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- ST Width drawer interior sets, page 47
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.


Lista's modular building block system means that your ST Width cabinets can be configured to exactly suit your requirements.

To configure your custom cabinet, simply follow the steps shown in the charts to the left.


Total drawer and/or door model

numbers must add up to the model number of the housing.

Example: 900 housing



Example: 900 housing with flush hinged door



ST Width **Easy-Order** Cabinet Combinations – 28 1/4" wide x 22 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 47)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 47)

How to order an ST Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" at the end of the part number – i.e., ST0900-0901FA).

2. **Select base type.**

NB = none
FT = fork truck
PT = pallet truck

For additional bases, see page 43; for Easy-Order mobile combinations, see page 46.

3. **Select lock type.**

NL* = none
RG = individual
KA = keyed-alike
MA = master

*not available for double hinged door cabinets
For additional lock options, see pages 58-59.

4. **Select paint color.** For color chart, see page 63 or below.

EXAMPLE: to order an ST0900-0702FA cabinet with a fork truck base, an individual lock, and Classic Blue paint for the housing with Sand drawers, the part number would be ST0900-0702FA-**FT****RG****CB**/**SN** (shown in photo at top of page).

ST750 Cabinets 33 1/2" high

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	5" (150F)	206
	5" (150F)	104


PART NO.	DRWS.	COMPARTS.
ST0750-0703F-	7	-
ST0750-0703FA-	7	91

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	3" (100F)	316
	4" (125F)	209
	4" (125F)	209
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0750-0603F-	6	-
ST0750-0603FA-	6	78

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
ST0750-0504F-	5	-
ST0750-0504FA-	5	49



PART NO.	TRAYS
ST0750-0201D-	2

door cabinet is 23 1/2" deep

ST900 Cabinets 39 3/8" high

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	2" (75F)	316
	2" (75F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	206
	5" (150F)	206
	5" (150F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0901F-	9	-
ST0900-0901FA-	9	113

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209

PART NO.	DRWS.	COMPARTS.
ST0900-0802F-	8	-
ST0900-0802FA-	8	115

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	5" (150F)	206
	5" (150F)	206
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0702F-	7	-
ST0900-0702FA-	7	66

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	2" (75F)	316
	3" (100F)	209
	3" (100F)	209
	5" (150F)	209
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0703F-	7	-
ST0900-0703FA-	7	67

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	7" (200F)	209
	9" (250F)	104


PART NO.	DRWS.	COMPARTS.
ST0900-0602F-	6	-
ST0900-0602FA-	6	70

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	5" (150F)	209
	7" (200F)	206
	7" (200F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0503F-	5	-
ST0900-0503FA-	5	39

	DRAWER HT.	DRAWER INTERIOR
	7" (200F)	209
	7" (200F)	209
	9" (250F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
ST0900-0401F-	4	-
ST0900-0401FA-	4	26



PART NO.	TRAYS
ST0900-0304D-	3







door cabinet is 23 1/2" deep

ST1225 Cabinets

52 3/16" high

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	4" (125F)	209
	5" (150F)	209
	5" (150F)	209

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1225-1201F-   	12	-
ST1225-1201FA-   	12	157






	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1225-1001F-   	10	-
ST1225-1001FA-   	10	122







	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209
	7" (200F)	209
	9" (250F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1225-0901F-   	9	-
ST1225-0901FA-   	9	92

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	4" (125F)	316
	5" (150F)	209
	5" (150F)	209
	7" (200F)	104
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1225-0801F-   	8	-
ST1225-0801FA-   	8	78

ST1350 Cabinets

57 1/8" high

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	2" (75F)	420
	2" (75F)	420
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	2" (75F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1601F-   	16	-
ST1350-1601FA-   	16	255

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	2" (75F)	420
	2" (75F)	420
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209
	4" (125F)	209

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1401F-   	14	-
ST1350-1401FA-   	14	198

	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	2" (75F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	209
	3" (100F)	209
	3" (100F)	209
	5" (150F)	206
	5" (150F)	206
	5" (150F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1201F-   	12	-
ST1350-1201FA-   	12	142

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209
	5" (150F)	104
	5" (150F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1101F-   	11	-
ST1350-1101FA-   	11	131

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	4" (125F)	316
	4" (125F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209
	5" (150F)	104
	5" (150F)	104
	5" (150F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1001F-   	10	-
ST1350-1001FA-   	10	103


	DRAWER HT.	DRAWER INTERIOR
	2" (75F)	420
	2" (75F)	420
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209
	7" (200F)	209
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-1002F-   	10	-
ST1350-1002FA-   	10	128

	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	7" (200F)	209
	7" (200F)	209
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-0901F-   	9	-
ST1350-0901FA-   	9	104







	DRAWER HT.	DRAWER INTERIOR
	3" (100F)	316
	3" (100F)	316
	3" (100F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	206
	7" (200F)	206
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-0902F-   	9	-
ST1350-0902FA-   	9	86

	DRAWER HT.	DRAWER INTERIOR
	5" (150F)	316
	5" (150F)	316
	5" (150F)	209
	5" (150F)	209
	5" (150F)	209
	7" (200F)	209
	7" (200F)	209
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-0801F-   	8	-
ST1350-0801FA-   	8	81

	DRAWER HT.	DRAWER INTERIOR
	5" (150F)	209
	7" (200F)	209
	7" (200F)	209
	7" (200F)	209
	7" (200F)	104
	7" (200F)	104
	7" (200F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-0701F-   	7	-
ST1350-0701FA-   	7	48

	DRAWER HT.	DRAWER INTERIOR
	5" (150F)	316
	5" (150F)	209
	5" (150F)	209
	7" (200F)	206
	7" (200F)	104
	7" (200F)	104
	9" (250F)	104
	9" (250F)	104

PART NO.	DRWS.	COMPARTS.
----------	-------	-----------

ST1350-0702F-   	7	-
ST1350-0702FA-   	7	52

	INCLUDES
	ROLL-OUT TRAY
	ROLL-OUT TRAY
	ROLL-OUT TRAY
	ROLL-OUT TRAY

PART NO.	TRAYS
----------	-------

ST1350-0401D-   	4
door cabinet is 23 1/2" deep	

ST Width **Easy-Order** Mobile Cabinet Combinations – 28 1/4" wide x 22 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% full extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 47)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 47)

How to order an ST Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., ST0600-0501FA-M).

2. **Select lock type.**

NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or back cover.

EXAMPLE: to order an ST0750-0701FA-M cabinet with an individual lock, Pearl Gray paint for the housing with Red drawers, and a retainer top, the part number would be ST0750-0701FA-M-**RGPG/NR**, with an ST-RT top (shown in photo at top of page).

ST600 Mobile Cabinets 35 1/2" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	308
3" (100F)	308
5" (150F)	206
7" (200F)	206

PART NO.	DRWS.	COMPTS.
ST0600-0501F-M- <input type="checkbox"/>	5	
ST0600-0501FA-M- <input type="checkbox"/>	5	46

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0600-0503F-M- <input type="checkbox"/>	5	-
ST0600-0503FA-M- <input type="checkbox"/>	5	56

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	206
5" (150F)	104
5" (150F)	104

PART NO.	DRWS.	COMPTS.
ST0600-0504F-M- <input type="checkbox"/>	5	-
ST0600-0504FA-M- <input type="checkbox"/>	5	40

ST750 Mobile Cabinets 41 1/2" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
2" (75F)	308
2" (75F)	308
3" (100F)	308
5" (150F)	206
7" (200F)	206

PART NO.	DRWS.	COMPTS.
ST0750-0701F-M- <input type="checkbox"/>	7	-
ST0750-0701FA-M- <input type="checkbox"/>	7	72

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0750-0602F-M- <input type="checkbox"/>	6	-
ST0750-0602FA-M- <input type="checkbox"/>	6	62

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	308
7" (200F)	206
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0750-0505F-M- <input type="checkbox"/>	5	-
ST0750-0505FA-M- <input type="checkbox"/>	5	44

ST900 Mobile Cabinets 47 3/8" high

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
2" (75F)	308
2" (75F)	308
3" (100F)	308
3" (100F)	308
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0900-0803F-M- <input type="checkbox"/>	8	-
ST0900-0803FA-M- <input type="checkbox"/>	8	78

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
2" (75F)	518
3" (100F)	308
3" (100F)	308
5" (150F)	206
5" (150F)	206
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0900-0704F-M- <input type="checkbox"/>	7	-
ST0900-0704FA-M- <input type="checkbox"/>	7	68

DRAWER HT.	DRAWER INTERIOR
2" (75F)	518
3" (100F)	308
4" (125F)	308
5" (150F)	206
7" (200F)	206
9" (250F)	104

PART NO.	DRWS.	COMPTS.
ST0900-0603F-M- <input type="checkbox"/>	6	-
ST0900-0603FA-M- <input type="checkbox"/>	6	50

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 22 3/16" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.

PART NO.	DESCRIPTION
OHC2329-CM	shelf cabinet
OHC18CT/27	butcher block top (22 3/16" x 15" x 1 1/4")



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 22 1/2" deep.

PART NO.	MOUNTS TO
FS-27DX15-L	left side
FS-27DX15-R	right side

ST Mobile Cabinet Tops

For additional top choices, see page 43. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
ST-RT	retainer top with ribbed mat	3/4"
ST1BCT	butcher block	1 3/4"
ST1PCT	plastic laminate	1 9/16"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR104-■	4	11 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR106-■	6	11 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR206-■	6	7 1/2"

How to order an ST Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an SDR308 drawer interior set for a 100 height (3") drawer, the part ordering number would be SDR308-100.



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR209-■	9	7 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR308-■	8	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR312-■	12	5 3/4"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
SDR316-■	16	5 1/2"




For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
SDR420-■	16	4 1/8"
	4	4 7/8"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. SIZE
SDR518-■	18	3 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. SIZE
SDR530-■	30	3 1/2"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. WIDTH
SDR012-■	12	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
SDR020-■	4	6" x 6"
	16	3" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
SDR024-■	24	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
SDR032-■	16	3" x 6"
	16	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
SDR160-■	24	2 1/4"
	36	1 3/4"

HS Width Cabinets – 40 1/4" wide x 22 1/2" deep

Versatile storage is close at hand

- *high density storage and shallow footprint*
- *store items up to 36" in length*
- *designed for utmost ergonomic efficiency*
- *with 18" depth, accessing large and/or heavy items is never stressful*




WE OFFER A NUMBER OF PRE-CONFIGURED
EASY-ORDER COMBINATIONS

- HS WIDTH CABINETS: PAGES 50-51
- HS WIDTH MOBILE CABINETS: PAGE 52

Tooling wholesaler Titan USA turned to Lista HS Width cabinets when it expanded its main distribution center. The shallow depth of the cabinets allows for narrower aisles, saving on expensive floor space. The cabinets' full-height sidewalls enable Titan to use the complete cubic capacity of each drawer.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see pages 62-63.



*inside dimensions

1 Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

HS Width Cabinet Housings

40 1/4" wide x 22 1/2" deep
(1023mm x 572mm)

PART NO.	OVERALL HEIGHT
	(without base)
HS300	15 3/4" (400mm)
HS450	21 5/8" (550mm)
HS600	27 1/2" (700mm)
HS750	33 1/2" (850mm)
HS900	39 3/8" (1000mm)
HS1050	45 1/4" (1150mm)
HS1225	52 3/16" (1325mm)
HS1350	57 1/8" (1450mm)

HS Width Double Hinged Door Cabinet Housings

These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

40 1/4" wide x 23 1/2" deep
(1023mm x 597mm)

PART NO.	OVERALL HEIGHT
	(without base)
HSDHD600	27 1/2" (700mm)
HSDHD750	33 1/2" (850mm)
HSDHD900	39 3/8" (1000mm)
HSDHD1225	52 3/16" (1325mm)
HSDHD1350	57 1/8" (1450mm)

HS Width Sliding Door and Hinged Door Shelf Cabinets

See page 61.

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see pages 58-59.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

*not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. For descriptions, see page 62.

PART NO.	DESCRIPTION	OAH
HS-FTB	fork truck base	2 3/8"
HS-PTB	pallet truck base	3 15/16"
HS-2FB	frame base	2"
HS-4FB	frame base	4"
HS-6FB	frame base	6"
CB-HS4B	4" x 2" casters, 1400 lb. cap.	6 1/4"
CB-HS6B	6" x 2" casters, 2400 lb. cap.	8"

4 Select top

Top depth is 28 1/2". (For tops for 29 1/2" deep housings with doors, contact your Lista representative.) For top descriptions, see page 57. For counter tops spanning multiple cabinets, see page 104.

PART NO.	DESCRIPTION	HT.
HS-RT	retainer top with ribbed mat	3/4"
HS1BCT	butcher block	1 3/4"
HS1PCT	plastic laminate	1 9/16"
HS1RCT	phenolic resin	1"
HS1LSCT	galvanized steel over wood	1 13/16"
HS1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers are 100% full extension, 440 lb. (200kg) maximum load capacity.

PART NO.	USABLE HT.	SIDEWALL HT.
HS75F	2 1/8" (54mm)	2" (52mm)
HS100F	3 1/8" (79mm)	3" (77mm)
HS125F	4 1/16" (104mm)	3" (77mm)
HS150F	5 1/16" (129mm)	5" (127mm)
HS175F	6 1/16" (154mm)	5" (127mm)
HS200F	7 1/32" (179mm)	7" (177mm)
HS225F	8" (203mm)	7" (177mm)
HS250F	9" (229mm)	8 15/16" (227mm)
HS300F	11" (279mm)	10 15/16" (277mm)
HS350F	13" (329mm)	10 15/16" (277mm)

5 Select shelves, trays and doors

For descriptions, see page 63.

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-AS	37 13/16" (961mm)	18 1/4" (463mm)

Bottom Shelves

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-BS	37 7/8" (962mm)	17 3/4" (451mm)

Vertical Dividers for Adjustable Shelves

PART NO.	HEIGHT
VSD100/27	4"
VSD150/27	6"

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner.

PART NO.	USABLE WIDTH	USABLE DEPTH
HS-TCF	36 1/8" (918mm)	18" (459mm)

Retractable Doors

Door slides out and back, stored out of the way when not in use. **Only bottom and adjustable shelves may be installed behind retractable doors.**

PART NO.	STYLE	USEABLE HT.*
RD300/HS	solid steel door	8 5/16"
RD450/HS	solid steel door	14 1/4"
RD450/HS-P	with plexiglas window	14 1/4"

*when cabinet contains adjustable shelf

6 Select drawer partitions and dividers

- HS Width drawer interior sets, page 53
- Individual drawer partitioning accessories, pages 119-122

7 Select colors

To order cabinet housing and drawer front paint colors, please see page 63 or the back cover.

Lista's modular building block system means that your HS Width cabinets can be configured to exactly suit your requirements.

To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer model numbers must add up to the model number of the housing.

Example: 900 housing

100 drawer
100 drawer
150 drawer
150 drawer
200 drawer
200 drawer

Total drawer height = 900

Example: 900 housing with retractable door

450 retractable door
100 drawer
150 drawer
200 drawer

Total drawer and door height = 900

HS Width **Easy-Order** Cabinet Combinations – 40 1/4" wide x 22 1/2" deep



How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 53)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 53)

How to order an HS Width Easy-Order Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" at the end of the part number – i.e., HS0750-0801FA).

2. **Select base type.**

NB = none
FT = fork truck
PT = pallet truck

For additional bases, see page 49; for Easy-Order mobile combinations, see page 52.

3. **Select lock type.**

NL* = none
RG = individual
KA = keyed-alike
MA = master

*not available for double hinged door cabinets







For additional lock options, see pages 58-59.

4. **Select paint color.** For color chart, see page 63 or below.







EXAMPLE: to order an HS0900-0503FA cabinet with a fork truck base, an individual lock and Red paint, the part number would be HS0900-0503FA-**FT****RG****NR** (shown in photo at top of page).

HS750 Cabinets 33 1/2" high







	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	2" (75F)	518
	2" (75F)	518
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	5" (150F)	206


PART NO.	DRWS.	COMPARTS.
HS0750-0801F-   	8	-
HS0750-0801FA-   	8	129

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312

PART NO.	DRWS.	COMPARTS.
HS0750-0703F-   	7	-
HS0750-0703FA-   	7	105

	DRAWER HT.	DR. INT.
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	7" (200F)	206
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS0750-0504F-   	5	-
HS0750-0504FA-   	5	54









PART NO.	TRAYS
HS0750-0201D-   	2







door cabinet is 23 1/2" deep

HS900 Cabinets 39 3/8" high







	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	2" (75F)	415
	2" (75F)	415
	3" (100F)	415
	3" (100F)	312
	3" (100F)	312
	5" (150F)	206
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HS0900-0901F-   	9	-
HS0900-0901FA-   	9	117







	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312

PART NO.	DRWS.	COMPARTS.
HS0900-0902F-   	9	-
HS0900-0902FA-   	9	147







	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS0900-0801F-   	8	-
HS0900-0801FA-   	8	120







	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS0900-0702F-   	7	-
HS0900-0702FA-   	7	96







	DRAWER HT.	DR. INT.
	2" (75F)	518
	3" (100F)	518
	4" (125F)	415
	5" (150F)	415
	7" (200F)	312
	9" (250F)	206


PART NO.	DRWS.	COMPARTS.
HS0900-0603F-   	6	-
HS0900-0603FA-   	6	84




	DRAWER HT.	DR. INT.
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312
	7" (200F)	206
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS0900-0604F-   	6	-
HS0900-0604FA-   	6	66

	DRAWER HT.	DR. INT.
	3" (100F)	415
	5" (150F)	312
	7" (200F)	312
	7" (200F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS0900-0503F-   	5	-
HS0900-0503FA-   	5	51







PART NO.	TRAYS
HS0900-0304D-   	3

door cabinet is 23 1/2" deep





HS1225 Cabinets

52 3/16" high





	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	2" (75F)	621
	2" (75F)	518
	2" (75F)	518
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312

PART NO.	DRWS.	COMPARTS.
HS1225-1202F-  	12	-
HS1225-1202FA-  	12	195





	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	2" (75F)	621
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	5" (150F)	415
	5" (150F)	415
	7" (200F)	312
	7" (200F)	312

PART NO.	DRWS.	COMPARTS.
HS1225-1001F-  	10	-
HS1225-1001FA-  	10	171

	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	4" (125F)	415
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	5" (150F)	206
	5" (150F)	206
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HS1225-0902F-  	9	-
HS1225-0902FA-  	9	105





	DRAWER HT.	DR. INT.
	4" (125F)	415
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	206
	7" (200F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS1225-0701F-  	7	-
HS1225-0701FA-  	7	69





HS1350 Cabinets

57 1/8" high





	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	2" (75F)	621
	2" (75F)	518
	2" (75F)	518
	2" (75F)	518
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	4" (125F)	312
	4" (125F)	312

PART NO.	DRWS.	COMPARTS.
HS1350-1501F-  	15	-
HS1350-1501FA-  	15	255





	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	2" (75F)	621
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	4" (125F)	312
	4" (125F)	312
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-1301F-  	13	-
HS1350-1301FA-  	13	213





	DRAWER HT.	DR. INT.
	2" (75F)	415
	2" (75F)	415
	2" (75F)	312
	2" (75F)	312
	3" (100F)	312
	3" (100F)	312
	3" (100F)	LR209
	3" (100F)	LR209
	5" (150F)	206
	5" (150F)	206
	5" (150F)	LR106
	7" (200F)	LR106

PART NO.	DRWS.	COMPARTS.
HS1350-1201F-  	12	-
HS1350-1201FA-  	12	120





	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312
	5" (150F)	206
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-1101F-  	11	-
HS1350-1101FA-  	11	150





	DRAWER HT.	DR. INT.
	2" (75F)	621
	2" (75F)	621
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	5" (150F)	415
	5" (150F)	415
	5" (150F)	415
	7" (200F)	312
	7" (200F)	312
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-1002F-  	10	-
HS1350-1002FA-  	10	159





	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	4" (125F)	415
	4" (125F)	415
	7" (200F)	312
	7" (200F)	312

PART NO.	DRWS.	COMPARTS.
HS1350-1003F-  	10	-
HS1350-1003FA-  	10	156





	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	3" (100F)	518
	5" (150F)	415
	5" (150F)	415
	7" (200F)	312
	7" (200F)	312
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-0901F-  	9	-
HS1350-0901FA-  	9	132





	DRAWER HT.	DR. INT.
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	312
	7" (200F)	206
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-0902F-  	9	-
HS1350-0902FA-  	9	105





	DRAWER HT.	DR. INT.
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	206
	7" (200F)	206
	7" (200F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-0801F-  	8	-
HS1350-0801FA-  	8	78

	DRAWER HT.	DR. INT.
	3" (100F)	518
	3" (100F)	518
	3" (100F)	415
	3" (100F)	415
	5" (150F)	415
	7" (200F)	312
	7" (200F)	312
	7" (200F)	312
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-0802F-  	8	-
HS1350-0802FA-  	8	108

	DRAWER HT.	DR. INT.
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	312
	7" (200F)	206
	7" (200F)	206
	9" (250F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HS1350-0702F-  	7	-
HS1350-0702FA-  	7	66

	DRAWER HT.	DR. INT.
	3" (100F)	415
	3" (100F)	415
	3" (100F)	415
	5" (150F)	312
	5" (150F)	312
	5" (150F)	312
	7" (200F)	312
	7" (200F)	206
	7" (200F)	206

PART NO.	TRAYS
HS1350-0401D-  	4

door cabinet is 23 1/2" deep

HS Width **Easy-Order** Mobile Cabinet Combinations – 40 1/4" wide x 22 1/2" deep



Each mobile cabinet comes with:

- 2 fixed and 2 swivel 6" x 2" casters with wheel locks
- tubular steel handles
- individual drawer latches
- 100% full extension drawers with 440 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- drawer heights
- drawer interior sets (shown on page 53)

The chart below the illustration indicates:

- part numbers
- number of drawers
- number of drawer compartments created by the interior sets (shown on page 53)

How to order an HS Width Easy-Order Mobile Cabinet

1. **Select Easy-Order Cabinet Combination** either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., HSO600-0501FA-M).

2. **Select lock type.**

NL = none
RG = individual
KA = keyed-alike
MA = master

For additional lock options, see pages 58-59.

3. **Select paint color.** For color chart, see page 63 or back cover.

EXAMPLE: to order an HSO900-0803FA-M cabinet with an individual lock, Pearl Gray paint for the housing with Black drawers, and a retainer top, the part number would be HSO900-0803FA-M **RG PG/BK**, with an HS-RT top (shown in photo at top of page).

HS600 Mobile Cabinets 35 1/2" high

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	312
	3" (100F)	LR312
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HSO600-0601F-M- <input type="checkbox"/>	6	-
HSO600-0601FA-M- <input type="checkbox"/>	6	72

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	LR312
	3" (100F)	518
	5" (150F)	312
	7" (200F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO600-0501F-M- <input type="checkbox"/>	5	-
HSO600-0501FA-M- <input type="checkbox"/>	5	65

	DRAWER HT.	DR. INT.
	3" (100F)	LR312
	3" (100F)	518
	5" (150F)	312
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO600-0403F-M- <input type="checkbox"/>	4	-
HSO600-0403FA-M- <input type="checkbox"/>	4	48

HS750 Mobile Cabinets 41 1/2" high

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	617
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	518
	5" (150F)	312
	7" (200F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO750-0701F-M- <input type="checkbox"/>	7	-
HSO750-0701FA-M- <input type="checkbox"/>	7	94

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	LR312
	3" (100F)	518
	3" (100F)	LR209
	5" (150F)	312
	9" (250F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO750-0602F-M- <input type="checkbox"/>	6	-
HSO750-0602FA-M- <input type="checkbox"/>	6	74

	DRAWER HT.	DR. INT.
	2" (75F)	518
	3" (100F)	LR312
	4" (125F)	312
	7" (200F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO750-0505F-M- <input type="checkbox"/>	5	-
HSO750-0505FA-M- <input type="checkbox"/>	5	54

HS900 Mobile Cabinets 47 3/8" high

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	518
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	312
	4" (125F)	312
	4" (125F)	312
	5" (150F)	206

PART NO.	DRWS.	COMPARTS.
HSO900-0903F-M- <input type="checkbox"/>	9	-
HSO900-0903FA-M- <input type="checkbox"/>	9	114

	DRAWER HT.	DR. INT.
	2" (75F)	617
	2" (75F)	617
	2" (75F)	LR312
	2" (75F)	LR312
	3" (100F)	518
	3" (100F)	518
	5" (150F)	312
	9" (250F)	LR106

PART NO.	DRWS.	COMPARTS.
HSO900-0803F-M- <input type="checkbox"/>	8	-
HSO900-0803FA-M- <input type="checkbox"/>	8	112

	DRAWER HT.	DR. INT.
	2" (75F)	518
	2" (75F)	LR312
	3" (100F)	312
	3" (100F)	LR312
	5" (150F)	206
	5" (150F)	206
	9" (250F)	206

PART NO.	DRWS.	COMPARTS.
HSO900-0704F-M- <input type="checkbox"/>	7	-
HSO900-0704FA-M- <input type="checkbox"/>	7	72

Mobile Cabinet Options

Hanging Shelf Cabinet

Optional shelf cabinet, painted to match mobile cabinet, is 22 3/16" wide x 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.

PART NO.	DESCRIPTION
OHC2329-CM	shelf cabinet
OHC18CT/27	butcher block top (22 3/16" x 15" x 1 1/4")



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 22 1/2" deep.

PART NO.	MOUNTS TO
FS-27DX15-L	left side
FS-27DX15-R	right side

HS Mobile Cabinet Tops

For additional top choices, see page 49. For complete descriptions, see page 57.

PART NO.	DESCRIPTION	HT.
HS-RT	retainer top with ribbed mat	3/4"
HS1BCT	butcher block	1 3/4"
HS1PCT	plastic laminate	1 9/16"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR106-■	3	7 1/2"
	3	9 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR206-■	6	11 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR207-■	3	3 3/4"
	2	5 3/4"
	2	7 3/4"

How to order an HS Width Easy-Order Drawer Interior Set

To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an HDR312 drawer interior set for a 100 height (3") drawer, the part ordering number would be HDR312-100.



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR209-■	9	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR312-■	6	7 1/2"
	6	9 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR-LR312-■	10	3 1/2"
	2	5 1/2"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR415-■	6	5 1/2"
	9	7 3/4"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
HDR518-■	18	5 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR617-■	10	3 1/2"
	5	5 1/2"
	2	7 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR621-■	15	5 1/4"
	6	4 1/2"



For drawer heights 75 through 200

PART NO.	COMPTS.	CMPT. WIDTH
HDR836-■	36	3 1/2"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
HDR024-■	12	6" x 6"
	12	3" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
HDR036-■	36	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
HDR040-■	6	6" x 6"
	14	3" x 6"
	20	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
HDR-SG432-■	6	2 3/4"
	10	1 3/4"
	15	1 1/4"

Mobile Cabinets and Workcenters

When you need storage plus mobility, Lista mobile storage cabinets and workcenters provide safe and secure storage and transport for parts and tools. Almost any Lista cabinet can be mounted on a mobile base to allow for maximum flexibility and versatility. Each mobile workstation can be designed to exactly suit the user's specific needs.

By combining several housings in one mobile workcenter, your storage options multiply even further.

For specific mobile accessories, see page 56.



WE OFFER A NUMBER OF PRE-CONFIGURED **EASY-ORDER MOBILE CABINET COMBINATIONS**

- MP WIDTH MOBILE CABINETS: PAGE 18
- SC WIDTH MOBILE CABINETS: PAGE 25
- MW WIDTH MOBILE CABINETS: PAGE 32
- DW WIDTH MOBILE CABINETS: PAGE 38
- ST WIDTH MOBILE CABINETS: PAGE 46
- HS WIDTH MOBILE CABINETS: PAGE 52

Lista mobile cabinets provide a diverse array of storage options:

- can be combined in both side-by-side and stacked configurations
- a wide variety of modular components and accessories
- a variety of worksurfaces
- available with Lista's Nexus™ Accessory System (see Lista's Workbench and Workspace Solutions Catalog for details)

Each mobile cabinet comes with:

- 4 heavy-duty casters (2 fixed and 2 swivel with wheel locks)
- handle(s)
- cylinder lock and 2 keys
- individual drawer latches (IDL)
- the patented PrevenTip® safety system (prevents cabinets from tipping by ensuring that when one drawer is open, all others are secured closed)





Mobile cabinets bring tooling to work areas in manufacturing settings.



Mobile cabinets can be easily stored under worksurfaces.



Drawer and door cabinets form a mobile workcenter that serves as a quality station.



The Nexus™ Accessory System can be mounted above a mobile cabinet for convenient access to parts.



A mobile workstation with a stainless steel top is ideal for working in clean environments.



By configuring Standard Width and Double Width cabinets into a mobile toolbox, mechanics can bring their tools right to the point of use.



Heavy equipment can be stored and easily moved atop a mobile cabinet.



A variety of tops are available to form a convenient worksurface.

Choose from a variety of accessories for your mobile cabinets and workcenters.



Black Plastic Handles

Handles are mounted on the front. Cabinets are pre-drilled and handles are mounted in the field. Hardware included.

PART NO.	FOR USE WITH
MHAN	MP cabinets



Tubular Steel Handles

Handles are mounted on the front of single MP and SC Width mobile cabinets, and on the side of all other cabinet sizes. Cabinets are pre-drilled and handles are mounted in the field. Hardware included.

PART NO.	FOR USE WITH
MTBH	all cabinets



Push Handles

Single tubular steel handle attaches to side of mobile cabinet to push tall, large and/or heavily loaded cabinets. Cabinets are pre-drilled and handles are mounted in the field. Hardware included.

PART NO.	FOR USE WITH
HSG-HNDL/27	ST and HS cabinets, shallow depth workcenters
HSG-HNDL/36	SC, MW and DW cabinets, full depth workcenters



Folding Shelves

Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide and is available for full and shallow depth cabinets.

PART NO.	DEPTH	MOUNTS TO
FS-27DX15-L	22 1/2"	left side
FS-27DX15-R	22 1/2"	right side
FS-36DX15-L	28 1/2"	left side
FS-36DX15-R	28 1/2"	right side

Hanging Shelf Cabinets

Optional shelf cabinet, painted to match mobile cabinet, is 15" deep x 29" high. It is attached to the side of mobile cabinet for easy maneuvering. Each cabinet has a bottom shelf and 1 adjustable 13 1/2" deep shelf. Individual lock (RG) and 2 keys are furnished. Can only be mounted on 750 height or higher mobile cabinets.



PART NO.	DESCRIPTION
OHC2829-CM	full depth shelf cabinet
OHC2329-CM	shallow depth shelf cabinet
OHC18CT/36	full depth butcher block top
OHC18CT/27	shallow depth butcher block top

Individual Casters

Individual casters (not mounted to a mobile base) are available to suit the weight-bearing needs of your application. Capacity shown is per caster.

250 Lb. Capacity

PART NO.	DESCRIPTION
CAST4X1.25	4" x 1 1/4" set (2 fixed, 2 swivel)
CAST4X1.25R	4" x 1 1/4" fixed (1)
CAST4X1.25S	4" x 1 1/4" swivel (1)

350 Lb. Capacity

PART NO.	DESCRIPTION
CAST4X2	4" x 2" set (2 fixed, 2 swivel)
CAST4X2R	4" x 2" fixed (1)
CAST4X2S	4" x 2" swivel (1)

600 Lb. Capacity

PART NO.	DESCRIPTION
CAST6X2	6" x 2" set (2 fixed, 2 swivel)
CAST6X2R	6" x 2" fixed (1)
CAST6X2S	6" x 2" swivel (1)

900 Lb. Capacity

PART NO.	DESCRIPTION
CAST6X2ML	6" x 2" set (2 fixed, 2 swivel)
CAST6X2RML	6" x 2" fixed (1)
CAST6X2SML	6" x 2" swivel (1)



Retainer Tops with Mat

Retainer top, painted to match housing with raised edges on back and sides, provides a practical non-skid worksurface. Height is $\frac{3}{4}$ ". Ribbed mat is included.

PART NO.	FOR USE WITH
MP-RT	1 MP width cabinet
2MP-RT	2 MP width cabinets
SC-RT	1 standard width cabinet
MW-RT	1 mid-width cabinet
DW-RT	2 standard width or 1 double width cabinet
ST-RT	1 ST width cabinet
HS-RT	1 HS width cabinet



Butcher Block Cabinet Tops

Tops are satin finish $1\frac{3}{4}$ " thick hardwood and are flush to the cabinet side-to-side and front-to-back.

PART NO.	FOR USE WITH
MP1BCT	1 MP width cabinet
MP2BCT	2 MP width cabinets
SC1BCT	1 standard width cabinet
MW1BCT	1 mid-width cabinet
SC2BCT	2 standard width or 1 double width cabinet
ST1BCT	1 ST width cabinet
HS1BCT	1 HS width cabinet



Plastic Laminate Cabinet Tops

Tops are $1\frac{9}{16}$ " thick plastic laminate over particle board core and are flush to the cabinet side-to-side and front-to-back. Dove gray is standard but other colors are available on request.

PART NO.	FOR USE WITH
MP1PCT	1 MP width cabinet
MP2PCT	2 MP width cabinets
SC1PCT	1 standard width cabinet
MW1PCT	1 mid-width cabinet
SC2PCT	2 standard width or 1 double width cabinet
ST1PCT	1 ST width cabinet
HS1PCT	1 HS width cabinet



Phenolic Cabinet Tops

Top is a high-pressure laminate designed for laboratory worksurfaces. Resistant to chemicals, stains or discoloration. Top is 1" thick phenolic resin, available in black.

PART NO.	FOR USE WITH
MP1RCT	1 MP width cabinet
MP2RCT	2 MP width cabinets
SC1RCT	1 standard width cabinet
MW1RCT	1 mid-width cabinet
SC2RCT	2 standard width or 1 double width cabinet
ST1RCT	1 ST width cabinet
HS1RCT	1 HS width cabinet



Stainless Steel Cabinet Covers

Cover is constructed of durable, heavy gauge stainless steel. Fits over top and sides of cabinet, and provides easy access to locking system. Adds $\frac{1}{16}$ " to overall cabinet height and $\frac{1}{8}$ " to overall width and depth.

PART NO.	FOR USE WITH
MP1SSC	1 MP width cabinet
SC1SSC	1 standard width cabinet
MW1SSC	1 mid-width cabinet
DW1SSC	1 double width cabinet
ST1SSC	1 ST width cabinet
HS1SSC	1 HS width cabinet

Lista offers a variety of work-surfaces that turn the tops of cabinets into practical work areas. For tops that form a continuous counter top, see page 104.



Lista offers a number of different keying and locking options to meet the unique needs of almost any application.

Lock Options

Core Lock

Lista's cylinder lock comes standard with all drawer cabinets. It features a removable core that can be easily removed from the cylinder housing using a release tool (must be ordered separately, see below). Each lock is provided with 2 keys. For different keying options, see information to the right on this page.

Replacement Lock Assemblies

Used to replace locks installed before March, 2005.



PART NO.*	LOCK TYPE
IC-CYL-RG	individual cylinder lock
IC-CYL-KA	keyed alike cylinder lock
IC-CYL-MA	master cylinder lock
IC-MDR-RG	individual flush door lock
IC-MDR-KA	keyed alike flush door lock
IC-MDR-MA	master flush door lock

*available February 2005

Replacement Lock Cores

For field replacement of lock cores.



PART NO.*	LOCK TYPE
IC-CORE-RG	individual replacement lock core
IC-CORE-KA	keyed alike replacement lock core
IC-CORE-MA	master replacement lock core

*available for drawer housing and flush door locks shipped after March 2005

Lock Core Release Tool

For extracting interchangeable cylinder core. Works only in conjunction with the original Lista key supplied with the core.



PART NO.*	DESCRIPTION
IC-REL-TOOL	lock release tool

*available March 2005

Hasp Lock

Rotates 90° clockwise to disengage latch. For use with hinged and double hinged doors (cannot be used with single hinged flush doors or retractable doors). Secured with padlock (not included). Maximum padlock latch diameter is 3/8". For ordering information, please consult your Lista representative.



Hinged Locking Bars

Particularly suitable for mobile applications or wherever additional security is desired. Hinged locking bar mounts to the left or right of any drawer cabinet on the vertical housing support. Indicate side for mounting by writing an "L" for left or "R" for right in place of the red box (■) in the part number. A padlock (not included) secures the bar. Maximum padlock latch diameter is 5/16". To retrofit to existing cabinet, please contact your Lista representative.



PART NO.	FOR CABINET HEIGHT
HLB300-■	300
HLB450-■	450
HLB600-■	600
HLB750-■	750
HLB900-■	900
HLB1050-■	1050
HLB1225-■	1225
HLB1350-■	1350
HLB1525-■	1525



Security Panel


Individual locks for each drawer, with a central lock for the cabinet as a whole. Each drawer has a steel security panel between it and the drawer above, so contents are secure even when individual drawers have been removed. For ordering information, please consult your Lista representative.

Keying Options

If you have locking and security needs other than the individual lock (lock and 2 keys) that comes with all cabinets, select from the options below.

Individual Lock (RG)


Cabinets come with an individual lock and 2 keys. Each cabinet lock is keyed differently.



Keyed Alike Lock (KA)

All cabinets have identical locks, each with 2 keys; the same key opens all cabinets. Each cabinet in the keyed alike group must have keyed alike (KA) specified on the order.

PART NO.	LOCK TYPE
KA	keyed alike lock



Master Keyed Lock (MA)

Each cabinet has a different lock with 2 keys. Each cabinet in the master key group must have master keyed lock (MA) specified on the order. Master key (MK) that opens all locks must be ordered separately.

PART NO.	LOCK TYPE
MA	master lock
MK	group master key
GMK	grand master key

No Lock (NL)

Specify if no cylinder lock is desired for cabinet housing. Cabinet will still include PrevenTip® one-drawer-at-a-time safety feature. Not available for double hinged door cabinets.

Electronic Locking System Options

Keyless Keypad System

Provides controlled, easy keyless access to items stored in Lista cabinets. Access codes can be changed as needed without having to collect and reissue keys. LEDs provide visual confirmation that keypad has been hit. Easily retrofitted to field units. Available March 2005.



e-Lock SCM with Crib Management System

Software interface allows users to electronically unlock cabinets via password control (cabinet automatically re-locks after use to restrict access). Stored items are scanned using bar code reader. Software controls both open stores and remote satellite cabinets for combined usage tracking, purchasing and management reporting. See your Lista representative for details.



e-Lock PCM Access Control System with Swipe Card

System integrates with customer-issued swipe cards. Cabinets lock automatically after use. The system can be integrated into existing access control or logistics systems. See your Lista representative for details.



Individual Drawer Latch (IDL)

Individual drawer latches lock drawers and roll-out trays closed for safety when moving. Particularly applicable for cabinets in vehicles, mobile cabinets, and where seismic activity is a consideration. Finger pull latch is recessed under the drawer handle. Comes standard with all mobile cabinets. IDL can be added at any time.

PART NO.

IDL

Lock-In-Lock-Out (LILO)

LILO safety device locks drawer in fully opened or fully closed position. Latch is mounted on



the lower right face of the drawer. Particularly suitable for vehicles, shipboard and other mobile applications. Factory installed.

PART NO.

LILO



Security Shelf Battens

Batten secures to front of housing to keep boxes and other loose items from falling off shelf. Suitable for mobile vehicles, service vans, military containers and aircraft. Usable behind hinged doors, double hinged doors or flush doors (450 height or higher). Made from galvanized steel, unpainted.

PART NO. FOR USE WITH

SB-27U	MP cabinet or 27U Storage Wall
SB-36U	SC or ST cabinet, or 36U Storage Wall
SB-54U	HS cabinet or 54U Storage Wall
SB-64U	MW cabinet or 64U Storage Wall
SB-78U	DW cabinet or 78U Storage Wall

Shelf Cabinets

Shelf cabinets are an efficient means for storing bulky items that don't lend themselves to drawer storage. Shelf cabinets are built with the same all-steel construction as all Lista cabinets.

Sliding door shelf cabinets are often stacked on complementary sized drawer cabinets, so smaller drawer contents and bulky items can be stored and locked together. The sliding door lock can be positioned at the door bottom to facilitate stacking.



Lista rides to the rescue at Harley Davidson's Vehicle Maintenance and Repair Department. Lista sliding door shelf cabinets, housing large items such as motor oil, greasing and cleaning agents, sit atop drawer cabinets, which store small parts such as nuts, bolts and o-rings.



At the Production Control Center of San Diego's Naval Air Depot, double hinged door cabinets safely and securely store a wide variety of electronic test equipment and supplies used for the precision modification and repair of tactical air navigation transmission boxes.



Stacked sliding door cabinets at Marine Spill, a marine emergency response company, maximize use of available floor space, while providing inventory control and fast retrieval.



Sliding and Hinged Door Shelf Cabinets

Shelves can be moved up or down in 1" increments for the greatest flexibility in arrangement. Shelves are included, and optional vertical dividers are available. All units have a stationary bottom shelf and are equipped with the number of adjustable shelves shown in the charts to the right. All models are shipped fully assembled as described.

Sliding Door Shelf Cabinets

Sliding doors roll smoothly to give access to 50% of cabinet interior at a time.

Mid-Width Sliding Door Cabinets

47" wide x 28 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
MWSD750-	33 1/2" (850mm)	2
MWSD900-	39 3/8" (1000mm)	2
MWSD1225-	52 3/16" (1325mm)	3
MWSD1350-	57 1/8" (1450mm)	3

Double Width Sliding Door Cabinets

56 1/2" wide x 28 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
DWSD750-	33 1/2" (850mm)	2
DWSD900-	39 3/8" (1000mm)	2
DWSD1225-	52 3/16" (1325mm)	3
DWSD1350-	57 1/8" (1450mm)	3

HS Width Sliding Door Cabinets

40 1/4" wide x 22 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
HSSD750-	33 1/2" (850mm)	2
HSSD900-	39 3/8" (1000mm)	2
HSSD1225-	52 3/16" (1325mm)	3
HSSD1350-	57 1/8" (1450mm)	3

Hinged Door Shelf Cabinets

Double hinged doors open to give complete access to cabinet interior.

Mid-Width Hinged Door Cabinets

47" wide x 28 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
MWHD750-	33 1/2" (850mm)	2
MWHD900-	39 3/8" (1000mm)	2
MWHD1225-	52 3/16" (1325mm)	3
MWHD1350-	57 1/8" (1450mm)	3

Double Width Hinged Door Cabinets

56 1/2" wide x 28 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
DWHD750-	33 1/2" (850mm)	2
DWHD900-	39 3/8" (1000mm)	2
DWHD1225-	52 3/16" (1325mm)	3
DWHD1350-	57 1/8" (1450mm)	3

HS Width Hinged Door Cabinets

40 1/4" wide x 22 1/2" deep

PART NO.	HEIGHT	# ADJ.
	(without base)	SHLV.
HSHD750-	33 1/2" (850mm)	2
HSHD900-	39 3/8" (1000mm)	2
HSHD1225-	52 3/16" (1325mm)	3
HSHD1350-	57 1/8" (1450mm)	3

Additional Adjustable Shelves and Shelf Dividers

Made of steel sheet with reinforcing ribs welded on, each shelf has a load capacity of 440 lbs. Support brackets included. Color: gray.

PART NO.	DESCRIPTION	HEIGHT
MW-AS	mid-width adjustable shelf	1" (25mm)
DW-AS	dbl. width adjustable shelf	1" (25mm)
YSD100/36	4" shelf divider	4" (102mm)
YSD150/36	6" shelf divider	6" (152mm)

Shallow Depth Shelf and Dividers

HS-AS	HS width adjustable shelf	1" (25mm)
YSD100/27	4" shelf divider	4" (102mm)
YSD150/27	6" shelf divider	6" (152mm)

Tops

For top choices, see page 57; for counter tops, see page 104.

How to order an Easy-Order Shelf Cabinet

1. **Select cabinet** from charts.

2. **Select base type.**

NB = none

FT = fork truck

PT = pallet truck

For additional bases for HS width cabinets, see page 49.

3. **Select lock type.**

RG = individual

KA = keyed-alike

MA = master


Lock is required. For additional lock options, see pages 58-59. To have lock installed at bottom of sliding or hinged door, add "/LB" to the end of the part number.

4. ☐ **Select paint color.** For color chart, see back cover.

EXAMPLE: to order a DWSD900 cabinet with no base, an individual lock installed at the bottom of the door and Bright Blue paint, the part number would be DWSD900-BB/LB (shown in photo at top of page).

How to Order **Custom Cabinets**

The basic steps required for ordering custom cabinets are shown on these two pages.



1 Select cabinet housing

Select the particular cabinet housing that best suits your needs. When choosing your housing height, keep in mind the cabinet top's potential use as a worksurface.

2 Select lock

If your locking and security needs are other than the individual lock (lock and 2 keys) that comes with all cabinets, select from the locking options shown on pages 58-59.

3 Select cabinet base (optional)

Available bases that match your cabinet housing are shown on the page with that housing.



Fork Truck Base

Steel fork truck base permits moving of fully loaded cabinets. Base has snap-on front and rear covers, and is recessed 1 1/8" (30mm) from the front of the housing. Bases are pre-punched to allow stacking. Color: to match housing.



Pallet Truck Base

Steel pallet truck base permits moving of fully loaded cabinets with a hand pallet truck. Base has snap-on front and rear covers, and is recessed 1 1/8" (30mm) each from the front and back of the housing. Color: to match housing.



Frame Base

Steel base is used to bring cabinets up to desired work height. Base is recessed 1 1/8" (30mm) from the front of the housing. Color: to match housing.



Mobile Caster Base

A set of 2 fixed and 2 swivel casters. Each swivel caster has an individual wheel lock. Casters are factory mounted to the base. (See page 56 for other mobile accessories.)

TO ORDER AN **EASY-ORDER COMBINATION** (HOUSING WITH PRECONFIGURED DRAWERS AND OPTION OF DRAWER INTERIOR SETS), SEE:

	CABINETS	MOBILE CABINETS	DRAWER INTERIOR SETS*
MP Width	pages 16-17	page 18	page 19
Standard Width	pages 22-24	page 25	pages 26-27
Mid-Width	pages 30-31	page 32	page 33
Double Width	pages 36-37	page 38	page 39
ST Width	pages 44-45	page 46	page 47
HS Width	pages 50-51	page 52	page 53

*To order individual drawer partitioning accessories, see pages 119-122.

Please note: not all options listed are available for all cabinet sizes. See the charts on the custom cabinet ordering pages for specific availabilities.

Sample Cabinet Order

QUANTITY	PART NO.	DESCRIPTION	
1	SC900	housing	1
1	KA	keyed alike lock	2
1	SC-FTB	fork truck base	3
1	SC1BCT	butcher block top	4
2	SC100F	drawers	5
2	SC150F	drawers	5
2	SC200F	drawers	5
2	DR316-100	drawer interiors	6
2	DR206-150	drawer interiors	6
2	DR104-200	drawer interiors	6
2	Housing: BB	Bright Blue paint	7
	Drawers: LG	Light Gray paint	7

4 Select cabinet top or counter top (optional)

Top descriptions can be found on page 57; information about counter tops to span rows of cabinets is on page 104.

5 Select drawers, shelves, roll-out trays and doors

Drawers, shelves and roll-out trays can be used in any sequence or combination you wish — select from the charts listed on the page with the housing(s) you have chosen. (Not all doors are available for every housing — see the charts on the appropriate page for available doors.)




Shelves

Cabinets are available with fixed bottom shelves and adjustable upper shelves, which can be moved up or down in 1" increments for the greatest flexibility in arrangement. Vertical dividers are available to sub-divide shelves. Shelf cabinets are often stacked above drawer cabinets for the greatest range of storage options in a single footprint.



Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner. 100% full extension, 440 lb. (200 kg) maximum load capacity.



Double Hinged Doors

Two doors open in center. These are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Doors are provided with handle, individual lock (RG) and 2 keys. Requires double hinged door cabinet housing.



Flush Hinged Door

Single door protects cabinet contents (only available for areas containing shelves). Door is provided with integrated handle (reversible in field to allow door to open in opposite direction), individual lock (RG) and 2 keys.



Retractable Door

Door slides out and back, stored out of the way when not in use. (For use with shelves only — not available for cabinet areas containing drawers and/or roll-out trays.) Door is provided with handles, individual lock (RG) and 2 keys.



Sliding Door Shelf Cabinets


For information on sliding door shelf cabinets, see pages 60-61.

The total drawer and/or door model numbers must add up to the model number of the housing.

EXAMPLE

Model 900 Housing

$$\begin{aligned} (2) \text{ 150 drawers} &= 300 \\ (1) \text{ 600 door} &= \underline{600} \\ &900 \end{aligned}$$



6 Select drawer partitions and dividers

Choose from the Easy-Order drawer interior sets shown in each cabinet section, or order custom drawer partitions and dividers as shown on page 118.

Drawer Accessories

Choose from the many accessories shown on pages 119-122.

7 Select colors

Select paint color from the chart below. Housing and drawer fronts can be different colors but drawer interiors are always gray. Colors featuring an asterisk are available with ESD paint.



CODE COLOR
BB* Bright Blue



CODE COLOR
BE Beige




CODE COLOR
BK* Black



CODE COLOR
BU Burgundy



CODE COLOR
CB* Classic Blue



CODE COLOR
GG Green




CODE COLOR
GR* Dark Gray



CODE COLOR
NR Red



CODE COLOR
PG* Pearl Gray



CODE COLOR
SN Sand

* available with ESD properties. To specify ESD paint, add prefix "ESD" to paint part number. For ESD paint specifications, see Lista's Workbench and Workspace Solutions Catalog.

Color differences exist between color samples and actual finishes. Please contact your Lista distributor for accurate color matching. Custom colors are available and will be quoted on request.