# Lista Nexus™ System



# Lista Nexus™ System



Nexus System Frames 60

# Nexus System Accessories 6

Nexus System Shelves 61

Nexus System Lighting Accessories 62

Nexus System Tool Rails, Power Options 63

Nexus System Plastic Box Rails, Backstops 64

Nexus System Overhead Cabinets 65

Nexus System Articulating Arm Accessories 66

Nexus System Back Panels, Markerboard/Tackboards 67

Nexus System Easy-Order Combinations 68



# Nexus System Packing Benches 70

Nexus System Packing Bench Features 71

Nexus System Packing Bench Accessories 72

Nexus System Packing Bench Easy-Order Combinations 74



# Nexus System Stands and Trolleys 76

Nexus System Stand and Trolley Easy-Order Combinations 78

# Nexus System Flow Racks 80

Nexus System Flow Rack Easy-Order Combinations 8



Lista's Nexus System is a highly functional and flexible system of above-worksurface accessories and modular components. It has been designed to cost-effectively meet the needs of a broad variety of jobs.

The Nexus System has been ergonomically designed, delivering easy accessibility with no stretch or strain, reducing the risk of injury and increasing productivity.

Like all Lista systems, the
Nexus System is modular and
allows for easy reconfiguration. It
can easily be adapted or expanded
to meet changing needs. It can
also be retrofitted to any existing
workbench, whether it's from Lista
or another manufacturer. Many
Nexus components can be easily
adjusted for specific tasks within a
workshift. System width is limited
only by your worksurface length.

All components are available in ESD paint for static-sensitive applications.

Nexus System accessories can also be used with our other Nexus System products:

- packing benches (page 70)
- stationary stands (page 76)
- mobile trolleys (page 76)
- flow racks (page 80)

### **Nexus System benefits include:**

## Greater productivity and efficiency

 Extensive selection of heights and widths, allowing you to configure your workspace to your use and space.

# Reduced strain, increased ergonomic ease

- Accessories can be chosen and positioned to best suit each user for ultimate ergonomic adaptability.
- Many accessories can tilt and articulate in a number of positions, easily adjusting to the most comfortable and useful position.

For additional components for existing FlexWorks® or Ergomation® upright systems, contact your Lista representative.

# Workstations equipped to exactly suit your needs

 The wide choice of accessories means that whatever the task, an appropriate accessory is available.

#### Properly illuminated work area

 Light fixtures can be easily positioned at the desired height, depth and angle.

#### Maximum available worksurface

 Articulating arms mount to Nexus uprights, leaving full surface available for task.

Overhead light fixture Tool rail

Reversible markerboard/tackboard

Louvered panel


Adjustable shelf Monitor shelf Horizontal power rail Backstop Accessory shelf

TO ORDER AN **EASY-ORDER COMBINATION** (PRECONFIGURED
NEXUS SYSTEM ACCESSORIES), SEE
PAGES 68-69.

Lista's advanced Nexus™ System enables the user to customize the workspace for the greatest productivity and ergonomic comfort.

Accessories can be easily added and moved to provide complete flexibility and ease of use.





# **Available Widths of Nexus Systems**

The widths below represent measurements from frame center to frame center. Uprights are  $1\sqrt[3]{6}$  wide.

#### **Using 1 Section**

SECTION WIDTH	OVERALL WIDTH	MINIMUM WORK-	INSIDE USEABLE
(CENTER-TO-CENTER)	(FOOT-TO-FOOT)	SURFACE LENGTH	WIDTH
24"	<b>26</b> <sup>3</sup> /4"	30"	22 <sup>3</sup> /4"
30"	32 <sup>3</sup> /4"	36"	28 <sup>3</sup> /4"
36"	38 <sup>3</sup> /4"	42"	34 <sup>3</sup> / <sub>4</sub> "
42"	44 <sup>3</sup> /4"	48"	40 <sup>3</sup> / <sub>4</sub> "
48"	50 <sup>3</sup> /4"	54"	46 <sup>3</sup> /4"
60"	<b>62</b> <sup>3</sup> /4"	66"	58 <sup>3</sup> /4"

#### **Using 1 Starter and 1 Adder Section**

SECTION WIDTH	OVERALL WIDTH	MINIMUM WORKSURFACE LENGTH
(CENTER-TO-CENTER)	(FOOT-TO-FOOT)	
24" + 24"	50 <sup>3</sup> /4"	54"
24" + 30"	<b>56</b> <sup>3</sup> /4"	60"
24" + 36"	<b>62</b> <sup>3</sup> /4"	66"
24" + 42"	<b>68</b> <sup>3</sup> /4"	72"
24" + 48"	74 <sup>3</sup> /4"	78"
24" + 60"	86 <sup>3</sup> /4"	90"
30" + 30"	<b>62</b> <sup>3</sup> /4"	66"
30" + 36"	68 <sup>3</sup> /4"	72"
30" + 42"	74 <sup>3</sup> /4"	78"
30" + 48"	80 <sup>3</sup> /4"	84"
30" + 60"	92 <sup>3</sup> /4"	96"
36" + 36"	74 <sup>3</sup> /4"	78"
36" + 42"	80 <sup>3</sup> /4"	84"
36" + 48"	86 <sup>3</sup> /4"	90"
36" + 60"	98 <sup>3</sup> /4"	102"
42" + 42"	86 <sup>3</sup> /4"	90"
42" + 48"	92 <sup>3</sup> /4"	96"
42" + 60"	104 3/4"	108"
48" + 48"	98 <sup>3</sup> /4"	102"
48" + 60"	110 3/4"	114"
60" + 60"	122 <sup>3</sup> /4"	126"



#### **Nexus Surface Mount Frames**

Nexus surface mount starter frames consist of 2 upright posts and a horizontal rail. Adder sets consist of an additional upright and horizontal rail. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Uprights are available in heights of 30" and 48", and widths of 24", 30", 36", 42", 48" and 60". Specify color from chart on back cover.

#### 30" High Surface Mount Frame

PART NO.	SEC. WIDTH CENTTO-CENT.
Starter set	
NXF/SM2430	24"
NXF/SM3030	30"
NXF/SM3630	36"
NXF/SM4230	42"
NXF/SM4830	48"
NXF/SM6030	60"
Adder set	
NXF/SM2430A	24"
NXF/SM3030A	30"
NXF/SM3630A	36"
NXF/SM4230A	42"
NXF/SM4830A	48"
NXF/SM6030A	60"

#### 48" High Surface Mount Frame

PART NO.	SEC. WIDTH CENTTO-CENT.
Starter set	
NXF/SM2448	24"
NXF/SM3048	30"
NXF/SM3648	36"
NXF/SM4248	42"
NXF/SM4848	48"
NXF/SM6048	60"
Adder set	
NXF/SM2448A	24"
NXF/SM3048A	30"
NXF/SM3648A	36"
NXF/SM4248A	42"
NXF/SM4848A	48"
NXF/SM6048A	60"



#### **Nexus Rear Mount Frames**

Nexus rear mount frames are for use with Align™ adjustable height bases only (see pages 52-55). Starter frames consist of 2 upright posts, a horizontal rail, brackets and hardware. Adder sets consist of an additional upright, a horizontal rail and a bracket. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Uprights are available in heights of 30" and 48" (height = height above top of base), and widths of 24", 30", 36", 42", 48" and 60". Specify color from chart on back cover.

#### 30" High\* Rear Mount Frame

PART NO.	SEC. WIDTH CENTTO-CENT.
Starter set	
NXF/RM2430	24"
NXF/RM3030	30"
NXF/RM3630	36"
NXF/RM4230	42"
NXF/RM4830	48"
NXF/RM6030	60"
Adder set	
NXF/RM2430A	24"
NXF/RM3030A	30"
NXF/RM3630A	36"
NXF/RM4230A	42"
NXF/RM4830A	48"
NXF/RM6030A	60"
* upright overall	height is 48"

#### 48" High\* Rear Mount Frame

PART NO.	SEC. WIDTH CENTTO-CENT.
Starter set	
NXF/RM2448	24"
NXF/RM3048	30"
NXF/RM3648	36"
NXF/RM4248	42"
NXF/RM4848	48"
NXF/RM6048	60"
Adder set	
NXF/RM2448A	24"
NXF/RM3048A	30"
NXF/RM3648A	36"
NXF/RM4248A	42"
NXF/RM4848A	48"
NXF/RM6048A	60"
* upright overall	height is 60"



# **Adjustable Shelves**

Adjustable, heavy gauge steel shelves can be mounted parallel to the worksurface or at a 15° angle for easy, ergonomic access. They have a 100 lb. weight capacity. Shelves are reversible, with the lip either at the front, or at the rear to act as a backstop. Supports are attached through a simple double-notch system into slots on the uprights.

PART NO.	SHELF WIDTH	SEC. WIDTH
12" deep		
NXS/A2412L	23 1/2"	24"
NXS/A3012L	29 <sup>1</sup> /2"	30"
NXS/A3612L	35 <sup>1</sup> /2"	36"
NXS/A4212L	41 1/2"	42"
NXS/A4812L	47 <sup>1</sup> /2"	48"
NXS/A6012L	59 <sup>1</sup> /2"	60"
15" deep		
NXS/A2415L	23 1/2"	24"
NXS/A3015L	<b>29</b> 1/2"	30"
NXS/A3615L	35 <sup>1</sup> /2"	36"
NXS/A4215L	41 <sup>1</sup> /2"	42"
NXS/A4815L	47 <sup>1</sup> /2"	48"
NXS/A6015L	59 <sup>1</sup> /2"	60"



### **Shelf Dividers**

Steel dividers fit over the edge of adjustable shelf when shelf is mounted at 0°. Base of divider can be either to left or right of divider upright. Painted to match shelf.

PART NO.	HEIGHT
for 12" deep adjustab	le shelves
NXS/MD100-12/L	4"
NXS/MD100-12/R	4"
NXS/MD150-12/L	6"
NXS/MD150-12/R	6"
NXS/MD200-12/L	8"
NXS/MD200-12/R	8"
for 15" deep adjustab	le shelves
NXS/MD100-15/L	4"
NXS/MD100-15/R	4"
NXS/MD150-15/L	6"
NXS/MD150-15/R	6"
NXS/MD200-15/L	8"
NXS/MD200-15/R	8"



# **Variable Angle Shelves**

Shelf adjusts from totally flat to a 25° angle and has a capacity of 150 lbs. Can be mounted in a forward, centered or set-back position between uprights for maximum flexibility.

PART NO.	SHELF WIDTH	SEC. WIDTH
18" deep		
NXS/V2418L	22 <sup>1</sup> /2"	24"
NXS/V3018L	28 1/2"	30"
NXS/V3618L	34 <sup>1</sup> /2"	36"
NXS/V4218L	40 <sup>1</sup> /2"	42"
NXS/V4818L	46 <sup>1</sup> /2"	48"
NXS/V6018L	58 <sup>1</sup> /2"	60"
24" deep		
NXS/V2424L	22 <sup>1</sup> /2"	24"
NXS/V3024L	28 1/2"	30"
NXS/V3624L	34 <sup>1</sup> /2"	36"
NXS/V4224L	40 1/2"	42"
NXS/V4824L	46 <sup>1</sup> /2"	48"

Shelves must match the width of your chosen section frame (see page 60).

Specify color from chart on back cover.





# **Overhead Light Fixtures**

- Fluorescent fixture is available in 2-bulb or 4-bulb model in 44" or 56" length.
- Tilts up or down 10°.
- Brackets allow light fixture to be mounted to frame sections 30" to 90" wide.
- Kit includes switch and 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs. Requires NX/OHL-

### TR/BRK support brackets (see right).

- Fixture available in off-white only, but brackets can be ordered in any Lista color (see back cover for color chart).
- Fixture and bracket can also simultaneously support tool rail (see page 63).
- See page 35 for isolation kit when used with static dissipative worksurface.

#### **Overhead Light Kits**

PART NO.	WIDTH	SECTION WIDTH
2-bulb		
NX/OHL-R48/2	44"	30"-48"
NX/OHL-R60/2	56"	49"-60"
NX/OHL-R72/2	56"	61"-72"
NX/OHL-R78/2	56"	73"-78"
NX/OHL-R84/2	56"	79"-84"
NX/OHL-R90/2	56"	85"-90"
4-bulb		
NX/OHL-R48/4	44"	30"-48"
NX/OHL-R60/4	56"	49"-60"
NX/OHL-R72/4	56"	61"-72"
NX/OHL-R78/4	56"	73"-78"
NX/OHL-R84/4	56"	79"-84"
NX/OHL-R90/4	56"	85"-90"

# Overhead Light Fixtures Only (without Brackets)

Di dellois/			
PART NO.	BULBS	WIDTH	
NX/OHL44/2	2	44"	
NX/OHL44/4	4	44"	
NX/OHL56/2	2	56"	
NX/OHL56/4	4	56"	

# Overhead Light and Tool Rail Support Brackets

Required for mounting overhead light fixture. Brackets come in pairs. Specify color (see back cover for color chart).

- 24" deep brackets can be used with a 24" deep worksurface (either surface or rear mount Nexus uprights), or a 30" deep worksurface with surface mount uprights.
- 30" deep brackets can be used with a 30" deep worksurface with rear mount uprights, or a 36" deep worksurface (either surface or rear mount uprights).
- Rear mount uprights only available with Align™ adjustable height bases.

PART NO.	BRACKET DEPTH
NX/OHL-TR/BRK24	24"
NX/OHL-TR/BRK30	30"



# Parabolic Diffusers for Light Fixture

Optional chrome-plated plastic parabolic grid directs light onto worksurface while eliminating glare on adjacent workstations.

PART NO.	USE WITH
NX/OHL-PD44	44" light fixture
NX/OHL-PD56	56" light fixture



# **Undershelf Task Lights**

Attach by magnet under shelves or overhead cabinets. Includes white acrylic wrap-around diffuser, switch, 6' cord and bulb.

PART NO.	SIZE	BULB	-
FLF-18	18" W x 5" D x 1 3/4" H	F15T8	
FLF-36/UCF	36" W x 5" D x 1 3/4" H	F25T8	_
FIF-48/UCF	48" W x 5" D x 1 3/4" H	F32T8	



#### **Tool Rails**

The tool rail spans the length of the worksurface. It is available in 48", 60" or 72" lengths. Each tool rail has a 30 lb. capacity, and comes complete with a trolley, 2 hangers, 2 endstops and 2 end caps in black finish. Balancer not included. **Requires support brackets (see right).** Fixture and bracket can also simultaneously support overhead light (see page 62). Color is black.

PART NO.	LENGTH
TR48	48"
TR60	60"
TR72	72"



# **Swing Arm Tool Rail**

The swing arm tool rail is 36" in length and swings 180°. It has a 30 lb. capacity and includes a trolley, 1 endstop and 1 end cap. Includes mounting bracket. Balancer not included. Color is black.

PART NO.	LENGTH
SWT36	36"
511100	

# Tool Rail and Overhead Light Support Brackets

Required for mounting tool rail. Comes in pairs.

PART NO.	DEPTH	
NX/OHL-TR/BRK24	24"	
NX/OHL-TR/BRK30	30"	

# Single Uprights

Economical solution to mounting power or articulating component above the worksurface. Capacity 60 lbs.

PART NO.	HEIGHT
NXF-P30/SM	30"
NXF-P48/SM	48"

# **Vertical Power Strips**

Mounts vertically to front and back of upright. Bracket and hardware supplied. Available in 15 amp or 20 amp, and GFCI. Lighted on/off switch, 6' cord with grounded plug and circuit breaker are included. See page 35 for isolation kit when used with static dissipative worksurface. Fixture and brackets are black.

PART NO.	DESCRIPTION
NXVPS/15	15 amp with 6 outlets
NXVPS/20	20 amp with 6 outlets
NXVPS/15GF	15 amp GFCI with 6 outlets
NXVPS/20GF	20 amp GFCI with 6 outlets



#### **Horizontal Power Rails**

Self-contained, 6-plug electrical outlet strip. Power rail pivots on axis, providing full horizontal adjustability. 110V, 15 amp or 20 amp circuit breaker, UL and CSA approved.

PART NO.	
15 amp	20 amp
NXHPS/24-15	NXHPS/24-20
NXHPS/30-15	NXHPS/30-20
NXHPS/36-15	NXHPS/36-20
NXHPS/42-15	NXHPS/42-20
NXHPS/48-15	NXHPS/48-20
NXHPS/60-15	NXHPS/60-20
15 amp GF	20 amp GF
NXHPS/24-15GF	NXHPS/24-20GF
NXHPS/30-15GF	NXHPS/30-20GF
NXHPS/36-15GF	NXHPS/36-20GF
NXHPS/42-15GF	NXHPS/42-20GF
NXHPS/48-15GF	NXHPS/48-20GF
NXHPS/60-15GF	NXHPS/60-20GF

### Airhose Attachment

Small bracket attaches to frame upright. Quick-connect fitting not supplied.



PART NO.	DESCRIPTION
NX/AHB	bracket for air supply

For items with choice of color, specify color from chart on back cover.

# Nexus™ System Plastic Box Rails and Backstops

Plastic box rails and backstops
must match the width of your
chosen section frame (see page 60).
Specify color from chart on back
cover.



### **Plastic Box Rails**

The plastic box rail is easily adjustable for ergonomic access. It can be mounted parallel to the worksurface or at a 15° angle. The rail is attached via a simple double-notch system. It can hold selected Lista or other boxes that have hanger lips at the rear for attaching to a louvered panel. Plastic boxes not included.


PART NO.	WIDTH	MAXIMUM # OF
		3" BOXES/RAIL
NXBR/24	24"	7
NXBR/30	30"	9
NXBR/36	36"	11
NXBR/42	42"	13
NXBR/48	48"	15
NXBR/60	60"	19



# **Backstops**

Prevents items from rolling off worksurface. 3" in height. Painted to match frame.

PART NO.	<b>USE WITH SECTION WIDTH</b>
NXBS/24	24"
NXBS/30	30"
NXBS/36	36"
NXBS/42	42"
NXBS/48	48"
NXBS/60	60"



### **Plastic Boxes**

Made of high impact polystyrene (HIPS) red plastic, these boxes are for storing small parts. Boxes slip in and out of plastic box rails for easy loading and dispensing and have label holder attachments.

PART NO.	WXDXH
PB-5	3" x 3" x 2"
PB-6	3" x 6" x 2"
PB-7	6" x 6" x 2"
PB-8	3" x 6" x 3"
PB-9	6" x 6" x 3"
PB-8D	divider for PB-8



For descriptions of overhead cabinets, see page 101 of Lista's General Storage Catalog. Overhead cabinet width must match Nexus frame section width. Mounting brackets must be ordered separately.

# How to order a Nexus overhead cabinet

 Select overhead cabinet based on your choice of dimensions.

### 2. Select door type.

ND = no door

#### Door for 16" high overhead cabinets

**RD** = retractable door

#### Doors for 29" high overhead cabinets

**HD** = hinged doors

HDP\* = hinged doors with steel-framed plexiglas

**SD** = sliding doors

SDP\*\* = sliding doors with steel-framed plexiglas

- \* plexiglas doors available for cabinets 36" and wider only
- \*\* plexiglas doors available for cabinets 42" and wider only

#### 3. Select lock type.

RG = individual KA = keyed-alike

MA = master

- Select paint color (see back cover for color chart).
- 5. Order mounting brackets.

EXAMPLE: to order an OHC2416 overhead cabinet with a retractable door, an individual lock, and Bright Blue paint, the cabinet part number would be OHC2416-RDRGBB, and the mounting brackets would be NX/OHC-BRK16.

#### **Overhead Cabinets**



16" high x 15" deep

PART NO.	WIDTH
OHC2416-	24"
OHC3016-■■□	30"
OHC3616-■■□	36"
OHC4216-	42"
OHC4816-■■□	48"
OHC6016-	60"



29" high x 15" deep

PART NO.	WIDTH
OHC2429-■■□	24"
OHC3029-■■□	30"
OHC3629-	36"
OHC4229-■■□	42"
OHC4829-■■□	48"

# Overhead Cabinet Nexus Mounting Brackets

**Brackets must be ordered for each overhead cabinet used.** Comes in pairs.

PART NO.	FOR USE WITH
NX/OHC-BRK16	16" high cabinet
NX/OHC-BRK29	29" high cabinet

# Overhead Cabinet Additional Shelves (For 29" High Cabinets)

13 <sup>1</sup>/2" deep

p	
PART NO.	FOR USE WITH
OHC-S24	24" wide cabinet
OHC-S30	30" wide cabinet
OHC-S36	36" wide cabinet
OHC-S42	42" wide cabinet
OHC-S48	48" wide cabinet

# **Overhead Cabinet Canopy Tops**

adds 5 1/2" height to overhead cabinet

uuus J 72	neight to overheud tubilier
PART NO.	FOR USE WITH
OHC-C24/NX	24" wide cabinet
OHC-C30/NX	30" wide cabinet
OHC-C36/NX	36" wide cabinet
OHC-C42/NX	42" wide cabinet
OHC-C48/NX	48" wide cabinet
OHC-C60/NX	60" wide cabinet

Lista overhead cabinets can attach to a Nexus frame for protected, secure above-worksurface storage of large, bulky items. Articulating arms allow free and simple repositioning of a wide range of Nexus System accessories. Arm swings 180° for easy ergonomic access, and has a 75 lb. capacity. All accessories include arm and bracket.

Specify color from chart on back cover.



### Monitor Shelf with Keyboard Holder

Holds computer monitor. Includes retractable wire keyboard holder. 12 3/8" wide x 12 3/8" deep.

PART NO. NXA/MS-KB



# **Optional Mouse Tray**

Mouse tray attaches to monitor shelf with keyboard holder (above) to hold computer mouse and/or mouse pad. 9 ½" wide x 7 5/8" deep. Ordered separately.

PART NO. NX/MP



#### Flat Panel Monitor Arm

For attaching flat panel monitor to Nexus upright. 17 ½ lb. capacity. Includes bracket.

PART NO. NXA/FPMA

### Flat Panel Monitor Bracket

Galvanized steel flat bracket for mounting third party flat panel monitor arms to Nexus upright.

PART NO. NX/BKT-FPM



### **Equipment Shelf**

Holds a variety of customer-supplied equipment or tools. 12.3%" wide x.12.3%" deep.

PART NO. NXA/ES



# **Accessory Shelf**

For easy access to small tools, instruments, parts, etc. Ribbed mat optional. 21 ½" wide x 7 3/8" deep. 75 lb. capacity.

PART NO.	DESCRIPTION	
NXA/AS	shelf	
NX/AS-MAT	ribbed rubber mat	



#### **Document Holder**

For displaying papers, plans, etc.  $11\frac{7}{8}$ " wide x  $13\frac{3}{4}$ " high. Includes lip for pencils, pens, etc.

PART NO. NXA/DH



# **Large Document Holder**

For displaying large documents, and open binders and books. 23 5/8" wide x 13 3/4" high. Includes lip for pencils, pens, etc.

PART NO. NXA/DHW



#### **Bin Container**

Holds 3 rows of plastic bins for easy access to parts and components. Interior space per shelf is 20" wide x 6" deep. Top shelf is 3 ½" high, second and third shelves are 3 ¾" high. Requires accessory shelf (left) for support (not included), or can be used freestanding. 50 lb. capacity. Does not include bin boxes.

PART NO. NX/AS-BC

# Nexus™ System Back Panels and Markerboard/Tackboards



### **Louvered Back Panels**

Steel louvered panel is designed to accommodate industry-standard plastic boxes that feature louvered edge or lip.

PART NO.	<b>USE WITH SECTION WIDTH</b>
18" high	
NXLP/2418	24"
NXLP/3018	30"
NXLP/3618	36"
NXLP/4218	42"
NXLP/4818	48"
NXLP/6018	60"
30" high	
NXLP/2430	24"
NXLP/3030	30"
NXLP/3630	36"
NXLP/4230	42"
NXLP/4830	48"
NXLP/6030	60"



### **Pegboard Panels**

Steel pegboard panel accepts all standard pegging devices (i.e. hooks, etc.). Pegboard holes are 1/4" in diameter. Ideal for placement of commonly used tools.

PART NO.	<b>USE WITH SECTION WIDTH</b>
18" high	
NXPP/2418	24"
NXPP/3018	30"
NXPP/3618	36"
NXPP/4218	42"
NXPP/4818	48"
NXPP/6018	60"
30" high	
NXPP/2430	24"
NXPP/3030	30"
NXPP/3630	36"
NXPP/4230	42"
NXPP/4830	48"
NXPP/6030	60"

# **Solid Privacy Panels**

Steel privacy panel encloses a section and can also be used to hold/display items with magnets.

PART NO.	<b>USE WITH SECTION WIDTH</b>
18" high	
NXSP/2418	24"
NXSP/3018	30"
NXSP/3618	36"
NXSP/4218	42"
NXSP/4818	48"
NXSP/6018	60"
30" high	
NXSP/2430	24"
NXSP/3030	30"
NXSP/3630	36"
NXSP/4230	42"
NXSP/4830	48"
NXSP/6030	60"





# Reversible Markerboard/Tackboards

Two-sided reversible board. Features white magnetic markerboard on 1 side and gray fabric tackboard on the other. Also functions as privacy panel and sound dampener. 30" high.

PART NO.	<b>USE WITH SECTION WIDTH</b>
NXRMT/2430	24"
NXRMT/3030	30"
NXRMT/3630	36"
NXRMT/4230	42"
NXRMT/4830	48"

Sturdy panels easily attach between frame uprights. All panels are available in heights of 18" and 30".

Reversible markerboard/tackboard attaches using same brackets (available in 30" height only).

Specify color from chart on back

# **Easy-Order Nexus™ System Combinations**

Each combination includes 1 Nexus starter frame and 1 adder frame at the height shown. Combinations designated with "SM" surface mount to a Lista or other workbench with a worksurface at least 6" longer than the Nexus frames. Combinations designated with "RM" rear mount to a Lista Align™ adjustable height base only. Certain combinations are available with optional overhead lights (see charts below illustrations for availability).

# How to order an Easy-Order **Nexus Accessory Combination**

1. Select Easy-Order Nexus Accessory configuration.

### 2. Select worksurface length.

- **60** = 60" long (combination consists of 24" wide starter frame and 30" wide adder frame)
- **72** = **72**" long (combination consists of 30" wide starter frame and 36" wide adder frame)
- 3. 

  Select paint color. For color chart, see back cover or below.
- 4. Select lock type for models with overhead cabinets included.

RG = individualKA = keyed-alike MA = master

EXAMPLE: to order an NXC/SM4827 Nexus combination to install on a 72" long worksurface, with Bright Blue paint and keyedalike locks for the overhead cabinets, the part number would be NXC/SM4827-72BBKA.


# **30" High Nexus Frames**



#### Includes

- (2) 12" deep shelves
- (1) backstop
- (1) 30" high louvered panel


PART NO.	DESCRIPTION
NXC/SM3001-	surface mount



#### Includes

- (2) 12" deep shelves
- (1) plastic box rail
- (1) 30" high markerboard/tackboard
- (1) vertical power strip


PART NO.	DESCRIPTION
NXC/SM3002-	surface mount



#### Includes

- (2) 12" deep shelves
- (1) backstop
- (1) 18" high solid privacy panel
- (1) 16" high overhead cabinet with retractable door


PART NO.	DESCRIPTION
NXC/SM3023-	surface mount



#### Includes


- (2) 12" deep shelves
- (2) 15" deep shelves
- (2) backstops

PART NO.	DESCRIPTION
NXC/SM3005-	surface mount



- (2) 18" deep variable angle shelves
- (1) 12" deep shelf
- (1) 18" high louvered panel

	,
PART NO.	DESCRIPTION
NXC/SM3006-	surface mount




#### Includes

- (1) 12" deep shelf
- (1) 18" high louvered panel
- (1) 16" high overhead cabinet with retractable door
- (1) horizontal power rail
- (1) backstop

PART NO.	DESCRIPTION
NXC/SM3024-	surface mount

# 48" High Nexus™ Frames



#### Includes

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) backstop
- (1) 18" high pegboard panel
- (1) 30" high louvered panel


DESCRIPTION
surface mount
surface mount with 56"
4-bulb overhead light
rear mount for Align base
rear mount for Align base
w/56" 4-bulb overhead light



#### Includes

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) backstop
- (1) 30" high markerboard/tackboard
- (1) 18" high louvered panel
- (1) vertical power strip


PART NO.	DESCRIPTION
NXC/SM4802-	surface mount
NXC/SM4812-	surface mount with 56"
	4-bulb overhead light
NXC/RM4802-	rear mount for Align base
NXC/RM4812-	rear mount for Align base
	w/56" 4-bulb overhead light



#### Includes

- (2) 12" deep shelves
- (1) 18" high louvered panel
- (1) 16" high overhead cabinet with retractable door
- (1) 30" high markerboard/tackboard


PART NO.	DESCRIPTION
NXC/SM4823-	surface mount
NXC/RM4823-	rear mount for Align base



#### Includes

- (2) 16" high overhead cabinets with retractable doors
- (1) 12" deep shelf
- (1) backstop
- (1) 30" high markerboard/tackboard


PART NO.	DESCRIPTION
NXC/SM4827-	surface mount
NXC/RM4827-	rear mount for Align base



#### Includes

- (4) 12" deep shelves
- (2) 15" deep shelves
- (2) backstops


PART NO.	DESCRIPTION
NXC/SM4804-	surface mount
NXC/SM4814-	surface mount with 56"
	4-bulb overhead light
NXC/RM4804-	rear mount for Align base
NXC/RM4814-	rear mount for Align base
	w/56" 4-bulb overhead light



# Includes

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) backstop
- (1) 16" high overhead cabinet with retractable door
- (1) 30" high louvered panel


PART NO.	DESCRIPTION
NXC/SM4825-	surface mount
NXC/RM4825-	rear mount for Align base



#### Includes

- (2) 12" deep shelves
- (2) 30" high louvered panels

PART NO.	DESCRIPTION
NXC/SM4806-	surface mount
NXC/SM4816-	surface mount with 56"
	4-bulb overhead light
NXC/RM4806-	rear mount for Align base
NXC/RM4816-	rear mount for Align base
	w/56" 4-bulb overhead light



# Includes

- (2) 16" high overhead cabinets with retractable doors
- (1) 30" high markerboard/tackboard
- (1) 30" high louvered panel

PART NO.	DESCRIPTION
NXC/SM4828-	surface mount
NXC/RM4828-	rear mount for Align base

# Nexus™ System Packing Bench Accessories

If you need to pack and ship products, and you want to get the job done quickly and efficiently, Lista delivers the complete package you've been looking for. Our advanced, modular benches are specifically designed for packing and shipping applications. Fully customizable, they will accommodate your needs today and in the future.

Lista's packing and shipping benches bundle together an array of superior features and benefits. Extremely flexible, the benches come in a variety of lengths (48" to 96") and depths and are available with a wide selection of worksurfaces, including butcher block, Lista Top, and galvanized or stainless steel over wood.

System and its wide array of ing benches can be customized to exactly suit your needs, without a custom price.

The addition of the Nexus accessories means that your pack-




TO ORDER AN EASY-ORDER **COMBINATION (PRECONFIGURED NEXUS SYSTEM PACKING BENCH), SEE** PAGES 74-75.

# Nexus™ System Packing Bench Accessory Features



Our packing benches can be configured with cabinet bases or legs to create a cost-effective, custom solution. With our modular drawer storage cabinets doubling as pedestals, users have systematic, efficient storage for their supplies, tools, paperwork and accessories.

Beneath the worksurface, vertical wire shelf dividers provide custom storage for corrugated or other bulk materials. Above the worksurface, Lista's modular Nexus System provides a full range of accessories that offer easy access to packing materials at arm height. There are holders for rolls of paper, bubble rolls and labels. Vertical wire dividers are available to keep shelf storage organized. Other Nexus accessories include louvered panels to hold bins, plastic box rails, electrical attachments, overhead cabinets, computer monitor trays, document holders and many more (see pages 60-67).



# Nexus™ System Packing Bench Below-Worksurface Accessories

Packing benches can be designed using a full range of Lista workbench products:

- workbench components, pages 32-37
- worksurfaces, page 31
- cabinet pedestals, pages 38-49
- Nexus System accessories, pages 60-67

The additional components shown on the following two pages enable you to specify a packing bench that exactly suits your needs.



### Technical Legs

Includes knock-outs for mounting bottom shelves and/or roll holder. Legs come with glides for leveling on uneven surfaces. Removable end caps allow access to glides. Can be configured for right- or left-hand installation.

PART NO.	HEIGHT	TOP DEPTH	
Use with 600 cabinet without base			
NTL27.5X28.5	27 1/2" (700mm)	30"	
NTL27.5X34.5	27 <sup>1</sup> /2" (700mm)	36"	
Use with 600	cabinet with 2" bas	е	
NTL29.5X28.5	29 1/2" (750mm)	30"	
NTL29.5X34.5	29 1/2" (750mm)	36"	
Use with 600	cabinet with 4" bas	e	
NTL31.5X28.5	31 ½" (800mm)	30"	
NTL31.5X34.5	31 ½" (800mm)	36"	
Use with 600	cabinet with 6" bas	e or	
750 cabinet v	750 cabinet without base		
NTL33.5X28.5	33 1/2" (850mm)	30"	
NTL33.5X34.5	33 ½" (850mm)	36"	
Use with 750	cabinet with 2" bas	е	
NTL35.5X28.5	35 1/2" (900mm)	30"	
NTL35.5X34.5	35 1/2" (900mm)	36"	
Use with 900	cabinet without bas	e	
NTL39.5X28.5	39 ½" (1000mm)	30"	
NTL39.5X34.5	39 ½" (1000mm)	36"	



#### **Bottom Shelves**

Heavy gauge steel shelf, 16" deep. Prepunched holes accept vertical wire dividers.

PART NO.	WORKSURFACE LENGTH
BS-4816	48"
BS-6016	60"
BS-7216	72"
BS-8416	84"
BS-9616 📕 🔲	96"

To order:

1. Specify left-hand (facing the bench) bench support.

NTL = technical leg
NW = narrow width cabinet
MP = MP width cabinet

2. Specify right-hand (facing the bench) bench support.

NTL = technical leg NW = narrow width cabinet MP = MP width cabinet

3. 
Select paint color. For color chart, see back cover.

EXAMPLE: to order a bottom shelf for a Bright Blue packing bench with a 72" worksurface, an MP Width cabinet as the left-hand pedestal and a technical leg as the right-hand pedestal, the part number would be BS-7216MPNTLBB.



# Vertical Wire Dividers for Bottom Shelves

15" deep dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the 16" deep shelf. No hardware required.

PART NO.	HEIGHT	
NXS/WD150-15	6"	
NXS/WD250-15	10"	
NXS/WD450-15	18"	



# Roll Holders (Leg/Cabinet Mount)

For dispensing paper, bubble rolls, etc. Holder mounts between technical legs and/or cabinet pedestals. Includes 1" diameter rod and brackets (unpainted galvanized steel). Usable width varies by configuration. Contact Lista Customer Service for exact dimensions.

PART NO.	<b>WORKSURFACE LENGTH</b>
RH48	48"
RH60	60"
RH72	72"
RH84	84"
RH96	96"

To order:

1. Specify left-hand (facing the bench) bench support.

NTL = technical leg NW = narrow width cabinet MP = MP width cabinet

2. Specify right-hand (facing the bench) bench support.

NTL = technical leg NW = narrow width cabinet MP = MP width cabinet

EXAMPLE: to order a roll holder for a packing bench with a 72" worksurface, an MP Width cabinet as the left-hand pedestal and a technical leg as the right-hand pedestal, the part number would be RH72 MPNTL.

# Nexus™ System Packing Bench Above-Worksurface Accessories



# **Adjustable Shelves Without Lip**

Adjustable steel shelf has a 100 lb. weight capacity. Supports are attached through a simple double-notch system that insert into slots on the Nexus uprights. Available in depths of 12" and 15". Pre-punched holes accept vertical wire dividers (see below).

PART NO.	SHELF WIDTH
12" deep	
NXS/A2412D	24"
NXS/A3012D	30"
NXS/A3612D	36"
NXS/A4212D	42"
NXS/A4812D	48"
NXS/A6012D	60"
15" deep	
NXS/A2415D	24"
NXS/A3015D	30"
NXS/A3615D	36"
NXS/A4215D	42"
NXS/A4815D	48"
NXS/A6015D	60"



### Vertical Wire Dividers for Adjustable Shelves

Dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the shelf. No hardware required. Depth must match shelf depth.

PART NO.	HEIGHT	
For 12" deep shelves		
NXS/WD150-12	6"	
NXS/WD250-12	10"	
NXS/WD450-12	18"	
For 15" deep shelves		
NXS/WD150-15	6"	
NXS/WD250-15	10"	
NXS/WD450-15	18"	



# **Deep Shelves Without Lip**

Shelves are 18" or 24" deep with a 150 lb. weight capacity. Can be mounted in a forward, centered or set-back position between uprights for maximum flexibility. Pre-punched holes accept vertical wire dividers (see below).

PART NO.	SHELF WIDTH
18" deep	
NXS/V2418D	24"
NXS/V3018D	30"
NXS/V3618D	36"
NXS/V4218D	42"
NXS/V4818D	48
NXS/V6018D	60"
24" deep	
NXS/V2424D	24"
NXS/V3024D	30"
NXS/V3624D	36"
NXS/V4224D	42"
NXS/V4824D	48



### Vertical Wire Dividers for Deep Shelves

Dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the shelf. No hardware required. Depth must match shelf depth.

PART NO.	HEIGHT	
For 18" deep shelves		
NXS/WD150-18	6"	
NXS/WD250-18	10"	
NXS/WD450-18	18"	
For 24" deep shelves		
NXS/WD150-24	6"	
NXS/WD250-24	10"	
NXS/WD450-24	18"	



### **Roll Holders (Extended Mount)**

For dispensing paper, bubble rolls, etc. Includes 1" diameter rod and brackets. Brackets mount to Nexus uprights and extend 3" forward from the face of the uprights to allow for larger diameter rolls. Rod is unpainted galvanized steel; brackets are painted to match frame.

PART NO.	USE WITH	USB. INSIDE
	SECTION WDTH.	WIDTH
NXRH/E24	24"	22"
NXRH/E30	30"	28"
NXRH/E36	36"	34"
NXRH/E42	42"	40"
NXRH/E48	48"	46"
NXRH/E60	60"	58"



# Label/Roll Holders (Interior Mount)

For dispensing labels and other smaller rolls. Brackets mount flush between Nexus uprights. Includes 1" diameter rod and brackets. Rod is unpainted galvanized steel; brackets are painted to match frame.

USE WITH	USB. INSIDE
SECTION WDTH.	WIDTH
24"	22"
30"	28"
36"	34"
42"	40"
48"	46"
60"	58"
	<b>SECTION WDTH.</b> 24" 30" 36" 42" 48"





Nexus stands and trolleys can be configured with Nexus packing bench accessories to make an ideal addition to any packing or shipping area. See pages 76-77.

# Easy-Order Nexus™ System Packing Bench Combinations

The packing benches shown on the following two pages are preconfigured to include the most popular and versatile styles of packing benches we offer. To design a custom bench to suit your exact needs, see pages 72-73.

**Easy-Order packing benches** include technical legs, and are 33 1/2" high. Optional Nexus System packing bench combinations are 48" high.

### How to order an Easy-Order **Packing Bench**

- 1. Select Easy-Order packing bench configuration.
- 2. Select worksurface style.

LTS = Lista Top GLS = Galvanized steel BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. Select worksurface size.

 $4830 = 48" \log x 30" deep$ 6030 = 60" long x 30" deep **7230** = 72" long x 30" deep

4. 

Select paint color. For color chart, see back cover.

### How to order an optional Easy-**Order Nexus System Packing Bench Combination**

- 1. Select Easy-Order Nexus System configuration.
- 2. Select System size (size must correspond to worksurface size).

42 = for 48" long worksurface


48 = for 60" long worksurface

**60** = for 72" long worksurface


4. 


Select paint color. For color chart, see back cover.


EXAMPLE: to order a PS6200 packing bench with a 72" long butcher block worksurface and a matching Nexus System combination with Bright Blue paint, the bench part number would be PS6200-BTS7230BB, and the Nexus System part number would be NXC/SM48-PB01-60BB.



# **Optional Nexus System Packing Bench Combination**









PART NO.	INCLUDES
PS6500-■■□ H	HC/NW150 hanging cabinet





# Optional Nexus System Packing Bench Combination



PART NO.	HEIGHT
NXC/SM48-PB02-	48"
INAC/ JMI40-1 DUZ-	40

# How to order a long Easy-Order **Packing Bench**

- 1. Select Easy-Order packing bench configuration.
- 2. Select worksurface style.

LTS = Lista Top GLS = Galvanized steel BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. Select worksurface size.

**7230** = 72" long x 30" deep 8430 = 84" long x 30" deep **9630** = 96" long x 30" deep

4. 

Select paint color. For color chart, see back cover.

### How to order an optional Easy-Order Nexus™ System Packing **Bench Combination**

- 1. Select Easy-Order Nexus System configuration.
- 2. Select System size (size must correspond to worksurface size).

**66** = for 72" long worksurface **78** = for 84" long worksurface 90 = for 96" long worksurface

4. 

Select paint color. For color chart, see back cover.

EXAMPLE: to order a PS6600 packing bench with a 96" long butcher block worksurface and a matching Nexus System combination with Bright Blue paint, the bench part number would be PS6600-BTS 9630BB, and the Nexus System part number would be NXC/SM48-PB02-96BB.

# Nexus™ System Stationary Stands and Mobile Trolleys

Nexus stationary stands and mobile trolleys are the perfect complement to any production, repair or assembly workspace. Hold and/or transport parts, tools, test equipment and almost anything else you can think of, with the convenience of a small footprint.


Designed to accept all Nexus System accessories, these miniworkstations can be configured to exactly suit your needs. For the complete range of Nexus accessories, see pages 61-67:

- shelves, page 61
- lights, page 62
- power, page 63
- articulating arm accessories,
   page 66

Add a worksurface, and your Nexus stand becomes an economical workbench.

Stands are available in four heights (48", 60", 72" and 84") and six widths (24", 30", 36", 42", 48" and 60"). Trolleys are available in the same widths, and in heights of 48" and 60" (casters add 6" to overall height).

Stands and trolleys can be ordered in either rear-justified or center-justified configurations.







### **Nexus Stationary Stand Frames**

Nexus stand frames consist of 2 upright posts and 2 horizontal rails, with 2 feet. Adder sets consist of an additional upright and 2 horizontal rails with 1 foot. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Includes 4 adjustable glides. Specify stand depth in place of blue box ( ) in part number.

28 = 28" overall depth 34 = 34" overall depth

# 48" High Rear-Justified Frames (52 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSR2448-	NXF/FSR2448A-
NXF/FSR3048-	NXF/FSR3048A-
NXF/FSR3648-	NXF/FSR3648A-
NXF/FSR4248-	NXF/FSR4248A-
NXF/FSR4848-	NXF/FSR4848A-
NXF/FSR6048-	NXF/FSR6048A-

# 48" High Center-Justified Frames (52 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSC2448-	NXF/FSC2448A-
NXF/FSC3048-	NXF/FSC3048A-
NXF/FSC3648-	NXF/FSC3648A-
NXF/FSC4248-	NXF/FSC4248A-
NXF/FSC4848-	NXF/FSC4848A-
NXF/FSC6048-	NXF/FSC6048A-

# 60" High Rear-Justified Frames (64 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSR2460-	NXF/FSR2460A-
NXF/FSR3060-	NXF/FSR3060A-
NXF/FSR3660-	NXF/FSR3660A-
NXF/FSR4260-	NXF/FSR4260A-
NXF/FSR4860-	NXF/FSR4860A-
NXF/FSR6060-	NXF/FSR6060A-

# 60" High Center-Justified Frames (64 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSC2460-	NXF/FSC2460A-
NXF/FSC3060-	NXF/FSC3060A-
NXF/FSC3660-	NXF/FSC3660A-
NXF/FSC4260-	NXF/FSC4260A-
NXF/FSC4860-	NXF/FSC4860A-
NXF/FSC6060-	NXF/FSC6060A-

# 72" High Rear-Justified Frames (76 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSR2472-	NXF/FSR2472A-
NXF/FSR3072-	NXF/FSR3072A-
NXF/FSR3672-	NXF/FSR3672A-
NXF/FSR4272-	NXF/FSR4272A-
NXF/FSR4872-	NXF/FSR4872A-
NXF/FSR6072-	NXF/FSR6072A-

# 72" High Center-Justified Frames (76 <sup>3</sup>/<sub>4</sub>" overall height)

PART NO.	
Starter set	Adder set
NXF/FSC2472-	NXF/FSC2472A-
NXF/FSC3072-	NXF/FSC3072A-
NXF/FSC3672-	NXF/FSC3672A-
NXF/FSC4272-	NXF/FSC4272A-
NXF/FSC4872-	NXF/FSC4872A-
NXF/FSC6072-	NXF/FSC6072A-

# 84" High Rear-Justified Frames (88 3/4" overall height)

-	•
PART NO.	
Starter set	Adder set
NXF/FSR2484-	NXF/FSR2484A-
NXF/FSR3084-	NXF/FSR3084A-
NXF/FSR3684-	NXF/FSR3684A-
NXF/FSR4284-	NXF/FSR4284A-
NXF/FSR4884-	NXF/FSR4884A-
NXF/FSR6084-	NXF/FSR6084A-

# 84" High Center-Justified Frames (88 3/4" overall height)

PART NO.	
Starter set	Adder set
NXF/FSC2484-	NXF/FSC2484A-
NXF/FSC3084-	NXF/FSC3084A-
NXF/FSC3684-	NXF/FSC3684A-
NXF/FSC4284-	NXF/FSC4284A-
NXF/FSC4884-	NXF/FSC4884A-
NXF/FSC6084-	NXF/FSC6084A-



#### **Worksurfaces**

For descriptions, see page 31. To order a bullnose edge, add "BN" to the end of the part number. Requires worksurface brackets (see below). For use with rear-justified frames only.

SIZE
24" long x 24" deep
30" long x 24" deep
36" long x 24" deep
42" long x 24" deep
48" long x 24" deep
60" long x 24" deep
30" long x 30" deep
36" long x 30" deep
42" long x 30" deep
48" long x 30" deep
60" long x 30" deep
24" long x 24" deep
30" long x 24" deep
36" long x 24" deep
42" long x 24" deep
48" long x 24" deep
60" long x 24" deep
30" long x 30" deep
36" long x 30" deep
42" long x 30" deep
48" long x 30" deep
60" long x 30" deep

#### **Worksurface Brackets**

Required to attach worksurface (above) to stationary stand. Includes 2 brackets. For use with rear-justified frames only.

PART NO.	FOR USE WITH
NX/WST-KIT/24	24" deep worksurface
NX/WST-KIT/30	30" deep worksurface

### Nexus Mobile Trolley Frames

Nexus trolley frames consist of 2 upright posts and 2 horizontal rails, with 2 feet. Frames are sturdy, heavy gauge steel, and are notched



front and back at 1" increments for mounting accessories. Supported by (4) 5" diameter casters, 2 swivel and 2 swivel with wheel locks. Includes a handle.

# 48" High Rear-Justified Frames (57 3/4" overall height)

PART NO.	WIDTH	
NXF/MTR2448-	24"	
NXF/MTR3048-	30"	
NXF/MTR3648-	36"	
NXF/MTR4248-	42"	
NXF/MTR4848-	48"	
NXF/MTR6048-	60"	

#### **48" High Center-Justified Frames**

PART NO.	WIDTH
NXF/MTC2448-	24"
NXF/MTC3048-	30"
NXF/MTC3648-	36"
NXF/MTC4248-	42"
NXF/MTC4848-	48"
NXF/MTC6048-	60"

# 60" High Rear-Justified Frames (69 3/4" overall height)

PART NO.	WIDTH	
NXF/MTR2460-	24"	
NXF/MTR3060-	30"	
NXF/MTR3660-	36"	
NXF/MTR4260-	42"	
NXF/MTR4860-	48"	
NXF/MTR6060-	60"	

#### **60" High Center-Justified Frames**

•		
PART NO.	WIDTH	
NXF/MTC2460-	24"	
NXF/MTC3060-	30"	
NXF/MTC3660-	36"	
NXF/MTC4260-	42"	
NXF/MTC4860-	48"	
NXF/MTC6060-	60"	

# Mobile Trolley Accessories

Individual casters replace the ones that come with trolley. Handle is single handle.

PART NO.	DESCRIPTION
AST5X1S-NB	(1) swivel 5" caster
AST5X1S-WB	(1) swivel 5" caster with wheel lock
IX/MT-HANDL	side handle

Easy-Order stands (page 78) include leveling glides, and are 60", 72" or 84" high. Trolleys (page 79) include 2 swivel and 2 swivel with wheel locks 5" diameter casters (325 lb. capacity per caster), and a handle, and are either 48" or 60" high (plus height of casters). Stands and trolleys are 28" deep.

### How to order an Easy-Order **Nexus Stand or Trolley**

- 1. Select Easy-Order stand or trolley configuration.
- 2. Select worksurface style for models NXF/FSR01, NXF/FSR02, NXF/FSR03 and NXF/FSR04.

P2 = Plastic laminate **B2** = Butcher block

All worksurfaces have a bullnose front edge and are 24" deep.

#### 3. Select width.

**24** = 24" wide

**30** = 30" wide

**36** = 36" wide

**42** = 42" wide 48 = 48" wide

**60**\* = 60" wide

\*not available for models that include marker/tackboard

#### 4. Select height.

#### For stands:

**60** = 60" high

**72** = 72" high

**84** = 84" high

For trolleys:


**48** = 48" high


60 = 60'' high

5. 


Select paint color. For color chart, see back cover or below.


EXAMPLE: to order an NXF/FSR04 stand that is 36" wide and 60" high, with a butcher block worksurface and Bright Blue paint, the part number would be NXF/FSR04**B2-3660BB**.











Nexus flow racks are an effective material handling solution for presenting parts for picking, kitting or assembly.


Parts delivery by gravity feeding cartons or parts bins reduces the need for parts delivery personnel, allowing one person to service more production or packaging stations. By assembling flow racks in rows, you can achieve even greater productivity and convenience.

Designed to accept any Nexus System accessories, flow racks can be configured to exactly suit your needs. For the complete range of Nexus System accessories, see pages 61-67:

- shelves, page 61
- lights, page 62
- power, page 63
- articulating arm accessories,
   page 66

Add a worksurface, and your stationary Nexus flow rack becomes a highly efficient assembly or work station.

Flow rack frames are 86 1/4" high and 48" deep, and are available in five widths (30", 36", 42", 48" and 60").



\*casters add 6" to overall height; leg kit adds 3" to overall height

Optional overhead light for convenient task lighting

Available with all Nexus System accessories

Fully configurable tracks and guides

Optional worksurface for convenient work area adjacent to material delivery

Available with adjustable glides (some configurations available with casters for mobility)

Legs for stability when attaching worksurface





### **Nexus Flow Rack Frames**

Nexus flow rack starter frames consist of 4 upright posts and 8 horizontal rails. Adder sets consist of 2 additional uprights and 6 horizontal rails. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Includes 4 adjustable glides. 1,800 lb. capacity. Optional casters available (see right). Specify color by adding paint code in place of the empty box (□) in the part number. For color chart, see back cover.

PART NO.	
Starter set	Adder set
NXFR/3084	NXFR/3084A
NXFR/3684□	NXFR/3684A
NXFR/4284□	NXFR/4284A
NXFR/4884□	NXFR/4884A
NXFR/6084	NXFR/6084A

#### **Nexus Flow Rack Roller Shelves**

All tracks and guides are ordered individually (see below).

PART NO.	NUMBER OF PLACES
NXFR/S30	17
NXFR/S36	21
NXFR/S42	25
NXFR/S48	29
NXFR/S60	37

### Nexus Flow Rack Shelf Accessories

Shelves are slotted on 1 ½" increments to accept roller tracks and guides. Guides separate sections. Rollers are 11/16" wide; tracks are 1" wide. Two rollers are recommended for rows up to 15" wide, and 3 or more for wider rows.

PART NO.	DESCRIPTION
NXFR/S-TRACK48	roller track
NXFR/S-GUIDE48	roller guide
NXFR/S-CLIP	replacement clip



#### Plastic Laminate Worksurfaces

Particle board core with plastic laminate top and sides. 1 9/16" thick. Dove gray is standard but other colors are available on request. To order a bullnose edge, add "BN" to the end of the part number. Requires worksurface bracket/foot kit (see below).

PART NO.		LENGTH
24" deep	30" deep	
PTOP-3024	PTOP-30	30"
PTOP-3624	PTOP-36	36"
PTOP-4224	PTOP-42	42"
PTOP-4824	PTOP-48	48"
PTOP-6024	PTOP-60	60"



### **Worksurface Bracket/Foot Kits**

Required to mount worksurface (above) to flow rack. Starter set includes 2 worksurface brackets, 2 feet, and 1 horizontal rail, and should be ordered for the first flow rack section that will have an attached worksurface. Adder sets include 2 worksurface brackets, 1 foot, and 1 horizontal rail, and should be ordered for all subsequent flow rack sections that will have an attached worksurface. Specify color by adding paint code in place of the empty box (□) in the part number. For color chart, see back cover.

PART NO.	WORKSURF. SIZE
Starter set	
NXFR/WST-KIT/3024	30" x 24"
NXFR/WST-KIT/3624	36" x 24"
NXFR/WST-KIT/4224	42" x 24"
NXFR/WST-KIT/4824	48" x 24"
NXFR/WST-KIT/6024	60" x 24"
NXFR/WST-KIT/3030	30" x 30"
NXFR/WST-KIT/3630	36" x 30"
NXFR/WST-KIT/4230	42" x 30"
NXFR/WST-KIT/4830	48" x 30"
NXFR/WST-KIT/6030	60" x 30"
Adder set	
NXFR/WST-KIT/3024A	30" x 24"
NXFR/WST-KIT/3624A	36" x 24"
NXFR/WST-KIT/4224A	42" x 24"
NXFR/WST-KIT/4824A	48" x 24"
NXFR/WST-KIT/6024A	60" x 24"
NXFR/WST-KIT/3030A	30" x 30"
NXFR/WST-KIT/3630A	36" x 30"
NXFR/WST-KIT/4230A	42" x 30"
NXFR/WST-KIT/4830A	48" x 30"
NXFR/WST-KIT/6030A	60" x 30"

#### **Caster Sets**


Allows individual flow rack frames to be movable. For use with stand-alone starter frames without worksurfaces only. 1,000 lb. capacity overall.

PART NO.	DESCRIPTION
NXFR/CAST5	(2) swivel & (2) swivel w/wheel lock
CAST5X1S-NB	(1) swivel 5" caster
CAST5X1S-WB	(1) swivel with wheel lock 5" caster

# **Easy-Order Nexus Flow Rack Combinations**

The combinations below are configured to be most useful in a wide variety of applications.

Specify color by adding paint code in place of the empty box ( $\square$ ) in the part number. For color chart, see back cover.



#### **Combinations With 2 Shelves**

STARTER SET	ADDER SET	WIDTH	EACH SHELF
PART NO.	PART NO.		INCLUDES
NXFR/C3084-2	NXFR/C3084-2A	30"	(4) roller tracks and (1) guide
NXFR/C3684-2	NXFR/C3684-2A	36"	(4) roller tracks and (1) guide
NXFR/C4284-2	NXFR/C4284-2A	42"	(6) roller tracks and (2) guides
NXFR/C4884-2	NXFR/C4884-2A	48"	(6) roller tracks and (2) guides
NXFR/C6084-2	NXFR/C6084-2A	60"	(8) roller tracks and (3) guides



### **Combinations With 3 Shelves**

STARTER SET	ADDER SET	WIDTH	EACH SHELF
PART NO.	PART NO.		INCLUDES
NXFR/C3084-3	NXFR/C3084-3A	30"	(4) roller tracks and (1) guide
NXFR/C3684-3	NXFR/C3684-3A	36"	(6) roller tracks and (1) guide
NXFR/C4284-3	NXFR/C4284-3A	42"	(6) roller tracks and (2) guides
NXFR/C4884-3	NXFR/C4884-3A	48"	(9) roller tracks and (2) guides
NXFR/C6084-3	NXFR/C6084-3A	60"	(12) roller tracks and (3) guides