# Lista Unique Workspace Solutions



# **Lista Unique Workspace Solutions**



Overhead Cabinets and Shelves 101

100

Overhead Cabinet Mounting Components 102

Counter Tops 104

Sink Cabinets 105





Computer Cabinet Features and Options 107

Computer Cabinet Easy-Order Combinations 108

Computer Cabinet Accessories 109

Control Stations 110

Seating 112

Desks 113

File Drawer Cabinets 113


Mezzanines and Stacked Cabinets 114





Ideal companions to Lista's modular drawer storage cabinets, overhead cabinets bring organization to the storage of binders, bulk storage or any items that require constant access, ample room and safe storage.

In one of the "living labs" at the Columbus Center for marine biotechnology research, custom-colored overhead cabinets provide space efficient, accessible storage while complementing the lab's high tech decor.









An overhead cabinet with retractable door provides convenient bulk storage above a drawer cabinet in the machining area of an aircraft repair facility.



Open shelf overhead cabinets with canopy tops store jars of additives in the food testing labs at T. Marzetti, a manufacturer of salad dressings.

# 16" High Overhead Cabinets

Cabinets come with bottom shelf, and are 15" deep with a usable shelf depth of 13 1/2". Useable height for cabinet without door is 14", and with retractable door is 13".



### Retractable Doors for 16" High Overhead Cabinets

Retractable doors (RD) are available in solid steel.

# 29" High Overhead Cabinets



Cabinets come with a flush bottom shelf and 1 adjustable shelf, and are 15" deep with a usable shelf depth of 13 1/2". They have vertical supports slotted at 1 1/2" increments for shelves. Additional shelves may be ordered from the chart to the right.



# Hinged Doors for 29" High Overhead Cabinets

Hinged doors are available in solid steel (HD) or steel-framed plexiglas (HDP).



# Sliding Doors for 29" High Overhead Cabinets

Sliding doors are available in solid steel (SD) or steel-framed plexiglas (SDP).

#### **Overhead Cabinets**

16" high x 15" deep

•		
PART NO.	WIDTH	TO MATCH
OHC2316-	<b>22</b> <sup>3</sup> /16"	MP
OHC2816-	28 1/4"	SC, ST
OHC3016-	30"	-
OHC3416-	33 3/4"	2 NW
OHC3616-	36"	-
OHC4016-	40 1/4"	HS
OHC4216-	42"	-
OHC4716-	47"	MW
OHC4816-	48"	-
OHC5616-	56 <sup>1</sup> /2"	DW

#### 29" high x 15" deep

PART NO.	WIDTH	TO MATCH
OHC2329-	<b>22</b> <sup>3</sup> /16"	MP
OHC2829-	28 <sup>1</sup> /4"	SC, ST
OHC3029-	30"	-
OHC3429-	33 3/4"	2 NW
OHC3629-	36"	-
OHC4029-	40 1/4"	HS
OHC4229-	42"	-
OHC4729-	47"	MW
OHC4829-	48"	-
OHC5629-	56 <sup>1</sup> /2"	DW

### **Additional Shelves**

For 29" high cabinets only. Shelves are  $13^{1/2}$ " deep.

PART NO.	<b>USE WITH CABINET WIDTH</b>
OHC-S23	<b>22</b> <sup>3</sup> /16"
OHC-S28	28 <sup>1</sup> /4"
OHC-S30	30"
OHC-S34	33 <sup>3</sup> /4"
OHC-S36	36"
OHC-S40	40 1/4"
OHC-S42	42"0
OHC-S47	47"
OHC-S48	48"
OHC-S56	56 <sup>1</sup> /2"

#### How to order an overhead cabinet

 Select overhead cabinet based on your choice of dimensions. To order an overhead cabinet without doors, use the base part number as it appears in the charts to the left.

### 2. **Select optional door type.**

for 16" high overhead cabinets

**RD** = retractable door

#### for 29" high overhead cabinets

**HD** = hinged doors

HDP\* = hinged doors with steel-framed plexiglas

SD = sliding doors

SDP\*\* = sliding doors with steel-framed plexiglas

\* plexiglas doors available for cabinets 28" and wider only

\*\* plexiglas doors available for cabinets 40" and wider only

### 3. Select lock type.

RG = individual

KA = keyed-alike

MA = master

All cabinets lock at bottom.

4. □ **Select paint color.** For color chart, see back cover.

<u>EXAMPLE</u>: to order an OHC2316 overhead cabinet with a retractable door, an individual lock and Bright Blue paint, the part number would be OHC2316-**RDRG BB**.

Overhead cabinets are
15" deep and are available in two
heights (16" and 29") and a variety of widths to suit individual
storage needs.

Overhead cabinets feature shelves adjustable at 1 ½" increments, as well as an optional canopy top for a clean, finished appearance. All offer locks to protect stored materials.

Retractable doors are available for 16" high cabinets. Sliding or hinged metal doors (both with and without a plexiglas window) are available for 29" high cabinets. Lista overhead cabinets can be mounted to a wall for stability and permanence. Mount either directly to the wall with customer-supplied hardware, or by using a Wall Mounting Kit.



# **Wall Mounting Kits**

Brackets for mounting overhead cabinets to wall. Starter kit is required for first cabinet in row. One adder kit is required for each additional cabinet used. Starter kit includes brackets and end filler strips; adder kit includes brackets only.

## 16" High Cabinet Wall Mounting Kits

STARTER	ADDER	USE WITH
PART NO.	PART NO.	CAB. WIDTH
OHC-WB2316	OHC-WB23A	22 <sup>3</sup> /16"
OHC-WB2816	OHC-WB28A	28 1/4"
OHC-WB3016	OHC-WB30A	30"
OHC-WB3416	OHC-WB34A	33 3/4"
OHC-WB3616	OHC-WB36A	36"
OHC-WB4016	OHC-WB40A	40 1/4"
OHC-WB4216	OHC-WB42A	42"
OHC-WB4716	OHC-WB47A	47"
OHC-WB4816	OHC-WB48A	48"
OHC-WB5616	OHC-WB56A	56 <sup>1</sup> /2"

### 29" High Cabinet Wall Mounting Kits

STARTER	ADDER	USE WITH
PART NO.	PART NO.	CAB. WIDTH
OHC-WB2329	OHC-WB23A	22 <sup>3</sup> /16"
OHC-WB2829	OHC-WB28A	28 1/4"
OHC-WB3029	OHC-WB30A	30"
OHC-WB3429	OHC-WB34A	33 3/4"
OHC-WB3629	OHC-WB36A	36"
OHC-WB4029	OHC-WB40A	40 1/4"
OHC-WB4229	OHC-WB42A	42"
OHC-WB4729	OHC-WB47A	47"
OHC-WB4829	OHC-WB48A	48"
OHC-WB5629	OHC-WB56A	56 <sup>1</sup> /2"

# Canopy Tops (for use with Wall Mounting Kits)

These angled tops mount to the overhead cabinet and provide a finished appearance. They also prevent clutter and improper storage on cabinet tops. Painted to match housings. Adds  $5 \frac{1}{2}$ " to height of overhead cabinet.

PART NO.	<b>USE WITH CABINET WIDTH</b>
OHC-C23/WM	<b>22</b> <sup>3</sup> /16"
OHC-C28/WM	28 1/4"
OHC-C30/WM	30"
OHC-C34/WM	33 <sup>3</sup> /4"
OHC-C36/WM	36"
OHC-C40/WM	40 1/4"
OHC-C42/WM	42"
OHC-C47/WM	47"
OHC-C48/WM	48"
OHC-C56/WM	56 <sup>1</sup> /2"

# Canopy Tops (Direct Wall Mount)

Angled tops mount to the overhead cabinet and provide a finished appearance. Painted to match housings. Adds 5 1/2" to height of overhead cabinet.

PART NO.	<b>USE WITH CABINET WIDTH</b>
OHC-C23	<b>22</b> <sup>3</sup> /16"
OHC-C28	28 1/4"
OHC-C30	30"
OHC-C34	33 <sup>3</sup> /4"
OHC-C36	36"
OHC-C40	40 1/4"
OHC-C42	42"
OHC-C47	47"
OHC-C48	48"
OHC-C56	56 <sup>1</sup> /2"

# **Overhead Cabinet Stationary Riser Shelf Mounting Components**



Lista overhead cabinets can be easily mounted atop a stationary riser shelf for convenient support without having to mount the unit to the wall. Stationary riser shelves are available either with or without a back panel, and can be situated above any counter top.

# Stationary Riser Shelves — 15" deep

Shelf is 13 ½" high overall (12" clearance). Other heights available. (Optional pegboard closed back rear panel is shown above.)

# Open Riser Shelves open shelf (open back, no shelf backstop)

PART NO.	TOP LENGTH
SRS48-15D	48"
SRS60-15D	60"
SRS72-15D	72"
SRS84-15D	84"
SRS96-15D	96"

# Open Riser Shelves with Shelf Backstop shelf with backstop (open back)

PART NO.	TOP LENGTH
SRS48-1-15D	48"
SRS60-1-15D	60"
SRS72-1-15D	72"
SRS84-1-15D	84"
SRS96-1-15D	96"

# Riser Shelves with Full Panel solid closed back, with shelf backstop

PART NO.	TOP LENGTH
SRS48-2-15D	48"
SRS60-2-15D	60"
SRS72-2-15D	72"
SRS84-2-15D	84"
SRS96-2-15D	96"

# pegboard closed back, with shelf backstop (shown above)

PART NO.	TOP LENGTH
SRS48-2P-15D	48"
SRS60-2P-15D	60"
SRS72-2P-15D	72"
SRS84-2P-15D	84"
SRS96-2P-15D	96"

### louvered closed back, with shelf backstop

PART NO.	TOP LENGTH
SRS48-2L-15D	48"
SRS60-2L-15D	60"
SRS72-2L-15D	72"
SRS84-2L-15D	84"
SRS96-2L-15D	96"

Lista counter tops provide a durable and attractive worksurface for rows of cabinets.

Counter tops are flush to the cabinets side-to-side and front-to-back. Tops are supplied with lag bolts and can be ordered for individual cabinets (see ordering pages for specific cabinet footprint) or as a continuous top for cabinet rows. Please see chart to the right for length limitations for cabinet rows.

To order a counter top for a row of cabinets with a variety of different widths, add the total width of all cabinet housings in the row (see chart to right). To order, please contact your Lista distributor.

For cabinet tops for single cabinets, see page 57.



# Counter Top Maximum Lengths

TOP	MAXIMUM LENGTH
butcher block	144"
plastic laminate	120"
phenolic resin	144"
stainless steel cover	114 1/2"

Cabinet	Housing	Widths
---------	---------	--------

· ·		
HOUSING	CODE	WIDTH
MP width	MP	<b>22</b> <sup>3</sup> /16"
standard width	SC	28 1/4"
mid-width	MW	47"
double width	DW	56 ½"
ST width	ST	28 1/4"
HS width	HS	40 1/4"

# **Butcher Block Counter Tops**

Tops are 1 3/4" thick butcher block hardwood.

PART NO.	FOR USE WITH
MP2BCT	2 MP width cabinets
MP3BCT	3 MP width cabinets
MP4BCT	4 MP width cabinets
MP5BCT	5 MP width cabinets
SC2BCT*	2 standard width cabinets
SC3BCT	3 standard width cabinets
SC4BCT**	4 standard width cabinets
ST2BCT	2 ST width cabinets
ST3BCT	3 ST width cabinets
HS2BCT	2 HS width cabinets
* can also be used	for 1 double width cabinet

# \*\* can also be used for 2 double width cabinets

**Plastic Laminate Counter Tops** *Tops are 1 9/16" thick standard dove gray laminate over wood core.* 

PART NO.	FOR USE WITH
MP2PCT	2 MP width cabinets
MP3PCT	3 MP width cabinets
MP4PCT	4 MP width cabinets
SC2PCT*	2 standard width cabinets
SC3PCT	3 standard width cabinets
SC4PCT**	4 standard width cabinets
ST2PCT	2 ST width cabinets
ST3PCT	3 ST width cabinets
HS2PCT	2 HS width cabinets
* can also be used fo	or 1 double width cabinet
** can also be used	for 2 double width cabinets

# **Phenolic Resin Counter Tops**

Top is a high-pressure laminate designed for laboratory worksurfaces. Resistant to chemicals, stains or discoloration. Top is 1" thick phenolic resin, available in black.

PART NO.	FOR USE WITH
MP2RCT	2 MP width cabinets
MP3RCT	3 MP width cabinets
MP4RCT	4 MP width cabinets
SC2RCT*	2 standard width cabinets
SC3RCT	3 standard width cabinets
ST2RCT	2 ST width cabinets
ST3RCT	3 ST width cabinets
HS2RCT	2 HS width cabinets
* can also be used	for 1 double width cabinet

### **Stainless Steel Cabinet Covers**

Cover is constructed of durable, heavy gauge stainless steel. Fits over top and sides of cabinet row, and provides easy access to locking system. Adds 1/16" to overall cabinet height and 1/8" to overall width and depth.

PART NO.	FOR USE WITH
MP2SSC	2 MP width cabinets
MP3SSC	3 MP width cabinets
MP4SSC	4 MP width cabinets
SC2SSC	2 standard width cabinets
SC3SSC	3 standard width cabinets
SC4SSC	4 standard width cabinets
MW1SSC	1 mid-width cabinet
DW1SSC	1 double width cabinet
HS1SSC	1 HS width cabinet
HS1SSC	1 HS width cabinet



## **Sink Cabinets**

Sink cabinet includes a cabinet housing, flush door or double flush doors, a bottom shelf, and cut-outs for sink and plumbing. Does not include sink basin.



#### Sink Cabinets - Flush Door

PART NO.	HOUSING	HEIGHT*
28 1/4" wide x 28 1	/2" deep	
SC750SINK-	standard width	33 ½"
SC900SINK-	standard width	39 3/8"
28 <sup>1</sup> /4" wide x 22 <sup>1</sup> /2" deep		
ST750SINK-	ST width	33 1/2"
ST900SINK-	ST width	39 3/8"
*door not include height	of countar ton or h	aco

### How to order a Sink Cabinet

- 1. **Select a cabinet** from the charts to the left.
- 2. **Select base type.**

FT = fork truck
PT = pallet truck
F2 = 2" frame

All bases are rust-resistant galvaneel

3. Select lock type.

RG = individual KA = keyed-alike MA = master

For additional lock options, see pages 58-59.

4. □ **Select paint color.** For color chart, see back cover.

EXAMPLE: to order an MW750SINK sink cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be MW750SINK-FTRGBB.

Sink cabinets integrate with other Lista cabinets in such settings as labs, repair areas, or anywhere that access to a sink is required.

To order sinks and counter tops with appropriate cut-outs, please contact Lista Customer Service.



### Sink Cabinets — Double Flush Door

PART NO.	HOUSING	HEIGHT*
47" wide x 28 1/2"	deep	
MW750SINK-	mid-width	33 1/2"
MW900SINK-	mid-width	39 <sup>3</sup> /8"
56 <sup>1</sup> /2" wide x 28 <sup>1</sup> /2" deep		
DW750SINK-	double width	33 1/2"
DW900SINK-	double width	39 <sup>3</sup> /8"
40 1/4" wide x 22 1	/2" deep	
HS750SINK-	HS width	33 1/2"
HS900SINK-	HS width	39 3/8"
*does not include height	of counter top or	base



# **Computer Cabinets**

Lista's versatile, feature-packed computer cabinet is designed to provide maximum protection from metal shards, dust and other work-place debris. The computer cabinet is ideal for PC's, terminals, and computer peripherals on the shop floor and in a variety of industrial and repair environments. Choose from three full height models, three desktop models and three pedestal models.



Aircraft mechanics in Northwest Airlines' Avionics Maintenance Department access computers above a plane being repaired at one of its Minneapolis hangars.



In the service department of Porsche of Nashua, a Lista computer cabinet housing a diagnostic computer teams up with technicians' workstations to make an elegant service bay.



A technician accesses a Lista computer cabinet which houses a diagnostic computer. The computer cabinet's mobility allows it to be relocated within the department as needed.

# **Computer Cabinet Features and Options**

Lista's computer cabinet is packed with powerful features.


- Air intake fan with guard and fine filter (replaceable from the outside) - creates positive pressure, eliminates dust and possible damage to electrical components
- Large keyboard drawer allows space for mouse
- Monitor door has clear plexiglas window for visibility and pro-
- Retractable door option for convenient access to touch screen monitors
- Monitor and lower door locks are keyed alike

- Lower sections provide secure storage for CPU and printer roll-out tray fully extends for ease of access to printer
- Surge suppressor protects equipment and hardware using advanced circuitry, eliminates dangers caused by surges, spikes and EMI/RFI noise
- 6 1/2" wide rear access panel for ease of connection and routing of cables
- Several base options available
- Optional fan for lower section of cabinet
- Optional exterior folding shelf for additional storage

• Desktop computer cabinet is available either with keyboard drawer (below left) or for monitor only (below right). It can be positioned on top of a workbench or cabinet for networked applications where no CPU or printer needs to be housed.









MODEL CWS1350 SHOWN WITH OPTIONAL MOBILE BASE BACK

All full height cabinets come with hinged upper section door with plexiglas window, double hinged lower section doors, keyboard drawer, back access panel, cord channel/outlet strip and upper fan.

Pre-configured cabinets come with bottom shelf and roll-out tray (see page 107). Any other options and accessories to augment pre-configured cabinets must be ordered from the charts on page 109.

For configurable cabinets, all desired drawers, roll-out trays and/or shelves for the space behind the double hinged doors must be separately ordered from the charts on page 109.

For ordering instructions, see page 109.

# Pre-configured desktop cabinets

come with hinged door with plexiglas window, back access panel, cord channel/outlet strip and fan.

Models CWS600 and CWS750 come with keyboard drawer.
Retractable door can be ordered from the chart on page 109.

For ordering instructions, see page 109.


#### **Configurable pedestal cabinets**

come with double hinged doors, cord channel/outlet strip, upper fan and back access panel.

Model CWS750/SC-A comes with keyboard drawer. Any other drawers, roll-out trays, shelves, options and accessories must be ordered from the charts on page 109.

For ordering instructions, see page 109.

# **Full Height Computer Cabinets**



#### Model CWS1225

28 1/4" wide x 52 3/16" high x 29 1/2" deep

Door opening for monitor is 24" wide x 19  $\frac{1}{2}$ " high x 24" deep.

PA	RT NO.	DESCRIPTION
CW	S1225-	pre-configured
CW	S1225/SC-A-	configurable (see info to left)




#### Model CWS1350

28 1/4" wide x 57 1/8" high x 29 1/2" deep

Door opening for monitor is 24" wide x 19  $\frac{1}{2}$ " high x 24" deep.

PART NO.	DESCRIPTION
CWS1350-	pre-configured
CWS1350/SC-A-	configurable (see info to left)



#### Model CWS1525

28 1/4" wide x 64" high x 29 1/2" deep

Door opening for monitor is 24" wide x 22  $\frac{1}{2}$ " high x 24" deep.

PART NO.	DESCRIPTION
CWS1525-	pre-configured
CWS1525/SC-A-	configurable (see info to left)

# **Desktop Computer Cabinets**



#### Model CWS600

28 1/4" wide x 27 1/2" high x 28 1/2" deep

Door opening for monitor is 24" wide x 18  $\frac{1}{2}$ " high x 24" deep.

PART NO.	DESCRIPTION
CWS600-	pre-configured



#### Model CWS750

28 <sup>1</sup>/<sub>4</sub>" wide x 33 <sup>1</sup>/<sub>2</sub>" high x 28 <sup>1</sup>/<sub>2</sub>" deep

Door opening for monitor is 24" wide x 24  $\frac{1}{2}$ " high x 24" deep.

PART NO.	DESCRIPTION	
CW\$750-	nre-configured	



# **Model CWS600M**

28  $^{1}\!/_{4}"$  wide x 27  $^{1}\!/_{2}"$  high x 28  $^{1}\!/_{2}"$  deep

Door opening for monitor is 24" wide x 22  $\frac{1}{2}$ " high x 24" deep.

PART NO.	DESCRIPTION	
CWS600M-	pre-configured	

# **Pedestal Computer Cabinets**



### Model CWS600/SC-B

28 1/4" wide x 27 1/2" high x 29 1/2" deep


PART NO.	DESCRIPTION
CWS600/SC-B-	configurable (see info to left)



# Model CWS750/SC-B

28 1/4" wide x 33 1/2" high x 29 1/2" deep

PART NO.	DESCRIPTION
CWS750/SC-B-	configurable (see info to left)



### Model CWS750/SC-A

28 1/4" wide x 33 1/2" high x 29 1/2" deep

PART NO.	DESCRIPTION
CWS750/SC-A-	configurable (see info to left)

# How to order an Easy-Order Computer Cabinet

- 1. Select Easy-Order Computer Cabinet combination.
- 2. Select base type for full-height and pedestal cabinets.

NB = none

FT = fork truck

PT = pallet truck

F2 = 2" frame base

F4 = 4" frame base

F6 = 6" frame base

4B = 4" mobile base

6B = 6" mobile base

#### 3. Select lock type.

RG = individual

KA = keyed-alike

MA = master

For additional lock options, see pages 58-59.

4. □ **Select paint color.** For color chart, see back cover.

EXAMPLE: to order a CWS1350 cabinet with a fork truck base, an individual lock and Bright Blue paint, the part number would be CWS1350-FTRGBB.



### **Fork Truck Base**

Galvaneel steel base has snap-on front and rear covers. Color: to match housing. Base is recessed 1 ½" (30mm) from front of housing.

PART NO.	HEIGHT	
SC-FTB	2 3/8"	



### **Pallet Truck Base**

Galvaneel steel base permits moving of fully loaded cabinets with a hand pallet truck. Base has snap-on front and rear covers, and is recessed 1 ½" (30mm) each from front and back of housing. Color: to match housing.

PART NO.	HEIGHT
SC-PTB	4"



#### Frame Bases

Galvaneel steel base is recessed 1 1/8" (30mm) from cabinet front. Color: to match housing.

PART NO.	HEIGHT	_
SC-2FB	2"	
SC-4FB	4"	
SC-6FB	6"	



#### **Mobile Caster Bases**

Two fixed and 2 swivel heavy duty casters are factory mounted to the base. Each of the swivel casters has individual wheel locks.

PART NO.	HEIGHT	CASTER
CB-SC4B	6 1/4"	4" x 2"
CB-SC6B	8"	6" x 2"



#### Retractable Door

Door slides out and back for access to monitor. Provides convenient access to touch screens. Reduces opening height by 2 ½".

PART NO.	DESCRIPTION
RD525/SC-P	for CWS1225 & CWS1350
RD600/SC-P	for CWS600M & CWS1525

# **Electrical and Fan Options**

PART NO.	DESCRIPTION
FAN-CWS	second fan for lower section
CWS-OUT/36U	second outlet strip and bracket



Shelf can be mounted on either the left or right side of cabinet. 50 lb. maximum capacity. Shelf is 15" wide  $\times$  28  $^{1}$ /2" deep.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

#### **Mobile Handles**

Handles are mounted to either the side or front of cabinet. Cabinets are pre-drilled and handles are mounted in the field. Hardware included. For descriptions, see page 56.

PART NO.	DESCRIPTION
HSG-HNDL/36	side push metal handle
MHAN	front push plastic handles (pair)

# Drawers, Shelves and Trays for Configurable Cabinets

#### **Drawers**

Drawers are welded heavy gauge steel, with full width handles with end caps and paper labeling strips with clear label covers.

PART NO.	USEABLE HT.
SC75F	2 1/8"
SC100F	3 1/8"
SC125F	4 <sup>1</sup> /16"
SC150F	5 <sup>1</sup> /16"
SC175F	6 <sup>1</sup> /16"
SC200F	7 1/32"
SC250F	9"
SC300F	11"

#### **Adjustable Shelves**

Shelves are made of steel sheet and are 1" thick. Adjustable shelves fit into vertical supports with brackets, which are included. Color: gray.

PART NO.	USEABLE DEPTH
SC-AS	24 1/4"

#### **Bottom Shelves**

PART NO.	USEABLE DEPTH
SC-BS	23 3/4"

### **Vertical Dividers for Adjustable Shelf**

PART NO.	USEABLE DEPTH	HEIGHT
VSD100/36	24 <sup>1</sup> /4"	4"
VSD150/36	24 <sup>1</sup> /4"	6"

### **Roll-Out Trays**

Trays have full length handles (same as drawers), galvanized insert panels, and 1 <sup>3</sup>/<sub>4</sub>" rear and side retaining walls, which are painted to match housing. Tray is 100% full extension.

PART NO.	USE. WIDTH	USE. DEPTH
SC-TCF	24"	24"

The secure, durable and flexible Lista Control Station is ideal for meeting the needs of a wide array of manufacturing floor applications:

- a quality station or foreman's workstation on the manufacturing floor
- a gauging station on an automotive assembly line
- a line supervisor's station in an assembly plant
- a shipping dock

This unique combination of a workbench, bookshelf and cabinet offers a private, protected, lockable workspace with organized storage and ready access to manuals and tools. The work area features a pegboard and one or two bookshelves. The Control Station is available in two heights — 91 ½" or 99 3/8" tall.

The Control Station is available in all Lista paint colors (see back cover); the tambour door is available in dove gray only.





The Control Station features a slide-down tambour door that can be locked at the desktop or at the base of the station.





The Control Station's work area offers protection from dust and dirt for your expensive computer equipment, instruments and gauges. The Station's pegboard and bookshelves let you keep manuals and tools close at hand. The worksurface height at the butcher block top is 35 1/4".




The Control Station's storage cabinets can be outfitted with modular drawers in a variety of sizes. Drawers can be configured for compartmentalized storage of tools and parts, or to hold hanging files.



# **Control Station Easy-Order Combinations**

The Control Station is available in 3 Easy-Order configurations. These 3 models are designed to accommodate the broadest range of Control Station sizes and features.




# **Basic Control Station**

60 1/4" wide x 29 3/4" deep

Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light and 1 <sup>3</sup>/4" thick butcher block counter top. A variety of optional stationary and mobile cabinets can be placed under the counter top; see the cabinet section of this catalog to select the cabinet size that best fits your needs.

PART NO.	HEIGHT	NO. OF	PEGBOARD
		BOOKSHV.	HEIGHT
CS2000	91 1/2"	1	18"
CS2200	99 3/8"	2	15"
without to	mbour do	or	
CS2000-ND	78 3/4"	1	18"
CS2200-ND	86 5/8"	2	15"




# Control Station — Configurable

60 1/4" wide x 29 3/4" deep

Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light, 1 <sup>3</sup>/4" thick butcher block counter top and a 750 height framework for Standard Width drawers. **To select drawers for the framework, see page 21.** 

PART NO.	HEIGHT	NO. OF	PEGBRD
		BKSHV.	HEIGHT
CS2000/1	91 <sup>1</sup> /2"	1	18"
CS2200/1	99 3/8"	2	15"
without tamb	our door		
CS2000/1-ND	78 3/4"	1	18"
CS2200/1-ND	86 5/8"	2	15"



# Control Station — Pre-configured

60 1/4" wide x 29 3/4" deep

Equipped as shown with lockable tambour door, bookshelf, pegboard, fluorescent light, 1 <sup>3</sup>/4" thick butcher block counter top and a 750 height Standard Width framework, containing drawers of the following heights: 75F (2"), 100F (3"), 125F (4"), 150F (5") and a 300F-FFH (11") drawer with a lettersize file folder hanger (see photo to left).

PART NO.	HEIGHT	NO. OF	PEGBRD.
		BKSHV.	HEIGHT
CS2000/5	91 1/2"	1	18"
CS2200/5	99 <sup>3</sup> /8"	2	15"
without tamb	our door		
CS2000/5-ND	78 <sup>3</sup> /4"	1	18"
CS2200/5-ND	86 5/8"	2	15"

Lista offers three models of seating ideal for:

- desks
- Control Stations
- workbenches

Each features pneumatic seat height adjustments, single lever control, anatomically shaped seats with lumbar support for ergonomic comfort and safety, and a chrome footrest. All seats are available in mid or high back, in fabric or vinyl, and with casters or glides which conform to the contour of the floor for safety and comfort.

Seat height with glides is 18"-26". Adjustable T-arms are optional. ESD feature is also optional for fabric or vinyl. Lista seating meets the Cal 117 flammability code, with an optional Cal 133 rating. Seating requires assembly.

Lista seating features a lifetime structural warranty, 5 year mechanical warranty and 3 year upholstery warranty.



MID BACK WITH OPTIONAL BURGUNDY FABRIC

# **Seating Standard Features**

- Black vinyl material
- Glides
- Base − 6 star nylon reinforced
- Chrome foot ring
- Pneumatic height adjustment with 300 lb. rated capacity
- Lifetime structural warranty, 5 year mechanical warranty, 3 year upholstery warranty
- Flammability meets Cal 117 code
- Lumbar support back
- Ergonomic waterfall front seat edge

### Seating with SD Mechanism

- Seat height adjusts from 18" to 26"
- Manual back depth adjustment
- Fixed seat angle

PART NO.	DESCRIPTION
V79-2S- <b>-</b> -	mid back armless
V79-2S-VA1-	mid back with adjustable T-arm
V79-3S- <b>-</b> -	high back armless
V79-3S-VA1-	high back with adjustable T-arn
V79-5S- <b>-</b> *	poly. back & seat armless
V79-5S-VA1*	poly. back & seat with
	adjustable T-arm
* 1 1 1 1 1 1	

\*poly. back and seat are made from a self skinning polyurethane

## **Seating with AX Mechanism**

- Seat height adjusts from 18" to 26"
- Back angle adjustment either free-floating or variable lock
- Fixed seat angle
- Back height adjusts from a seated position

PART NO.	DESCRIPTION
V79-2A- <b>■</b> -■-□	mid back armless
V79-2A-VA1-	mid back with adjustable T-arm
V79-3A- <b>■</b> -■-□	high back armless
V79-3A-VA1-	high back with adjustable T-arm

# **Fabric Colors**

Other fabric and vinyl colors available on request.



011 Burgundy



018 Navy



022 Gray



024 Green



026 Black

# How to order seating

- Select either SD mechanism or AX mechanism. Part number shown in the charts to the left includes black vinyl seat and back, and glides. To specify fabric or casters, add options to part number.
- 2. Change fabric from black vinyl (optional).

011 = Burgundy

018 = Navy

022 = Gray

024 = Green 026 = Black

3. Change glides to casters (optional).

C1 = hard floor casters

C2 = carpet casters

4. 

Add additional options.

ESD = ESD features in seat and casters

 $\mathsf{CAL}\,\,133\,=\,\,\mathsf{meets}\,\,\mathsf{Cal}\,\,133\,\,\mathsf{flammability}$ 

code

EXAMPLE: to order a V79-3S high back armless seat with Navy fabric, carpet casters and ESD features, the part number would be

V79-3S-**018-C2-ESD**.

# Lista desks feature all-steel construction for use in a wide range of settings.



### **Corner Desk**

This free-standing corner desk provides a 56 \(^1/2\)" long x 28 \(^1/4\)" deep desk worksurface and a bookcase with 2 adjustable shelves. A built-in fluorescent light is mounted under the heavy duty upper counter. All parts are all-steel construction except for desk top which is 1 \(^3/4\)" thick butcher block. Specify paint color from the chart on the back cover.

#### **Corner Desk with Bookcase**

PART NO.	SIZE
CD-1	59 <sup>3</sup> /4" W x 60 <sup>1</sup> /2" D x 41 <sup>3</sup> /4" H
	1518mm W x 1537mm D x 1060mm H

### **Bookcase only**

PART NO.	SIZE
BC-1	32 <sup>1</sup> /4" W x 15 <sup>3</sup> /8" D x 41 <sup>3</sup> /4" H
	820mm W x 390mm D x 1060mm H



## Straight Desk

Convenient straight desk has a 1 <sup>3</sup>/<sub>4</sub>" thick butcher block top, with a worksurface 56 <sup>1</sup>/<sub>2</sub>" long x 28 <sup>1</sup>/<sub>4</sub>" deep. Built-in fluorescent light is mounted under the heavy duty counter. All parts are all-steel construction except for desk top which is 1 <sup>3</sup>/<sub>4</sub>" thick butcher block. Specify paint color from the chart on the back cover.

PART NO.	SIZE
SD-1	59 <sup>3</sup> /4" W x 28 <sup>1</sup> /4" D x 41 <sup>3</sup> /4" H
	1518mm W x 717mm D x 1060mm H



## **Slope Top Desk**

Slope-top desk fits anywhere a writing surface needs to be accommodated. Portable desk sits on top of drawer cabinet housing and provides sloped writing surface with storage beneath the hinged top. Lid opening is assisted by gas springs for smooth, easy operation. Total height is 9 3/4".

PART NO.	FOR USE WITH HOUSING
CST1622	NW (file cabinet)
CST2228	MP
CST2828	SC
CST4728	MW
CST5628	DW
CST2822	TZ
CST4022	HS

Lista file drawer cabinets make ideal companions to Lista desk and office storage solutions.




#### **File Drawer Cabinet**

File drawer cabinet housing is 16 7/8" (428mm) wide x 28 1/2" (725mm) deep. Drawers are 95% extension with 150 lb. (70kg) maximum load capacity. For lettersized files only.



PART NO.	DRWS.	HT.
NW0600-0201N-	2	27 1/2"



PART NO.	DRWS.	HT.
NW0900-0301 N-	3	39 3/8"

DRAWER HT.	
	11" (300N-FFH)
_	11" (300N-FFH)
	11" (300N-FFH)
	12" (325N-FFH)

PART NO.	DRWS.	HT.
NW1225-0401N-	4	<b>52</b> 3/16"

# How to order an Easy-Order File Drawer Cabinet

- 1. Select Easy-Order File Drawer Cabinet Combination.
- 2. Select base type.

NB = none

F2 = 2" frame base

F4 = 4" frame base

3. Select lock type.

NL = none

**RG** = individual

KA = keyed-alike

MA = master

For additional lock options, see pages 58-59.


4. □ **Select paint color.** For color chart, see back cover.

EXAMPLE: to order an NW0900-0301N file cabinet with a 2" frame base, an individual lock and Bright Blue paint, the part number would be NW0900-0301N-F2RGBB.

Lista Storage Wall® Systems
(see pages 64-79) and stacked
cabinets serve as ideal mezzanine
supports. Our technical support and
design team can help you determine the option that best suits
your space and needs.

## Stacked cabinets

With their all-steel construction,
Lista cabinets can be stacked to
help you maximize your floor
space. You can rapidly re-arrange
storage layouts to suit your
changing needs.



To add a second level of storage space without adding an additional floor to their maintenance area, Gulf States Paper Corp. utilizes a mezzanine system. The system is home to 49 sets of stacked cabinets.

When Osram Sylvania needed to relocate a 3,300 square foot stockroom into a 1,500 square foot space, a mezzanine was the answer. The company combined new Lista cabinet housings and drawers with existing Lista cabinets to create this spaceand money-saving solution.





Storage Walls Systems and stacked cabinets lend themselves to a variety of mezzanine configurations that take advantage of all available height. Examples pictured here are (clockwise from top) installations at a utility maintenance department, an aircraft repair facility and an automotive manufacturing plant.



