

A FULL LINE OF LOADING DOCK & MATERIALS HANDLING SYSTEMS

DEDICATED PEOPLE SUPERIOR **PRODUCTS**

EXPERIENCE Our hands-on management style results in an experienced organization that cares about its products and the customers who rely on them.

COMMITMENT

Our investments in engineering, automation, sales support and industry related acquisitions prove we're in for the long haul.

INNOVATION You can't

ORDOCK

patent innovation, but you can patent the technologies that result. If it makes a product safer, more durable or more functional, we're probably already working on it.

Our 'Guaranteed to Outperform' promise is your assurance that the products you buy will offer the lowest lifetime cost of ownership.







QUALITY More steel, more welds

and more features go into every NORDOCK[®] product.





NORDOCK® AIR POWERED DOCK LEVELERS

THE EVOLUTION OF **AIR BAG TECHNOLOGY**

NORDOCK[®] advances loading dock efficiency with patented 'Next Generation Air™' technology that is truly revolutionary. AIRDOCK[®] levelers are easy to install, operated by push button, and come with unmatched strength, standard features and comprehensive warranties that set a higher standard of excellence.

NORDOCK[®] air-powered dock levelers are tested and proven in thousands of busy loading docks.

AIRDOCK[®] SUPER-DUTY[™]

SERIES With 60,000 lb. capacity this is the toughest air powered leveler ever built.

AUTO-DESCENT LIP[™] EXTENSION

The AUTO-DESCENT LIP™ extension uses the natural weight of the deck to activate the lip.





PULL ACTION™ LIFTING SYSTEM The patented PULL-ACTION™ lifting system maximizes efficiency by using the entire power of the bag to lift the deck.

PROTECTED SINGLE-CHAMBER™ BALANCED AIR BAG DESIGN




The reinforced PVC coated single chamber balanced air bag is protected over 99% of the time.





BARRIER™ SERIES

Stay-Put safety barrier lip prevents accidental fall off of dock and is available on air and hydraulic powered levelers.



NORDOCK[®] HYDRAULIC DOCK LEVELERS

NO COMPROMISE CONSTRUCTION FOR **SMOOTH EASY OPERATION**

NORDOCK[®] hydraulic levelers are the ultimate in strength, convenience and day-to-day reliability. The power unit is a frame mounted integral assembly fully tested and oil filled. The motor is a totally enclosed non-ventilated type available in all voltages. Regenerative hydraulic cylinders are a heavy-duty design with polished chrome rods, guide bearings and high-pressure seals.





HEAVY-DUTY[™] SERIES

A full featured hydraulic dock leveler with industry leading 20-Year front and rear hinge warranties.



DUAL-DUTY[™] SERIES

The patented Dual-Duty™ hydraulic system utilizes a single hydraulic cylinder to lift the deck and lip.



PERFORMA[™] SERIES

Hydraulic powered leveler with patent pending Auto-Descent lip extenson. Available up to 50,000 lb. capacity.

NORDOCK



HYDRAULIC SUPER-DUTY™

SERIES. The SUPER-DUTY[™] Series levelers are built to handle the really tough applications found in the paper, steel and heavy manufacturing industries.

Available up to 160,000 lb. capacity.



XW SERIES

This unique dock leveler allows full access below floor for wide loads that simply cannot be managed with conventional levelers. The hydraulic powered steel face dock bumpers operate automatically to clear the way as the deck descends.

PATENTED LIP LUG AND HEADER PLATE



CONTINUOUS **REAR HINGE**

The continuous rear hinge provides side-to-side tilt with no pinch point. The deck plate, lip plate, beam sections and lugs are constructed of minimum 50-55,000 PSI yield material.





INCREASE FLOOR SPACE

Storing horizontal saves money by eliminating the need for costly bollards, conduits and stanchions and opens up valuable floor space.






TLH SINGLE DOCK LEVELER ATL restraint, inflatable header seal, and steel face bumpers

CLIMATE CONTROL LEVELERS

NORDOCK[®] TELESCOPING LIP[™] LEVELER

An energy efficient alternative to vertical storing levelers.

The TELESCOPING LIP[™] dock leveler fully retracts so the insulated dock doors can store against the pit floor. Unlike rotating lip designs, the fully hydraulic powered deck and telescoping lip allow for precise positioning onto the trailer bed for safer loading and prevention of product and forklift damage.



MAINTENANCE MODE

The TLH Series opens to full vertical mode for routine maintenance and easy pit clean-out.



EASY **OPERATING CONTROLS**

Integrated controls on special mounting stanchion.



COLDSTORAGE[™] HYDRAULIC VERTICAL STORING **DOCK LEVELER**

The COLDSTORAGE[™] Series of vertical storing dock levelers provide maximum energy efficiency, cleanliness, and are ideal for climate controlled facilities in the food, beverage and pharmaceutical industries.

PATENTED PARALLELOGRAM

LINKAGE SYSTEM Designed to provide level loading throughout its entire working range.

EXCLUSIVE LEVELER LIP OPERATION

The level lip provides level loading for all heights of trailers, even when below dock loading.

MODEL ADF FLEX-LIP® **AIR-POWERED LEVELER**

The ADF air powered dock leveler with patented 'Next Generation Air™' technology.







•FLEX-LIP **DOCK LEVELERS**

THE SMOOTHEST **TRANSITION FROM** THE TRUCK BED TO THE LOADING DOCK

The FLEX-LIP[®] is controlled by a revolutionary parallelogram linkage system that extends the lip automatically as the leveler deck deploys, and maintains the lip horizontally in all positions, even when below dock loading.

The FLEX-LIP[®] reduces the risk of grounding low clearance pallet truck and forklifts saving on equipment maintenance, fragile goods damage and personnel injuries.

REDUCES DAMAGE TO GOODS, PERSONNEL AND EQUIPMENT

The FLEX-LIP[®] levelers reduce the impact forces resulting in less personnel injury, less damage to goods while extending the life of fork and pallet truck components.



MODEL SHE HYDRAULIC POWERED LEVELER

Features include a heavy-duty lift cylinder, totally enclosed power unit and smooth transition rear hinge.





FLEX BARRIER SERIES

The exclusive FLEX-BARRIER™ lip that provides a stay-put lip prevents accidental fall off of dock.

NORDOCK® MECHANICAL **DOCK LEVELERS**

PROVEN PERFORMANCE ON THE LOADING DOCK

The INDUSTRIAL[™] and HEAVY-METAL[™] Series mechanical dock levelers are the ultimate in strength, ease of use and reliability. The full yielding easy walk down lip extension, dual pawl center position holdown for precise level storage, easy clean out subframe, 33% dual beam to deck weld pattern, zinc plated full width hinge rods, below dock end load control are all standard value added features.



PATENTED LIP LUG AND **HEADER PLATE** The deck plate, lip plate, beam sections and lugs are constructed of minimum 50-55,000 PSI yield

material.

HEAVY-METAL[™] MECHANICAL

LEVELER The HEAVY-METAL[™] Series

- mechanical dock leveler is designed to provide unbeatable service in facilities where strength and reliability is a major criteria.
- Available in capacities up to 40,000 lbs.



INDUSTRIAL[™] SERIES MECHANICAL

The INDUSTRIAL[™] Series mechanical LEVELER levelers come with standard features including additional center deck beam, separate lip and deck maintenance struts with lockout ability, and comes with 20-Year front and rear hinge warranty. Available in up to 60,000 lb. capacity.



FULL WIDTH REAR HINGE The continous rear hinge provides 4" of side to side tilt with no pinch point.



EDGE MOUNT DOCK LEVELERS



EZ-DOCK[™] SERIES LEVELER

The EZ-DOCK[™] Series hydraulic

powered dock levelers are the smart choice for those who prefer or cannot build a conventional recessed pit in their building. The surface mounted hydraulic design with push button activation provides a safe ergonomic alternative with more service range than edge of dock levelers.



PUSH BUTTON™ EH SERIES DOCK LEVELER

The EH Series hydraulic dock leveler is available in capacities up to 30,000 lb. and includes push button activation, molded bumpers and full width rear hinge.

NORDOCK CONSTRUCTOR™ SERIES DOCK LEVELERS



CA AIRDOCK[®] SERIES



CH HYDRAULIC SERIES

other dock leveler.

CM MECHANICAL SERIES

Designed for the construction industry, this dock leveler is affordable yet designed to provide strength and reliability while outperforming other mechanicals in its class with many value added features included as standard.





EM MANUAL DOCK LEVELER

The EM Series is available in capacities up to 50,000 lbs. and includes molded bumpers, lever activated lip extension and auto return to dock.

PUSH BUTTON[™] SERIES - EFH HYDRAULIC **DOCK LEVELER**

Available in capacities up to 80,000 lbs. with single push button activation with auto return to dock. Shown with optional steel face bumpers.

A convenient, affordable and environmentally conscious solution with performance in mind. This leveler is powered by low pressure air and patented lifting system and is controlled by a push of a button.

With push button efficiency this dock leveler delivers the ergonomic solution with patented dual function hydraulics and less parts than any



TRUCK-LOCK® SERIES HYDRAULIC VEHICLE **RESTRAINTS** A low profile non-impact design

that provides safety, ease of use and reliability at the loading dock.

NORDOCK **TRUCK-LOCK® VEHICLE RESTRAINTS**

IMPROVES DOCK SAFETY WITH A 32,000 LB RESTRAINING FORCE

NORDOCK[®] TRUCK-LOCK[®] vehicle restraints are designed to improve dock safety by securing the truck to the loading dock when loading or unloading. The TRUCK-LOCK[®] series hydraulic restraints are automatically activated with a simple push button control and can secure a truck with a 32,000 lb restraining force with a mounting force in excess of 100.000 lbs.

The HYDRA-FLOAT[™] barrier automatically adjusts to various truck heights and maintains position during loading and unloading. The restraints low profile housing stores at only 9" high and raises to 30" to engage the rear impact guard. Comes equipped with inside and outside communication lights and signs.

SMART-HOOK[™] SERIES **VEHICLE RESTRAINT**

AUTOMATICALLY ADJUSTS TO TRAILER HEIGHT FOR SAFE, EFFICIENT LOADING AND UNLOADING

The SMART-HOOK[™] Series vehicle restraint rotating hook vehicle restraint is designed to prevent unscheduled trailer departure, trailer creep and tip-overs.

The AR-9500 model is a premium automatic unit designed to secure a trailer at the loading dock by engaging the rear impact guard with a large rotating hook. The housing automatically adjusts to various truck heights and maintains position with the rear impact guard during loading operations. The housing is stored above ground, free of ice, snow and debris.



SUPERIOR DRIVE SYSTEM The AR-9500 replaces mechanical limit switches with a position sensor providing a technological breakthrough that eliminates adjustment and maintenance in a weather proof enclosure.

PIT-HOOK™



THE NON-IMPACT INVISIBLE **ALTERNATIVE**

The PIT-HOOK™ vehicle restraint is recessed under the dock pit and offers unobstructed access for hydraulic lift gates and smaller delivery vehicles.


FALL-STOP[™] SERIES

The FALL-STOP[™] Series of electric and manual barrier gates provide added safety by preventing fall off at the loading dock.

PUSH BUTTON CONTROL

On automatic models the control panel includes a power unit and control system in a NEMA 12 enclosure.





VEHICLE RESTRAINT

manually operated unit designed to secure the truck at the loading dock.

DOCK COMMUNICATION

Safety equipment includes flashing red or green inside and outside LED lights, operator instructions and outside mounted sign with forward and reverse lettering for truck driver.

TRUCK-LOCK® SERIES MECHANICAL

The MTL Series are an affordable





	DOCK
	P
00	1
1	

NORDOCK

CONTROLS

Programmable logic controller with optional LOGI-SMART™ control system.

WHEEL RESTRAINTS





POSI-CHOCK™ WHEEL RESTRAINT

The POSI-CHOCK™ is a premium automatic restraint designed to secure a trailer at the loading dock by engaging the wheel with a large steel chock.

COMBI-LOCK™ WHEEL RESTRAINT

The COMBI-LOCK™ is a premium automatic surface mounted hydraulic powered vehicle restraint that seeks out and restrains the wheel of the trailer.



IN PLANT LIFTS & DOCK EQUIPMENT

NORDOCK[®] manufactures a wide range of materials handling equipment. Products include dock lifts, scissor lifts, ergonomic lifts and truck lifts. Our lifting equipment is the ultimate in strength and reliability and is covered by our exclusive 'Guaranteed to Outperform' warranty.

Custom lifts are available in unlimited sizes and capacities to suit customer requirements.

DOCK-LIFT[™] SERIES

SCISSOR LIFT Strength, convenience and reliability with full push-button power. The dock lift is available in lift capacities from 4,000 - 20,000 lb. and standard deck sizes from 6' x 8' to 8' x 20' long.



MAST-GUIDE™ HYDRAULIC PLATFORM LIFT

The MAST-GUIDE[™] Series hydraulic low profile lift with superb stability without the need for a below ground pit.

ERGONOMIC[™] LIFT TILT ROTATE The ERGONOMIC[™] Series are the ideal positioning equipment for a multitude of work tasks.





Dual scissor design for large platform lengths to minimize lowered height requirements.



TANDEM LIFT



HIGH CYCLE

STACKER Custom 50,000 lb. capacity high cycle stacker lift with over 10' of vertical travel. Features include a central lubrication system, specialized controls and stress relieving spherical bearings.





INVERTER

Custom 180 degree positioning platform with clamp and powered 90 degree on/off load conveyors.





CUSTOM BIN DUMPER Custom bin dumper and hopper with manual chute control.

roller conveyor.

12



EXCEPTIONAL LIFTING SOLUTIONS FOR **EXCEPTIONAL SITUATIONS**

DOCK

NORDOCK[®] engineers have decades of experience designing high performance lifts to suit almost any application. Nordock designs custom lifts and material handling devices to endure the harshest environments and duty cycles. Whether you need to lift, tilt or rotate 1,000 to 100,000 lbs. you can trust us to find the right solution.

AIR/HYDRAULIC LIFT Air over hydraulic powered custom lift with 16,000 lb. capacity.



CONTAINER HANDLING LIFT

15,000 lb. container handling lift with caster deck, load cells and digital weigh scale.



POWERED ROLLER CONVEYOR 10,000 lb. capacity lift with reversing



STEEL COIL UPENDER 10,000 lb. capacity steel coil upender with "V" deck.

FL SERIES DOCK SEAL

The 'L' shaped polyurethane foam core dock seal features tear resistant fabric and double lock stitched seams for extended life and insulating efficiency.

20



FC SERIES DOCK SEAL

Provides a tight seal with memory foam side pads and a curtain style header suitable for doors that are higher than the trailers serviced.

The FL Series

of the trailer

seals compress

while providing

to the interior.

unobstructed access

tight to the sides



FP SERIES **DOCK SEAL**

Provides effective protection for personnel and cargo while loading and unloading. The memory foam core side and fixed header provides a tight seal.

NORDOCK[®] SEALS AND SHELTERS

WEARTOUGH[®] DOCK **SEALS & SHELTERS**

NORDOCK[®] WEARTOUGH[®] Dock Seals and Shelters offer a wide range of products to provide superior weathersealing and durability. NORDOCK[®] Seals & Shelters feature our exclusive WearTough® fabric with double lock stitching and reinforcements on primary wear surfaces. Inflatable Shelters are also available that provide added range of use and no impact from approaching trailers or when yard jockeys or truck levelers are used.



Especially effective with decline approach docks, this trailer top seal creates a safer environment and protects property by diverting water away from the dock seal. Also available in a combination header with DS and FF Series shelters.

RAINSHIELD[™] RS-5000

SEAL-TITE™ DOCK SEAL

Foam compression seal designed to form a tight seal against trailer doors. The SEAL-TITE™ provides less pressure to building walls than conventional foam pad seals.







DS SERIES DOCK SHELTER

DS Series rigid frame dock shelters provides maximum dock protection for a wide range of trailer heights and widths.



IS-950 SERIES DOCK SHELTER

The IS-950 Series Inflatable Dock Shelter pushes tight against the side and the top of the trailer to keep out inclement weather.



FOAMFRAME INFLATABLE DOCK SHELTER

The FFI-750 Series is a foam inflatable header shelter providing ultimate protection for personnel and cargo while loading and off-loading trailers.



100





FF FOAMFRAME™ DOCK SHELTER

The FOAMFRAME[™] Series Dock Shelter features memory core foam sides that eliminate damage due to offcenter loading. The vertical curtains, with stiffeners, provide a maximum weathertight seal.

Optional TOUGH-SPLIT™ head curtain provides relief that substantially extends its life.



Optional TERMINATOR™ Gap Seal closes swing out trailer door openings.



BOXCAR[™] IR-650 SERIES

An inflatable railcar shelter featuring high wear resistant fabric, quick retraction system and on/ off switch with pilot light.



RF RETRACTABLE FRAME DOCK SHELTER

The versatile RETRACTA-FRAME[™] shelter is built to yield when hit by an off center trailer preventing shelter and dock wall damage.

IS 550 SERIES INFLATABLE DOCK SHELTER

Inflatable Shelter providing clear access with retractable side curtains and a rigid head frame suitable for a variety of trucks sizes.





TESTED AND PROVEN TECHNOLOGY

THE BETTER BUILT ALTERNATIVE

NORDOCK[®] is a dedicated team of professionals with over three decades of solid performance. We manufacture and distribute a full line of loading dock systems and equipment including dock levelers, vehicle restraints, scissor lifts, truck levelers, dock seals, and a comprehensive line of accessories.

In addition, NORDOCK[®] has the unique capability to design and manufacture specialty engineered products for loading dock, safety and lift applications.



Bowmanville, Ontario Plant



COLDSTORAGE[™] vertical levelers in a distribution facility. Installation included custom control panel stanchions, bollards and TRUCK-LOCK[®] vehicle restraint systems.



Hydraulic dock levelers, TRUCK-LOCK[®] vehicle restraints and WEARTOUGH[®] dock seals.



NORDOCK[®] SUPER-DUTY hydraulic levelers, TRUCK-LIFT™ truck levelers, TRUCK-LOCK[®] vehicle restraints, protective bollards and inflatable dock shelters.



The PIT-HOOK[™] vehicle restraint, as installed in this warehouse, is a non-impact design that allows unobstructed access for snow removal, smaller delivery trucks and trucks with tail gates.



Toll-Free: 1-866-885-4276 www.**nordockinc**.com sales@nordockinc.com

