POWER TUBES

HIGH VELOCITY FABRIC AIR DUCT SYSTEMS

The Patterson Power Tube allows you to efficiently direct and control airflow distribution over large areas.





By placing 3" holes the length of the tubes, employees experience air movement without having to stand directly in front of a high velocity fan.

Power Tubes allow you to use a single fan in situations where, otherwise, several fans would be required. This helps maintain a low-profile position by not obstructing operational floor space, allowing business to run smoothly and efficiently.

- Inexpensive and Low-Profile air distribution for cooling and heating
- Strategically placed holes down the tube receive smooth, consistent air movement
- Available in 5 standard models
- **Endless combination** of custom configurations

MODEL	TUBE LENGTH	TUBE DIAMETER	HOLE SIZE	HOLE QUANTITY	HOLE PLACEMENT	HOLE SPACING	TOTAL CFM	SHIPPING WEIGHT	VELOCITIES @ DISTANCE 4' 8'	
PT-60-14"	60'	21"	3"	38	5 & 7 o'clock	38"	2600	10 lbs	>300 FPM	<75 FPM
PT-80-18"	80'	26"	3"	56	5 & 7 o'clock	34"	3800	17 lbs	>300 FPM	<75 FPM
PT-100-22"	100'	31"	3"	80	5 & 7 o'clock	30"	5570	25 lbs	>300 FPM	<75 FPM
PT-150-26"	150'	35"	3"	108	5 & 7 o'clock	33"	7650	48 lbs	>300 FPM	<75 FPM
PT-250-30"	250'	39"	3"	172	5 & 7 o'clock	35"	12,000	80 lbs	>300 FPM	<75 FPM
CUSTOM TUBES AVAILABLE										





COOLING & HEATING!

Power Tubes are economical even during the winter months, keeping the air destratified. This process helps **mix the warm air from ceiling to floor**.

By taking into account work area size, floor plan and other variables, our sales engineers will help you design a system that meets the unique air movement requirements of your application.

PREMIUM PERFORMANCE ABSOLUTE LOWEST PRICE!

