

# **Heavy-Duty Mobile Cabinet**



### **MOBILE CABINET**

The "R" mobile cabinet is one of the safest on the market. The Lock-In mechanism is activated with one hand, leaving the other free. All of this. thanks to a simple upwards tilting of the ergonomic drawer handle.

In addition, it is very easy to modify the configuration of the cabinet: drawer order can be changed at any time. Our specialists will be very pleased to assist you in adapting a cabinet specific to your needs, with a customized configuration to meet your customer's requirements.

The "R" mobile cabinet, with its industrial quality construction, is definitely one of the strongest and most durable on the market. Our Research & Development department have put the cabinet through capacity, impact and general wear and tear trials. Equipped with high-quality casters, the cabinet was designed for intensive use in hostile work environments. Its distinctive look and design (industrial design patented), make it unique.

An impressive number of accessories to complete and complement your cabinet are available. We offer a selection of five different tops, two types of handles (on the front and on the side), foldaway shelves as well as hanging side cabinets. In addition, you no longer have to worry about making future changes as your business grows and your needs evolve, with Rousseau's easy retrofit accessories.




# MOBILE CABINET

# **Heavy-Duty Mobile Cabinet**


### The Rousseau Advantages



The integrated Lock-In mechanism is easily activated with one hand (right or left).



The full-width ergonomic handle ensures a smooth and comfortable motion when opening the drawer.



A variety of drawer accessories are available, such as: partitions, dividers, plastic bins, protective foam, etc.




Polyurethane casters with high quality roller bearing systems make moving the cabinet easy and do not leave marks. Totallock brake available.



Several housing accessories are available such as: foldaway shelves, hanging side cabinets, laminated wood tops, etc.


### **General Dimensions**

### Available Heights




NOTE Total height indicated includes 6" casters and 1 3/4" thick top.

### Width x Depth



Index	Page(s)
Heavy-Duty Mobile Cabinet	26 - 27
Proposals	28 - 31
Accessories	32 - 34
Components	35 - 38
Light-Duty Mobile Cabinet	39
Proposals	40 - 41
Accessories	42 - 43
Components	44 - 45





# **Proposals**

Shown here are several of the most popular mobile modular cabinet models.

The 24" W cabinet models include 4" casters; 2" swivel with total-lock brake system and 2 rigid. Proposals include an econo lock-in mechanism;

The 30", 36", 48" (2x24") and 60" (2x30") wide cabinet models include 6" casters; 2 swivel with total-lock brake system and 2 rigid. Proposals include an integrated

Cabinets come with standard lock (on doors also);

To add a stainless steel, galvanized steel, painted steel, steel with rubber mat or wood


All models are factory assembled and ready to use. Doors are installed with hinges on the right side. However, they can be installed on the left upon request.

### **IMPORTANT** Drawer partitions are included in models.

NOTE

For drawers without partitioning, refer to the price list.

Ex.: R5BCD-2801 with R5BCD-2802 without





Number of Compartments (layout code)										
Drawer dimensions	24" x 21"	24" x 27"	30" x 21"	30" x 27"	36" x 18"	36" x 24"	48" x 24"	48" x 27"	60" x 24"	60" x 27"
3" to 5"	12 (0308)	20 (0316)	24 (0518)	25 (0420)	24 (0518)	30 (0524)	40 (0732)	32 (0724)	70 (1356)	84 (1370)
6" to 8"	9 (0206)	12 (0209)	12 (0308)	12 (0308)	8 (0304)	12 (0308)	15 (0410)	15 (0410)	24 (0716)	21 (0614)
9" and higher	4 (0102)	6 (0104)	6 (0203)	9 (0206)	6 (0203)	9 (0206)	8 (0304)	8 (0304)	12 (0308)	12 (0308)

**NOTE** For inside drawer dimensions.

PAGE 130-131

### 24" x 21" and 24" x 27" (W x D)

Each model includes two front handles.



4 drawers

R5BCD-2801 24" x 21" x 33 1/4" R5BCG-2801 24" x 27" x 33 1/4"



4 drawers

R5BCD-2803 24" x 21" x 33 1/4" R5BCG-2803 24" x 27" x 33 1/4"



3 drawers

R5BCD-2805 24" x 21" x 33 1/4" R5BCG-2805 24" x 27" x 33 1/4"



6 drawers

R5BCD-3051 24" x 21" x 35 1/4" R5BCG-3051 24" x 27" x 35 1/4"



5 drawers

R5BCD-3053 24" x 21" x 35 1/4" R5BCG-3053 24" x 27" x 35 1/4"




5 drawers

R5BCD-3055 24" x 21" x 35 1/4" R5BCG-3055 24" x 27" x 35 1/4"



5 drawers

R5BCD-3401 24" x 21" x 39 1/4" R5BCG-3401 24" x 27" x 39 1/4"




7 drawers

R5BCD-3851 24" x 21" x 43 1/4" R5BCG-3851 24" x 27" x 43 1/4'


### 30" x 21", 30" x 27", 36" x 18" and 36" x 24" (W x D)

#### Each model includes one side handle.




1 d	rawer /	1	door /	1	bottom	shelf
-----	---------	---	--------	---	--------	-------

R5BDD-2801	30" x 21" x 35 1/2"
R5BDG-2801	30" x 27" x 35 1/2"
R5BEC-2801	36" x 18" x 35 1/2"
R5BEE-2801	36" x 24" x 35 1/2"




### 4 drawers

R5BDD-2803	30" x 21" x 35 1/2"
R5BDG-2803	30" x 27" x 35 1/2"
R5BEC-2803	36" x 18" x 35 1/2"
R5BEE-2803	36" x 24" x 35 1/2"




6 drawers

O didwois	
R5BDD-3001	30" x 21" x 37 1/2"
R5BDG-3001	30" x 27" x 37 1/2"
R5BEC-3001	36" x 18" x 37 1/2"
R5BEE-3001	36" x 24" x 37 1/2"




5 drawers

R5BDD-3003	30" x 21" x 37 1/2"
R5BDG-3003	30" x 27" x 37 1/2"
R5BEC-3003	36" x 18" x 37 1/2"
R5BEE-3003	36" x 24" x 37 1/2"




5 drawers

0 41411010	
R5BDD-3005	30" x 21" x 37 1/2"
R5BDG-3005	30" x 27" x 37 1/2"
R5BEC-3005	36" x 18" x 37 1/2"
R5BEE-3005	36" x 24" x 37 1/2"




6 drawers

R5BDD-3007	30" x 21" x 37 1/2"
R5BDG-3007	30" x 27" x 37 1/2"
R5BEC-3007	36" x 18" x 37 1/2"
R5BEE-3007	36" x 24" x 37 1/2"




1 roll-out shelf / 1 door / 1 bottom shelf

R5BDD-3012	30" x 21" x 37 1/2"
R5BDG-3012	30" x 27" x 37 1/2"
R5BEC-3012	36" x 18" x 37 1/2"
B5BFF-3012	36" x 24" x 37 1/2"



1 door / 1 adjustable shelf / 1 bottom shelf


1 door / 1 dajustable shell / 1 bottom she		
R5BDD-3014	30" x 21" x 37 1/2"	
R5BDG-3014	30" x 27" x 37 1/2"	
R5BEC-3014	36" x 18" x 37 1/2"	
R5BEE-3014	36" x 24" x 37 1/2"	



1 roll-out shelf / 4 drawers


I Toll-out slici	i/ + ulaweis
R5BDD-3015	30" x 21" x 37 1/2"
R5BDG-3015	30" x 27" x 37 1/2"
R5BEC-3015	36" x 18" x 37 1/2"
R5BEE-3015	36" x 24" x 37 1/2"






/	α	ra	W	e	rs

R5BDD-3801	30" x 21" x 45 1/2"
R5BDG-3801	30" x 27" x 45 1/2"
R5BEC-3801	36" x 18" x 45 1/2"
B5BFF-3801	36" x 24" x 45 1/2"




I ulaweis	
R5BDD-3803	30" x 21" x 45 1/2"
R5BDG-3803	30" x 27" x 45 1/2"
R5BEC-3803	36" x 18" x 45 1/2"
R5BEE-3803	36" x 24" x 45 1/2"




4 drawers / 1 door / 1 bottom shelf R5BDD-3805 30" x 21" x 45 1/2" R5BDG-3805 30" x 27" x 45 1/2" R5BEC-3805 36" x 18" x 45 1/2" R5BEE-3805 36" x 24" x 45 1/2"

### 48" x 24", 48" x 27", 60" x 24" and 60" x 27" (W x D)

Each model includes one side handle.




R5BHE-3001	48" x 24" x 37 1/2"
R5BHG-3001	48" x 27" x 37 1/2"
R5BKE-3001	60" x 24" x 37 1/2"
R5BKG-3001	60" x 27" x 37 1/2"




5 drawers

R5BHE-3003	48" x 24" x 37 1/2"
R5BHG-3003	48" x 27" x 37 1/2"
R5BKE-3003	60" x 24" x 37 1/2"
R5BKG-3003	60" x 27" x 37 1/2"




5 drawers

R5BHE-3009	48" x 24" x 37 1/2"
R5BHG-3009	48" x 27" x 37 1/2"
R5BKE-3009	60" x 24" x 37 1/2"
R5BKG-3009	60" x 27" x 37 1/2"




5 drawers

R5BHE-3011	48" x 24" x 37 1/2"
R5BHG-3011	48" x 27" x 37 1/2"
R5BKE-3011	60" x 24" x 37 1/2"
R5BKG-3011	60" x 27" x 37 1/2"



1 drawer / 1 double door / 1 bottom shelf

I diawoi / I dodbio	door / 1 bottom onon
R5BHE-3013	48" x 24" x 37 1/2"
R5BHG-3013	48" x 27" x 37 1/2"
R5BKE-3013	60" x 24" x 37 1/2"
R5BKG-3013	60" x 27" x 37 1/2"




1 roll-out shelf / 4 drawers

R5BHE-3015	48" x 24" x 37 1/2"
R5BHG-3015	48" x 27" x 37 1/2"
R5BKE-3015	60" x 24" x 37 1/2"
R5BKG-3015	60" x 27" x 37 1/2"

### 2 – 24" x 27" and 2 – 30" x 27" (W<u>x D)</u>


Each cabinet includes one side handle and one brace to attach the cabinets.




12 drawers	
R5DHG-3001	48" x 27" x 37 1/2"
R5DKG-3001	60" x 27" x 37 1/2"




5 drawers / 1 door / 1 bottom shelf R5DHG-3007 48" x 27" x 37 1/2" R5DKG-3007 60" x 27" x 37 1/2"




8 drawers / 1 ro	roll-out shelf	
R5DHG-3009	48" x 27" x 37 1/2"	
R5DKG-3009	60" x 27" x 37 1/2"	



8 drawers / 1 door / 1 adjustable shelf / 1 bottom shelf R5DHG-3801 48" x 27" x 45 1/2" 60" x 27" x 45 1/2" R5DKG-3801



7 drawers / 1	door / 1 bottom sh	elf
R5DHG-3803	48" x 27" >	( 45 1/2"
R5DKG-3803	60" x 27" >	( 45 1/2"



10 drawers	
R5DHG-3807	48" x 27" x 45 1/2"
R5DKG-3807	60" x 27" x 45 1/2"





R5XKE-3003



### Security Accessories and Recommendations

### Vertical Security Bar



#### **RB10**

### Security Panel

**RF91** 



STOF

Lock all of the cabinet drawers with one padlock; Safety hasp is located at the top of the bar to facilitate access

Available to cover overall drawer heights from

Can be installed on the right.

Product #	Height	
RB10-24 LPA	24"	
RB10-26 LPA	26"	
RB10-30 LPA	30"	
RB10-34 LPA	34"	



Blocks access between two drawers with locks; Usable space in cabinet reduced by 1";

Installed between two drawers:

Allows for the cabinet to be divided up for more than one user;

Order by specifying the width and dept. Ex. : RF91-36 24 for a 36" W x 24" D security

Product #

RF91-

## True One-Drawer-at-a-Time System





To retrofit this mechanism, order RB15-XX-XX; for factory installation, add A to the cabinet housing number;

One kit per cabinet

protects the users;

Product #	Cabinet Height
RB15-28-08	28"
RB15-30-08	30"
RB15-34-10	34"
RB15-38-11	38"



Cabinet Lock

Allows user to lock all drawers and roll-out shelves in the cabinet at same time;

Possible to change drawer and roll-out shelf positions;

Easy to retrofit;

Order by adding L3 to the cabinet housing number. Ex. : RA30-302758L3.

Product #

L3

### Cabinet Safety Hasp



L3



Allows user to lock all drawers and roll-out shelves in the cabinet at the same time;

Possible to change drawer and roll-out shelf positions:

Alternative to the RB10 vertical security bar;

Easy to retrofit;

Order by adding LP to the cabinet housing number. Ex. : ŘA30-302758LP

Product #

LP


### Double Mobile Cabinet: Appropriate Combination

In order to determine the appropriate cabinet combination, ask yourself the following questions: What is the desired cabinet width and what is the desired capacity? Here are the possibilities:

#### Standard Double Cabinet

Recommended for mobile cabinets and cabinets not

anchored to the floor.




Maximum width of 72";

Total capacity: 3600 lbs. (1800 lbs. each side);

Comes with pair of braces

2 pairs of 6" casters

#### Double Cabinet




Maximum width of 120";

Total capacity: 3600 lb (1800 lbs. each side)

3 pairs of 6" casters.

### Side Cabinet



Maximum width of 84":

Total capacity: 2300 or 2400 lbs. total;

2 pairs of 6" casters;

Note: RF31/RF40 and RF44 are not available for the side cabinet.




The height of the cabinet should not exceed 38" in order to assure cabinet stability when it is moved.

### **Accessories**

### Hanging Side Cabinet

### Hanging Side Cabinet - Side Access



KA, KD or MK

Side housing specifically designed to be installed on the side of RA30 cabinet housing;

Includes one bottom shelf;

Shelves adjustable every 1" c/c;

SH52 dividers can be installed on shelves;

Equipped with holes on the top to allow installation between one common work surface to a

Door opens 180° for full access to items stored inside;

Door comes with standard look;

Capacity: 600 lb;

Choice of doors;

Complete the product number from the chart with the following :

01: solid door


02: glass door

Ī		Width x Depth		Number of (RD05)
	Height	24" x 14"	27" x 14"	Adjustable Shelves
	24"	R5QCA-24	R5QPA-24	-
	28"	R5QCA-28	R5QPA-28	1
	30"	R5QCA-30	R5QPA-30	1
	34"	R5QCA-34	R5QPA-34	1
	38"	R5QCA-38	R5QPA-38	2
	For cabinet	24" D	27" D	



R5XHE-1001

### Hanging Side Cabinet - Front Access



Side cabinet designed to be installed on the side of RA30 cabinet housing;

The shelves are adjustable at every 1" c/c;

SH52 dividers can be installed on both bottom and adjustable shelves;

The roll-out shelf has a capacity of 175 lb, 75% extension;

Equipped with holes on the top to allow installation between one common work surface to a RA30 cabinet;

Door opens 180°, allowing clearance space for easy handling of objects in the

Door comes with standard lock;

Capacity: 500 lb;

Choice of configurations. Complete the number:

Bottom shelf and adjustable shelf(ves)

03: Solid door

05: Glass door

Roll-out shelves


04: Solid door

06: Glass door



	Width x Depth		Number of (RB22)	Number of (RF50)	
Height	24" x 18"	24" x 21"	24" x 24"	Adjustable Shelves	Roll-Out Shelves
28"	R5QCC-28	R5QCD-28	R5QCE-28	1	2
30"	R5QCC-30	R5QCD-30	R5QCE-30	1	2
34"	R5QCC-34	R5QCD-34	R5QCE-34	1	2
38"	R5QCC-38	R5QCD-38	R5QCE-38	2	3
For cabinet	18" D	21" D	24" D		







### Cabinet Tops

24" x 21" x 1'

24" x 27" x 1'

30" x 21" x 1"

30" x 27" x 1"

36" x 18" x 1"


36" x 24" x 1"

42" x 27" x 1"

### Steel Top with Rubber Mat

### RC32 Laminated Wood Top

WS14



RC32-2421-01

RC32-2427-01

RC32-3021-01

RC32-3027-01

RC32-3618-01

RC32-3624-01

RC32-4227-01

Non-slip rubber surface;

Sides and back formed with a double fold: 1" high.

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	— Product #
RC32-4824-01	48" x 24" x 1"	- WS14-3027A*
RC32-4827-01	48" x 27" x 1"	WS14-3624A
RC32-6024-01	60" x 24" x 1"	- WOTT 002 TX

60" x 27" x 1"

72" x 24" x 1"

72" x 27" x 1"



Made from strips of laminated hardwood;

Front 90° rounded edge for added comfort;

Good impact resistance;

Attractive appearance.

NOTE	* Please check with your customer service
NOIL	representative for lead time.

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
WS14-3027A*	30" x 27" x 1 3/4"
WS14-3624A	36" x 24" x 1 3/4"
WS14-4227A*	42" x 27" x 1 3/4"
WS14-4824A*	48" x 24" x 1 3/4"
WS14-4827A*	48" x 27" x 1 3/4"

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
WS14-6024A*	60" x 24" x 1 3/4"
WS14-6027A*	60" x 27" x 1 3/4"
WS14-7224A	72" x 24" x 1 3/4"
WS14-7227A*	72" x 27" x 1 3/4"

### Stainless Steel Top

RC35



Serves as a work surface and protects the cabinet against impacts;

Particle board top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

RC32-6027-01

RC32-7224-01

RC32-7227-01

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
RC35-3027	30" x 27" x 1 3/4"
RC35-3624	36" x 24" x 1 3/4"
RC35-4824	48" x 24" x 1 3/4"
RC35-4827	48" x 27" x 1 3/4"

 $W \times D \times H$ 

30" x 27" x 1 3/4"

36" x 24" x 1 3/4"

42" x 27" x 1 3/4

48" x 24" x 1 3/4"

48" x 27" x 1 3/4"

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
RC35-6024	60" x 24" x 1 3/4"
RC35-6027	60" x 27" x 1 3/4"
RC35-7224	72" x 24" x 1 3/4"

### Galvanized Steel Top

RC36

Serves as a work surface and protects the cabinet against impacts;

Particle board top with galvanized cover;

The top respects the CARB regulations on formal-dehyde emissions.

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
RC36-3027	30" x 27" x 1 3/4"
RC36-3624	36" x 24" x 1 3/4"
RC36-4227	42" x 27" x 1 3/4"
RC36-4824	48" x 24" x 1 3/4"

48" x 27" x 1 3/4"

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
RC36-6024	60" x 24" x 1 3/4"
RC36-6027	60" x 27" x 1 3/4"
RC36-7224	72" x 24" x 1 3/4"
RC36-7227	72" x 27" x 1 3/4"

### Painted Steel Top

RC37

### WS18 / WS98



Serves as a work surface and protects cabinet against impacts;

Composite wood top with painted steel covers;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Product #

RC37-6024

RC37-6027

RC37-7224

RC37-7227

**Back and Side Stops** 

RC36-4827

Painted steel : WS18; Stainless steel : WS98;

Can be attached to back or sides according to top dimensions;

Install on WS14, RC35, RC36 and RC37 tops; Height: 5". Exceeds top by approx. 3 1/4";

To order, complete the part # with steel choice needed.

Product #	Length	
WS2405	24"	
WS2705	27"	
WS3005	30"	
WS -3605	36"	

Product #	Length	
WS4205	42"	
WS4805	48"	
WS6005	60"	
WS7205	72"	

NOTE

Product #

RC37-3027

RC37-3624

RC37-4227

RC37-4824

RC37-4827

For compatibility with hanging side cabinet, choose top that is 12" wider than your cabinet for hanging side cabinet-side access, and 24" wider than your cabinet for hanging side cabinet-front access.

Ex.: RC\_\_-4824 for a mobile 36" W x 24" D cabinet combined with a cabinet-side access: 36" + 12" = 48".

 $W \times D \times H$ 

60" x 24" x 1 3/4"

60" x 27" x 1 3/4"

72" x 24" x 1 3/4"


72" x 27" x 1 3/4"

### Foldaway Shelf

### RC00


### Side and Back Stops for Foldaway Shelf

RC01



Capacity: 50 lb (evenly distributed load);
Rubber mat surface for added protection;
RC01 side stops can be installed as an option.

Product #	WxD	
RC00-151801	15" x 18"	
RC00-152101	15" x 21"	
RC00-152401	15" x 24"	
RC00-152701	15" v 27"	



Use 15" side stop for front and back of shelf;
Use 18", 21", 24" or 27" side stop for the sides;
Height: 1".

Product #	Width	
RC01-15	15"	
RC01-18	18"	
RC01-21	21"	
RC01-24	24"	
RC01-27	27"	

# Components

### Housings

### Heavy-Duty Cabinet Housing

**RA30** 

Select the best solution from our wide range of possibilities to create your custom storage or work space.

Modular drawers, roll-out shelves, adjustable and bottom shelves can be installed;

Compatible with integrated doors;

Housings are fitted with knock-outs:

- on the top of the housing for attaching accessories or work surfaces on the sides and back for attaching accessories

To order a cabinet lock, complete the product number with L3;

For a safety hasp, complete the product number with LP;

To order a true one-drawer-at-a-time mechanism, complete the product number with A.

Product #






24" and 30" Wide

30" 26" 24" & 30'

36" Wide



34"   38"
30" 34"
26"   30"
24"   28"
24" & 27" 48" & 60"

48" and 60" Wide

Product #	Total Height	Inside Height
24" × 21"		
RA30-242128_	_ 28"	24"
RA30-242130_	_ 30"	26"
RA30-242134_	_ 34"	30"
RA30-242138_	_ 38"	34"
24" × 27"		
RA30-242728_	_ 28"	24"
RA30-242730_	_ 30"	26"
RA30-242734_	_ 34"	30"

	Height	Height
36" × 18"		
RA30-361828_	_ 28"	24"
RA30-361830_	_ 30"	26"
RA30-361834_	_ 34"	30"
RA30-361838_	_ 38"	34"
36" × 24"		
RA30-362428_	_ 28"	24"
RA30-362430_	_ 30"	26"
RA30-362434_	_ 34"	30"
RA30-362438_	_ 38"	34"

Total

Inside

Product #	Total Height	Inside Height	Product #
48" × 24"			60" x 24"
RA30-482428_	_ 28"	24"	RA30-602
RA30-482430_	_ 30"	26"	RA30-602
RA30-482434_	_ 34"	30"	RA30-602
RA30-482438_	_ 38"	34"	RA30-602
48" × 27"			60" × 27"
RA30-482728_	_ 28"	24"	RA30-602

30"

34"

38"

RA30-602428	28"	24"
RA30-602430	30"	26"
RA30-602434	34"	30"
RA30-602438	38"	34"
60" × 27"		
<b>60"</b> x <b>27"</b> RA30-602728	28"	24"
	28"	24" 26"

Total

Height

Inside

Height

**RB86** 

11/100-242700	30	20
RA30-242734	34"	30"
RA30-242738	38"	34"
30" × 21"		
RA30-302128	28"	24"
RA30-302130	30"	26"
RA30-302134	34"	30"
RA30-302138	38"	34"

28'

30"

34"

38"

24"

26"

30"

34"

30" × 27"

RA30-302728

RA30-302730\_

RA30-302734\_

RA30-302738\_

NOTE	and	vs user roll-out me tim	cho		net
	_				 



RA30-482730

RA30-482734 RA30-482738\_


Complete product number with L3.

### Braces for Double Mobile Cabinet

26'

30'

34'



Come in pairs;

Attach two housings together, 36" wide and under, to form a double mobile cabinet;

All the cabinet tops on page 34 are compatible with double cabinets;

Cabinets are factory installed.

Product # RB86-01




## Components


### Drawers, Roll-out Shelves and Locking or Security Mechanisms

### Heavy-Duty Modular Drawer for Cabinet

#### **RF31** Heavy-Duty Front Access Roll-Out Shelf

**RF40** 





Product # RF31-2421

RF31-2427 RF31-3021

RF31-3027

RF31-3618

RF31-3624

400 lb capacity, 100% extension;	
Heavy-duty construction;	
Easy to install;	
Vast choice of accessories offered to adapt to your storage needs;	SEE PAGES 147-151

Available drawer heights: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14";

Order by adding the height of the drawer to the number and by specifying the type of locking mechanism required. Ex.: RF31-3624<u>06 A;</u>

For modular drawers with layouts.	
	SEE PAGES
	133-146

1 .
HБ
П.
_

WxD	Product #	WxD	
24" x 21"	RF31-4824	48" x 24"	
24" x 27"	RF31-4827	48" x 27"	
30" x 21"	RF31-6024	60" x 24"	
30" x 27"	RF31-6027	60" x 27"	
36" x 18"			

Product #	WxD
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"
RF40-3618	36" x 18"
RF40-3624	36" x 24"

400 in capacity, 100 /6 extension,
Heavy-duty construction;
Easy to install;
Painted steel with 3" edges on sides and back;
Height: 6";

400 lb canacity 100% extensions

Full access to contents; Order by specifying the type of locking mechanism required. Ex.: RF40-3624<u>A</u>.

Product #	W x D
RF40-4824	48" x 24"
RF40-4827	48" x 27"
RF40-6024	60" x 24"
RF40-6027	60" x 27"

### Heavy-Duty 3-Sided Access Roll-Out Shelf

36" x 24"





400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;

Galvanized steel with 11/2" edge on back;

Height: 5";

May serve as work surface;

Order by specifying the type of locking mechanism required. Ex. : RF44-3624 $\underline{A}$ .

Product #	WxD
RF44-2421	24" x 21"
RF44-2427	24" x 27"
RF44-3021	30" x 21"
RF44-3027	30" x 27"
RF44-3618	36" x 18"
RF44-3624	36" x 24"

Product #	WxD	
RF44-4824	48" x 24"	
RF44-4827	48" x 27"	
RF44-6024	60" x 24"	
RF44-6027	60" x 27"	

### Integrated Lock-In Mechanism

0



В

**RF70** 

Activated by tilting the handle up;

Allows user to open the drawer and the rollout shelf with one hand only;

Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit

Order by adding A to the drawer or partitioning model number or roll-out shelf. Ex.: RF31-362406A.

### Product #

**L3** 

**RF85** 

### **Drawer Lock**

Compatible with all drawer dimensions

Does not affect usable drawer space;

Easy to retrofit;

Order by adding L3 to drawer or partitioning model number. Ex. : RF31-362406**L3** 

### Product #

L3

### Econo Lock-In Mechanism



Activated with the right hand by sliding the mechanism with thumb:

Drawer and roll-out shelf close without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;


Order by adding B to the drawer or partitioning model number or roll-out shelf.

Ex.: RF31-362406B.

Product #

### Lock-Out Mechanism

For both drawers and roll-out shelves;



Activated manually, only when required;

No interference with drawer accessories

#### Product #

RF85

### Handle Protector

Clips onto the drawer and roll-out shelf handle; Made of transparent plastic;

Protects identification labels on drawers and roll-out shelves from dust, grease and other

Easy to remove when required.

5		
Product #	Width	
RF70-24	24"	
RF70-30	30"	
RF70-36	36"	
RF70-48	48"	
RF70-60	60"	






### Components

#### Adjustable Shelf RB22 / RB24 **Bottom Shelf** RB23 / RB25

PAGE

400

400



For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the

Adjustable every 1" c/c;

Up to 400 lb capacity of evenly distributed load;


SH52 dividers can be installed

SITUE UIVIUEIS CAIT DE ITISTATIEU.			15	
Prod	luct #	WxD	Capaci	ty*
RB2	2-2421	24" x 21"	200	
RB2	2-2427	24" x 27"	200	
RB2	4-3021	30" x 21"	400	
RB2	4-3027	30" x 27"	400	
RB2	4-3618	36" x 18"	400	
RB2	4-3624	36" x 24"	400	
RB2	4-4824	48" x 24"	400	
RB2	4-4827	48" x 27"	400	

60" x 24"

60" x 27"





For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;


Up to 400 lb capacity of evenly	<u> </u>	
distributed load;	SEE	L
SH52 dividers can be installed.	PAGE 15	

Product #	WxD	Capacity*
RB23-2421	24" x 21"	200
RB23-2427	24" x 27"	200
RB25-3021	30" x 21"	400
RB25-3027	30" x 27"	400
RB25-3618	36" x 18"	400
RB25-3624	36" x 24"	400
RB25-4824	48" x 24"	400
RB25-4827	48" x 27"	400
RB25-6024	60" x 24"	400
RB25-6027	60" x 27"	400
* in nounds		

Note: For compatibility with double integrated doors, order an adjustable shelf.

### Mobility

#### 4" Casters 6" Casters **RB83 RB80**



Sold in pairs;

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

Capacity: 420 lb per caster;

Total height: 5 1/4";

Polyurethane casters (do not mark floors). Superior quality industrial casters;

Install directly under cabinet without base.

Product #	Type of Caster
RB80-01	Rigid
RB80-02	Swivel
RB80-03	Swivel with total-lock brake system



Sold in pairs;

Choice of 3 types of casters: rigid, swivel. swivel with total-lock brake system (on wheel and swivel);

Capacity: 900 lb per caster;

Total height: 7 1/2";


Polyurethane casters (do not mark floors). Superior quality industrial casters;

Install directly under cabinet without base.

Product #	Type of Caster
RB83-01	Rigid
RB83-02	Swivel
RB83-03	Swivel with total-lock brake system

### **Extended Base for Casters**

### **RB88**




Assures cabinet stability when there are less than 4 drawers and / or when the cabinet load is not equally distributed. (Ex. : 1 drawer with 400 lbs. and 3 others with 50 lbs.);

Compatible with 4" and 6" casters.

Product #	Depth	
RB88-18-05	18"	
RB88-21-05	21"	
RB88-24-05	24"	
RB88-27-05	27"	

### Side Handle



Attaches to the side of single or double cabinets: specify which side (left or right);

Anodized aluminum with durable plastic end

Large handle to make moving cabinet easier.

Product #	<b>Handle Depth</b>	For Cabinet
RB90-18	15"	18" D
RB90-21	18"	21" D
RB90-24	21"	24" D
RB90-27	24"	27" D

### Front Handles

Sold in pairs;

Attach to the front of single 24" or 30" wide cabinets; Durable plastic Product #

RB92-01

**RB92** 

**RB90** 


RB24-6024 RB24-6027 \* in pounds



### **Doors**

### Single Integrated Door, Solid or Glass

### RB30 / RB31



Integrated door : RB30;
Glass integrated door : RB31;
Single door for 24", 30" and 36" wide cabinets;
Compatible with RB23/RB25 bottom shelf and RB22/RB24 adjustable shelf;
Opens 180° for full access to items stored inside:

Factory installed on RA30 cabinet housings;

Standard lock included;

To receive a safety hasp instead of a standard lock, order RB\_-XXXXLP instead of RB\_-XXXXL3;

Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB22/RB24 adjustable shelf for installation above the section of drawers;

Glass door made of impact resistant polycarbonate;


Order by specifying the type of door Ex. : RB31-3034L3 for a 30" W x 34" H single integrated glass door;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf.

Product #	W x H
RB2420L3	24" x 20"
RB2424L3	24" x 24"
RB2426L3	24" x 26"
RB2430L3	24" x 30"
RB2434L3	24" x 34"
RB3020L3	30" x 20"
RB3024L3	30" x 24"
RB3026L3	30" x 26"
RB3030L3	30" x 30"
RB3034L3	30" x 34"
RB3620L3	36" x 20"
RB3624L3	36" x 24"
RB3626L3	36" x 26"
RB3630L3	36" x 30"
RB3634L3	36" x 34"

### Double Integrated Doors, Solid or Glass

### RB35 / RB36





Integrated doors : RB35;
Glass integrated doors : RB36;
Double doors for 30", 36", 48" and 60" wide cabine
Compatible with RB24 adjustable shelf;
Opens 180° for full access to items stored inside;
Factory installed on RA30 cabinet housings;
Standard lock included;
To receive a safety hasp instead of a standard lock order RBXXXXLP instead of RBXXXXL3;

Some heights may be combined with drawers mounted above or below. In the latter case, you must order a RB24 adjustable shelf for installation above the section of drawers, or a crossbar (RB70) for drawers mounted above;

Glass door made of impact resistant polycarbonate;

Order by specifying the type of door. Example : RB $\underline{36}$ -4820L3 for 48" W x 20" H double integrated glass doors;


Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note: Not compatible with RB25 bottom shelf

Product #	WxH
RB3020L3	30" x 20"
RB3024L3	30" x 24"
RB3026L3	30" x 26"
RB3030L3	30" x 30"
RB3034L3	30" x 34"
RB3620L3	36" x 20"
RB3624L3	36" x 24"
RB3626L3	36" x 26"
RB3630L3	36" x 30"
RB3634L3	36" x 34"
RB4820L3	48" x 20"
RB4824L3	48" x 24"
RB4826L3	48" x 26"
RB4830L3	48" x 30"
RB4834L3	48" x 34"
RB6020L3	60" x 20"
RB6024L3	60" x 24"
RB6026L3	60" x 26"
RB6030L3	60" x 30"
RB6034L3	60" x 34"

### Crossbar for Double Integrated Doors

### **RB70**



Required for double integrated doors with drawers

Product #	Width	
RB70-30	30"	
RB70-36	36"	
RB70-48	48"	
RB70-60	60"	

