





THE SPACE EFFICIENCY PEOPLE

Introduction



TEAM SUCCESS

Rousseau Metal Inc. was founded in 1950. Since that time, we have designed, manufactured and marketed industrial storage systems. As an example of our growth and vitality over the years, our installations are over 160,000 square feet and utilize the latest, cutting-edge technology.

Our Research & Development dept. along with our Sales & Marketing dept. are in constant evolution. This allows us to offer a wide range of products that respond to strict criteria, guaranteeing performances high enough to satisfy even the most discerning customer.

We offer you a complete and integrated storage solution: mobile carts, modular drawer systems for shelving and cabinets, an industrial shelving system, Mini-racking, and workstations that are adapted to your reality; the cutting tool industry. These products are tailored to respond to your needs no matter how specialized they may be. We are proud to be known as "The Space Efficiency People."

CNC Tool Storage System

The CNC tool storage system has been designed to ensure maximum protection of your CNC tools during handling, transport and storage.

With its original two-level design, the tool rack offers improved support and increased stability by preventing tools from falling out, even in an inclined position. The tool rack surface is made of sturdy PVC and protects tools against blows, corrosion and spattering molten metal while favoring coolant drainage and limiting contact surfaces with the tool.

The tool rack is offered with perforations to insert Taper, Straight, Sandvik Capto, HSK, KM and VDI. The tool rack is also available without perforations.







Introduction



Table of Contents

| Page(s) |
|--|
| Introduction |
| Colors |
| Application Model |
| Tool Racks |
| Mobile Carts |
| Stationary Storage Systems for Tools |
| Stationary and Mobile Storage Cabinets |
| Spider [®] Shelving System |
| Workstation System |
| Computer Cabinet |
| Accessories |




Colors may differ slightly from those illustrated.

For custom colors, contact our customer service representatives.









Tool Racks

The tool rack, the core of the CNC Tool Storage System, is compatible with the entire Rousseau product line. The compact and sturdy rack is equipped with practical, ergonomic handles making it easy to carry. However, its greatest advantage is the protection it can offer your tools. Made of sturdy PVC, the extruded part of the tool rack protects your tools against blows while allowing for coolant drainage. The contact point between tools and the rack help prevent corrosion.



Advantages :

Avoids accidental contact between tools ; Prevents corrosion and premature wear due to inappropriate storage ; Minimizes your tool acquisition and reconditioning costs ; The identification zone allows for quick retrieval of tools.

Equivalency Chart



| | | | | _ | | | | |
|------------------|-----------|----------------------|---------------|----------|--------------|----------|--------------|----------|
| Tool Type | St 30″ | and – Ca number | binet - Shelv | number | 18″ | Mini-Ra | 24″ | number |
| | tool rack | of holes | tool rack | of holes | PVC platform | of holes | PVC platform | of holes |
| Blank rack | NC10-3000 | - | NC10-3600 | - | NC30-1800 | - | NC30-2400 | - |
| Taper 30 | NC12-3001 | 10 | NC12-3601 | 12 | NC31-1801 | 8 | NC31-2401 | 10 |
| Taper 40 | NC12-3003 | 7 | NC12-3603 | 8 | NC31-1803 | 7 | NC31-2403 | 9 |
| Taper 50 | NC12-3005 | 5 | NC12-3605 | 6 | NC31-1805 | 4 | NC31-2405 | 5 |
| 3/4" Straight | NC12-3010 | 20 | NC12-3610 | 24 | NC31-1810 | 14 | NC31-2410 | 18 |
| 1" Straight | NC12-3011 | 20 | NC12-3611 | 24 | NC31-1811 | 14 | NC31-2411 | 18 |
| 1 1/4" Straight | NC12-3013 | 20 | NC12-3613 | 24 | NC31-1813 | 14 | NC31-2413 | 18 |
| 1 1/2" Straight | NC12-3015 | 8 | NC12-3615 | 10 | NC31-1815 | 5 | NC31-2415 | 7 |
| 1 3/4" Straight | NC12-3016 | 8 | NC12-3616 | 10 | NC31-1816 | 5 | NC31-2416 | 7 |
| 2" Straight | NC12-3018 | 6 | NC12-3618 | 7 | NC31-1818 | 4 | NC31-2418 | 5 |
| 2 1/4" Straight | NC12-3019 | 6 | NC12-3619 | 7 | NC31-1819 | 4 | NC31-2419 | 5 |
| 2 1/2" Straight | NC12-3021 | 6 | NC12-3621 | 7 | NC31-1821 | 4 | NC31-2421 | 5 |
| C4 Sandvik Capto | NC12-3031 | 22 | NC12-3631 | 26 | NC31-1831 | 18 | NC31-2431 | 24 |
| C5 Sandvik Capto | NC12-3032 | 10 | NC12-3632 | 12 | NC31-1832 | 7 | NC31-2432 | 9 |
| C6 Sandvik Capto | NC12-3033 | 7 | NC12-3633 | 8 | NC31-1833 | 7 | NC31-2433 | 9 |
| HSK 32 (A-C-E) | NC12-3041 | 22 | NC12-3641 | 26 | NC31-1841 | 18 | NC31-2441 | 24 |
| HSK 40 (A-C-E) | NC12-3042 | 22 | NC12-3642 | 26 | NC31-1842 | 18 | NC31-2442 | 24 |
| HSK 50 (A-C-E) | NC12-3043 | 10 | NC12-3643 | 12 | NC31-1843 | 8 | NC31-2443 | 10 |
| HSK 63 (A-C-E) | NC12-3044 | 7 | NC12-3644 | 8 | NC31-1844 | 5 | NC31-2444 | 7 |
| HSK 80 (A-C-E) | NC12-3045 | 5 | NC12-3645 | 6 | NC31-1845 | 4 | NC31-2445 | 5 |
| HSK 100 (A-C-E) | NC12-3046 | 4 | NC12-3646 | 5 | NC31-1846 | 3 | NC31-2446 | 4 |
| 32 KM | NC12-3050 | 22 | NC12-3650 | 26 | NC31-1850 | 18 | NC31-2450 | 24 |
| 40 KM | NC12-3051 | 22 | NC12-3651 | 26 | NC31-1851 | 18 | NC31-2451 | 24 |
| 50 KM | NC12-3052 | 10 | NC12-3652 | 12 | NC31-1852 | 8 | NC31-2452 | 10 |
| 63 KM | NC12-3053 | 7 | NC12-3653 | 8 | NC31-1853 | 5 | NC31-2453 | 7 |
| VDI 30 mm | NC12-3060 | 6 | NC12-3660 | 7 | NC31-1860 | 7 | NC31-2460 | 9 |
| VDI 40 mm | NC12-3061 | 5 | NC12-3661 | 6 | NC31-1861 | 4 | NC31-2461 | 5 |
| VDI 50 mm | NC12-3062 | 4 | NC12-3662 | 5 | NC31-1862 | 3 | NC31-2462 | 4 |

NOTE The number of tools that a tool rack can hold varies according to tool diameter and the width of the tool rack.

Mobile Carts



The Rousseau mobile carts have been designed to optimize your changing workspace set-up, carry your tools efficiently, facilitate moving your tools, and all of this, while providing adequate protection.

The carts are equipped with smooth-rolling, silent, 4" polyurethane casters that glide easily even over metal fragments and greasy surfaces.

The tool rack's PVC surface ensures protection against blows, corrosion and spattering molten metal. The racks are inclined 20° for easy access during handling.

36" Cart



NCW0101

8 - 30" W tool racks with ergonomic handles ; 4" polyurethane casters that do not mark floors;

Shelf with aluminum handle ; Dimensions: 32" W X 27" D X 41 1/4" H.

| Model # | Maximum Tool Quantity |
|---------|---|
| NCW0100 | 56 |
| NCW0101 | 40 |
| NCW0102 | 80 |
| NCW0103 | 56 |
| NCW0104 | 80 |
| NCW0105 | 56 |
| | NCW0100 NCW0101 NCW0102 NCW0103 NCW0104 |

54" Cart



NCW0217

12 - 30" W tool racks with ergonomic handles ; 4" polyurethane casters that do not mark floors; Aluminum side handle for moving the cart ; Document holder ; Dimensions : 32" W X 27" D X 59 1/4" H.

| | Tool Type | Model # | Maximum Tool Quantity |
|---|-----------|---------|-----------------------|
| (| Taper 40 | NCW0216 | 84 |
| | Taper 50 | NCW0217 | 60 |
| | HSK 50 | NCW0218 | 120 |
| | HSK 63 | NCW0219 | 84 |
| | 50 KM | NCW0220 | 120 |
| | 63 KM | NCW0221 | 84 |
| | | | |


NOTE If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

PAGE 6

SEE











Stationary Storage Systems for Tools

Whether for storing specialized materials for metal working, such as drill bits, collets, punches, tool holders or standard tools such as pliers, files, wrenches or various fittings and sockets, Rousseau offers a multitude of solutions: stationary stands, modular cabinets, shelving with drawers, Mini-racking, etc. All of these possibilities mean that you are sure to find the storage solution that best fits your specific needs.

Our range of storage possibilities ensures ideal protection against corrosion and premature aging of your tools caused by inadequate storage. Your tools are precious; let Rousseau help you protect them!

54" Stand



| 8 - 30" W tool racks with ergonomic handles | ; <u>Tool Typ</u> |
|--|-------------------|
| 2 plastic bin rails (note: the red plastic bins ar | e Taper 40 |
| not sold by Rousseau) ; | Taper 50 |
| 2 shelves, each with 3 dividers ; | HSK 50 |
| | |

Dimensions: 32" W X 27" D X 59 1/4" H.

| Tool Type | Model # | Maximum Tool Quantity |
|-----------|---------|-----------------------|
| Taper 40 | NCW0247 | 56 |
| Taper 50 | NCW0248 | 40 |
| HSK 50 | NCW0249 | 80 |
| HSK 63 | NCW0250 | 56 |
| 50 KM | NCW0251 | 80 |
| 63 KM | NCW0252 | 56 |

NCW0248

Tool Storage Cabinet



NCM0067

| 12 tool racks with | ergonomic | handles ; |
|--------------------|-----------|-----------|
|--------------------|-----------|-----------|

8 tool racks with ergonomic handles ; 1 - 3" H drawer with groove trays ;

Drawers open 100% ; Shelving with closed uprights ;

Dimensions

24″ 87′

36" 24" 87"

24" 75"

W D H

30" 24" 75

30"

36″

3 drawers that open 100%, 12" clearance between the drawers ;

2" cabinet base allows the cabinet to be moved with a forklift;

Includes the true one-at-a-time locking mechanism ;

Available without doors, with solid doors, or glass doors (standard lock included) ;

The doors open 180° permitting full clearance space for easy tool handling ;

The polycarbonate surface of the glass doors is highly impact resistant.

2 - 4" H drawers included : 1 drawer with foam for tools; 1 with compartments ;

2 drawers with tool racks, 12" clear space between drawers ;

| Dimensions | | ıs | Accessories | Taper 40 | Taper 50 | HSK 50 | HSK 63 | 50 KM | 63 KM |
|------------|------|------|-----------------------|----------|----------|---------|---------|---------|---------|
| W | D | Η | | | | | | | |
| 30″ | 27″ | 60″ | No doors | NCM0011 | NCM0061 | NCM0111 | NCM0161 | NCM0211 | NCM0261 |
| | | | Glass doors | NCM0012 | NCM0062 | NCM0112 | NCM0162 | NCM0212 | NCM0262 |
| | | | Solid doors | NCM0013 | NCM0063 | NCM0113 | NCM0163 | NCM0213 | NCM0263 |
| Max | imum | Tool | Quantity : (12 racks) | 84 | 60 | 120 | 84 | 120 | 84 |
| 36″ | 24″ | 60″ | No doors | NCM0017 | NCM0067 | NCM0117 | NCM0167 | NCM0217 | NCM0267 |
| | | | Glass doors | NCM0018 | NCM0068 | NCM0118 | NCM0168 | NCM0218 | NCM0268 |
| | | | Solid doors | NCM0019 | NCM0069 | NCM0119 | NCM0169 | NCM0219 | NCM0269 |
| Max | imum | Tool | Quantity : (12 racks) | 96 | 72 | 144 | 96 | 144 | 96 |

The 75" H shelving unit includes 2 shelf levels and 2 dividers; the 87" unit includes 3 shelf levels and 4 dividers.

Taper 40 Taper 50 HSK 50

NCS2261

NCS2262

NCS2265

NCS2266

40

48

NCS2271

NCS2272

NCS2275

NCS2276

80

96

HSK 63

NCS2281

NCS2282

NCS2285

NCS2286

56

64

50 KM

NCS2291

NCS2292

NCS2295

NCS2296

80

96

63 KM

NCS2301

NCS2302

NCS2305

NCS2306

56

64

Shelving with Drawers



NCS2266 Shelving with drawers must be anchored to the floor (anchor kit included).

NOTE If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

64

56

NCS2251

NCS2252

NCS2255

NCS2256



Maximum Tool Quantity : (8 racks)

Maximum Tool Quantity : (8 racks)

Stationary Storage Systems for Tools



Shelving with Adaptors



| 9 - 36" | W to | ol racks | with | ergonomic | handles : |
|---------|------|----------|------|-----------|-----------|
| | | | | | |

The racks are inclined 20° to facilitate tool access and handling ;

75" H shelving unit includes 1 shelf level and 2 dividers; the 87" unit includes 2 shelf levels each with 2 dividers.

| Dimensions | | ıs | Accessories | Taper 40 | Taper 50 | HSK 50 | HSK 63 | 50 KM | 63 KM |
|------------|-----------------------------------|-----|-------------|----------|----------|---------|---------|---------|---------|
| W | D | Η | | | | | | | |
| 36″ | 18″ | 75″ | No doors | NCS4005 | NCS4025 | NCS4045 | NCS4065 | NCS4085 | NCS4105 |
| | | | Glass doors | NCS4006 | NCS4026 | NCS4046 | NCS4066 | NCS4086 | NCS4106 |
| 36″ | 18″ | 87″ | No doors | NCS4007 | NCS4027 | NCS4047 | NCS4067 | NCS4087 | NCS4107 |
| | | | Glass doors | NCS4008 | NCS4028 | NCS4048 | NCS4068 | NCS4088 | NCS4108 |
| Max | Maximum Tool Quantity : (9 racks) | | | 72 | 54 | 108 | 72 | 108 | 72 |
| | | | | | | | | | |

NCS4025

Mini-Racking for High-Density Storage



3 levels with platforms for tools ;

Full-width label holders for tool identification ;

75" Mini-Racking unit includes 1 steel decking level, the 87" unit includes 2 steel decking levels for bulk storage.



| 5 | | 5 | | | | | | |
|-------|------|-----------------|----------|----------|---------|---------|---------|---------|
| Dimen | sior | IS | Taper 40 | Taper 50 | HSK 50 | HSK 63 | 50 KM | 63 KM |
| W D | D | Н | | | | | | |
| 60″ 1 | 8″ | 75″ | NCS6001 | NCS6021 | NCS6031 | NCS6041 | NCS6051 | NCS6061 |
| 60″ 1 | 8″ | 87″ | NCS6002 | NCS6022 | NCS6032 | NCS6042 | NCS6052 | NCS6062 |
| Maxim | านm | Tool Quantity : | 210 | 120 | 240 | 150 | 240 | 150 |
| 60″ 2 | 24″ | 75″ | NCS6003 | NCS6023 | NCS6033 | NCS6043 | NCS6053 | NCS6063 |
| 60″2 | 24″ | 87″ | NCS6004 | NCS6024 | NCS6034 | NCS6044 | NCS6054 | NCS6064 |
| Maxim | านm | Tool Quantity : | 270 | 150 | 300 | 210 | 300 | 210 |
| 72″ 1 | 8″ | 75″ | NCS6005 | NCS6025 | NCS6035 | NCS6045 | NCS6055 | NCS6065 |
| 72" 1 | 8" | 87" | NCS6006 | NCS6026 | NCS6036 | NCS6046 | NCS6056 | NCS6066 |
| Maxim | านm | Tool Quantity : | 250 | 144 | 288 | 180 | 288 | 180 |
| 72″2 | 24″ | 75″ | NCS6007 | NCS6027 | NCS6037 | NCS6047 | NCS6057 | NCS6067 |
| 72″2 | 24″ | 87″ | NCS6008 | NCS6028 | NCS6038 | NCS6048 | NCS6058 | NCS6068 |
| Maxim | num | Tool Quantity : | 324 | 180 | 360 | 252 | 360 | 252 |

Note: The platform can only receive tools with collets. It is not compatible with Straight Shank tools without collets.

Multipurpose Workstation



13 tool racks with ergonomic handles;

6 drawers included: 1 - 3" drawer, 2 - 4" drawers, 2 - 7" drawers and 1 - 9" drawer;

6 shelf levels and 8 dividers ;

Laminated wood top, 60" W x 24" D ;

Lamp and power outlet strip ;

Perforated panel with 10 hooks ;

Louvered panel for plastic bins (note: the red bins are not sold by Rousseau).

| Dimensions | | Taper 40 | Taper 50 | HSK 50 | HSK 63 | 50 KM | 63 KM | |
|------------|---------|------------|----------|---------|---------|---------|---------|---------|
| W | D | н | | | | | | |
| 120"* | 24″ | 87″ | NCS8004 | NCS8013 | NCS8023 | NCS8033 | NCS8043 | NCS8053 |
| Maxim | um Tool | Quantity : | 91 | 65 | 130 | 91 | 130 | 91 |
| 132″** | 24″ | 87″ | NCS8005 | NCS8015 | NCS8025 | NCS8035 | NCS8045 | NCS8055 |
| Maxim | um Tool | Quantity : | 103 | 77 | 155 | 103 | 155 | 103 |

*2-30" W shelving ** 2-36" W shelving

NOTE If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

SEE PAGE

6

www.rousseaumetal.com 1 800 463-4271

9



Stationary and Mobile Storage Cabinets

The Rousseau modular cabinet has a sturdy and distinct appearance that works in all sorts of different environments. It is characterized by the numerous dimensions available, its vast choice of accessories, its perfect modularity, but most of all, by its durability. Tests carried out at an independent laboratory proved that the Rousseau cabinet is the most durable on the market. The tests clearly demonstrated the superiority of the Rousseau drawer as it completed 3 times as many cycles as its closest competitor.



The cabinet features drawers with a 400 lb. capacity per drawer that open 100%.

Contact our customer service department for a personalized layout.

High-Density Storage Cabinet



8 drawers with compartments : 1 - 3" drawer, 1 - 5" drawer, 2 - 6" drawers, 2 - 7" drawers, 1 - 8" drawer, and 1 - 12" drawer ; 2" cabinet base allows the cabinet to be moved with a forklift ; Standard lock included ; Dimensions: 48" W x 24" D x 60" H.

R5AHE-5801

Repair / Preparation Cabinet



| 2 - 30" W tool racks with ergonomic h | andles ; | | | | | | | |
|---------------------------------------|---|-------------|-------------|---------|---------|---------|--|--|
| 5 drawers with compartments : 2 - 4" | 5 drawers with compartments : 2 - 4" drawers and 3 - 6" drawers ; | | | | | | | |
| All drawers equipped with integrated | lock-in mec | hanism ; | | | | | | |
| 6" polyurethane casters that do not m | 6" polyurethane casters that do not mark floors ; | | | | | | | |
| Wide-grip aluminum handle facilitates | manoeuvri | ng and turn | ing the cab | inet ; | | | | |
| Standard lock included ; | | | | | | | | |
| Laminated wood top, 36" W x 24" D ; | | | | | | | | |
| Foldaway shelf. | | | | | | | | |
| Dimensions | Taper 40 | Taper 50 | HSK 50 | HSK 63 | 50 KM | 63 KM | | |
| W D H | | | | | | | | |
| 36" 24" 61 1/2" | NCM8121 | NCM8131 | NCM8141 | NCM8151 | NCM8161 | NCM8171 | | |
| Maximum Tool Quantity (2 racks): | 14 | 10 | 20 | 14 | 20 | 14 | | |

Multi-Drawer Mobile Cabinet



| 7 - 24" W drawers with compartments : 4 - 4" | | | | | |
|--|--|--|--|--|--|
| drawers , 2 - 6" drawers and 1 - 8" drawer ; | | | | | |
| 1 40" \\/ due | | | | | |

1 - 48" W drawer ; All drawers equipped with integrated lock-in mechanism ;

1 single integrated door with lock ;

6" polyurethane casters that do not mark floors;

Wide-grip aluminium handle facilitates manoeuvring and turning the cabinet ; Standard lock included on the cabinet ; 60" W steel top with rubber mat ;

Side hanging cabinet with single integrated door with lock.

Dimensions

| w | D | Н | | |
|-----|-----|---------|------------|--|
| 62″ | 24″ | 45 1/2" | R5GHE-3807 | |
| 62″ | 27″ | 45 1/2" | R5GHG-3807 | |

NOTE If your tool type is not shown in the chart above, please refer to page 6, or contact our customer service department.



Spider® Shelving System



With sturdy construction and quick assembly, the Spider[®] Shelving System meets all of your storage needs. The advantage of being able to expand shelving in width, depth and height, along with a multitude of accessories, allows you to create practical storage solutions that meet both your current and future needs. Assembly is simple: the shelves are fastened to the posts using four compression clips. As a result, shelving layouts can be changed quickly.



Many layouts are possible, contact our customer service department for a customized solution.

Open Shelving



Box-type shelves with front and rear edges that are roll-formed and welded ; Shelves adjustable every inch c/c ; Welded uprights.

| Dimensions | | Ca | apacity per Shelf | | Shelf I | .evels | |
|------------|-----|-----|-------------------|---------|---------|---------|---------|
| W | D | Н | | 4 | 5 | 6 | 7 |
| 30″ | 24″ | 75″ | 575 lb | SHE1103 | SHE1109 | SHE1115 | SHE1203 |
| 30″ | 24″ | 87″ | 575 lb | SHE1106 | SHE1112 | SHE1118 | SHE1206 |
| 36″ | 24″ | 75″ | 625 lb | SHE1003 | SHE1009 | SHE1015 | SHE1021 |
| 36″ | 24″ | 87″ | 625 lb | SHE1006 | SHE1012 | SHE1018 | SHE1024 |

5HE 102

Closed Shelving



Box-type shelves with front and rear edges that are roll-formed and welded ; Shelves adjustable every inch c/c ; Welded uprights.

| Dimens | sions | Ca | apacity per Shelf | | Shelf I | .evels | |
|--------|-------|-----|-------------------|---------|---------|---------|---------|
| W | D | H | | 4 | 5 | 6 | 7 |
| 30″ | 24″ | 75″ | 575 lb | SHE2103 | SHE2109 | SHE2115 | SHE2203 |
| 30″ | 24″ | 87″ | 575 lb | SHE2106 | SHE2112 | SHE2118 | SHE2206 |
| 36″ | 24″ | 75″ | 625 lb | SHE2003 | SHE2009 | SHE2015 | SHE2021 |
| 36″ | 24″ | 87″ | 625 lb | SHE2006 | SHE2012 | SHE2018 | SHE2024 |

SHE2024

Shelving with Drawers



Box-type shelves with front and rear edges that are roll-formed and welded ;

Shelves adjustable every inch c/c ;

Closed welded uprights with back panel ;

7 drawers with compartments : 2 - 3" drawers, 3 - 4" drawers, 2 - 6" drawers ;

1 front access roll-out shelf ;

400 lb. capacity per drawer; 100% opening.

Dimensions

| DEC | FF 0 | 74809 |
|-----|-------------|-------|
| | | |
| | | |

| Dimens | Jimensions | | | | | | |
|--------|------------|-----|--------------|--|--|--|--|
| W | D | Н | | | | | |
| 36″ | 24″ | 75″ | R5SEE-754809 | | | | |
| 36″ | 24″ | 87″ | R5SEE-874809 | | | | |
| 48″ | 18″ | 75″ | R5SHC-754809 | | | | |
| 48″ | 18″ | 87″ | R5SHC-874809 | | | | |
| 48″ | 24″ | 75″ | R5SHE-754809 | | | | |
| 48″ | 24″ | 87″ | R5SHE-874809 | | | | |
| | | | | | | | |





Workstation System

Whether you are looking for a basic workbench, with two legs and a top; or a specialized table, stationary or mobile, you will find a solution for each and every application. Rousseau offers you several work surface dimensions for each of the surfaces offered such as painted steel, laminated wood, wood composite and plastic laminate.

Many layouts are possible, contact our customer service department for a customized solution.

Open Workbench - Single or Double



Top of your choice ;

Legs 27" D x 32" H, equipped with electrical outlet knockouts on front of the leg ; 24" D shelf surface under work surface.

| Dimensions | | | | Type of Top | | | |
|------------|-----|-----|---------|-------------|--------------|------------|--|
| w | D | H | Steel | Lam. Wood | Plastic Lam. | Wood Comp. | |
| Single | | | | | | | |
| 60″ | 30″ | 34″ | WSA1019 | WSA2019 | WSA3019 | WSA5019 | |
| 72″ | 30″ | 34″ | WSA1023 | WSA2023 | WSA3023 | WSA5023 | |
| Double | | | | | | | |
| 96″ | 30″ | 34″ | WSA1902 | WSA2902 | WSA3902 | WSA5902 | |
| 120″ | 30″ | 34″ | WSA1904 | WSA2904 | WSA3904 | WSA5904 | |
| 144″ | 30″ | 34″ | WSA1906 | WSA2906 | WSA3906 | WSA5906 | |
| | | | | | | | |

Closed Workbench - Single or Double



Top of your choice ;

Legs 27" D x 32" H, equipped with electrical outlet knockouts on front of the leg ; 24" D shelf surface under work surface ; Sliding doors with lock ; Note : the single workstation also includes a steel shelf 12" D.

WSA2971

| Dimensions | | | | Type of Top | | | |
|------------|-----|-----|---------|-------------|--------------|------------|--|
| w | D | Н | Steel | Lam. Wood | Plastic Lam. | Wood Comp. | |
| Single | | | | | | | |
| 60″ | 30″ | 34″ | WSA1070 | WSA2070 | WSA3070 | WSA5070 | |
| 72″ | 30″ | 34″ | WSA1071 | WSA2071 | WSA3071 | WSA5071 | |
| Double | | | | | | | |
| 96″ | 30″ | 34″ | WSA1971 | WSA2971 | WSA3971 | WSA5971 | |
| 120″ | 30″ | 34″ | WSA1973 | WSA2973 | WSA3973 | WSA5973 | |
| 144″ | 30″ | 34″ | WSA1975 | WSA2975 | WSA3975 | WSA5975 | |

Mobile Workbench



Steel top with back stop ; Legs 27" D x 32" H, equipped with electrical outlet knockouts on front of the leg ; 4" polyurethane casters that do not mark floors ; Dimensions : 60" W x 30" D x 35 1/2" H.

WSW1032

Workstation System



Workbench with Cabinet



Laminated wood top ;

Legs 27" D x 32" H, equipped with electrical outlet knockouts on front of the leg ; Cabinet 24" W x 27" D with 4 drawers with compartments : 2 - 4"drawers, 1 - 6" drawer, and 1 - 12" drawer ; Drawers open 100% ; Dimensions : 60" W x 30" D x 34" H.

R5WH5-2007

Workstation with Tool Racks



Painted steel top ;

3 - 30" W tool racks with ergonomic handles ; The racks are inclined 20° to facilitate tool access and handling ; Legs 27" D x 32" H, equipped with electrical

outlet knockouts on front of the leg ; 24" D shelf surface under work surface ;

Dimensions : 60" W x 30" D x 58" H.

| Tool Type | Model # | Maximum Tool Quantity |
|-----------|---------|-----------------------|
| Taper 40 | NCW0522 | 21 |
| Taper 50 | NCW0527 | 15 |
| HSK 50 | NCW0532 | 30 |
| HSK 63 | NCW0537 | 21 |
| 50 KM | NCW0542 | 30 |
| 63 KM | NCW0547 | 21 |

NCW0527

Workstation with Storage Cabinet and Tool Racks

Laminated wood top ;



NCW0584

3 - 30" W tool racks with ergonomic handles ; The racks are inclined 20° to facilitate tool access and handling ; Accessories:

- Perforated panel with 10 hooks ;

- Tiltable shelf with 3 dividers ;
- Lamp ;
- Document holder with hinged arm ;
- Power outlet channel ;
- Tool tray ;

Legs 27" D x 32" H, equipped with electrical outlet knockouts on front of the leg ;

Cabinet 24" W x 27" D with 5 drawers with compartments : 2 - 3" drawers, 3 - 6" drawers ; Drawers open 100% ; Dimensions: 60" W X 30" D X 82" H.

| Tool Type | Model # | Maximum Tool Quantity |
|-----------|---------|-----------------------|
| Taper 40 | NCW0582 | 21 |
| Taper 50 | NCW0584 | 15 |
| HSK 50 | NCW0586 | 30 |
| HSK 63 | NCW0588 | 21 |
| 50 KM | NCW0590 | 30 |
| 63 KM | NCW0592 | 21 |

NOTE *If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.*





www.rousseaumetal.com 1 800 463-4271

rousseau 13

Computer Cabinet



The Rousseau computer cabinet ensures maximum protection of computer hardware from dust, metal fragments and other debris.

The glass doors are perfect for use with large monitors and does not reduce your field of vision. They are demagnetized in order to eliminate image distortion. A front access, 4" base allows the cabinet to be moved with a forklift or pallet-jack if required. It is also possible to add casters and have the cabinet mobile at all times. Plus, the back panel allows easy installation of your computer system and is equipped with a ventilator with filter to limit dust infiltration and reduce heat.

Many layouts are possible, contact our customer service department for a customized solution.

Basic Computer Cabinet

21 3/4" x 19" glass panel ;

Integrated single door with 2 storage shelves for computer and printer ;

Locks (doors and keyboard drawer) ;

The fixed cabinet has a recessed base that allows the cabinet to be moved with a forklift or a pallet-jack ;

The mobile cabinet is equipped with 4" polyurethane casters that do not mark floors and glide smoothly and quietly.

Dimensions

| w | D | H | | |
|-----|-----|---------|--------|--|
| 30″ | 27″ | 62″ | Fixed | |
| 30″ | 27″ | 63 1/4" | Mobile | |



R5JDG-5801



R5JDG-5821

Computer Cabinet

21 3/4" x 19" glass panel ;

Integrated single door, bottom shelf and roll-out shelf (computer and printer);

Locks (doors and keyboard tray);

The fixed cabinet has a recessed base that allows the cabinet to be moved with a forklift or a pallet-jack ;

The mobile cabinet is equipped with 4" polyurethane casters that do not mark floors and glide smoothly and quietly.

Dimensions

| W | D | Н | | |
|-----|-----|---------|--------|--|
| 30″ | 27″ | 62″ | Fixed | |
| 30″ | 27″ | 63 1/4" | Mobile | |









14





R5JDG-5837

Accessories




Rousseau offers you a wide range of accessories for varied storage solutions.

The drawers can be equipped with accessories such as foam that is oil resistant and non absorbent (foam for tools, collets or protection), and drawer partitioning accessories such as groove trays, plastic bins, partitions and dividers.

Rousseau shelving can be customized by adding accessories such as steel or glass doors to protect stored material as well as shelf dividers, perforated panels and louvered panels for plastic bins. Drawer in shelving applications can also be equipped with a vertical security bar.

The workstation system offers a multitude of accessories both above and below the work surface. A few of these include storage shelves, tack boards, marker panels and lighting.

Here are a few of the accessories we offer. Contact us; we have the products that will respond to your specific needs.



Rousseau, a company with experience



For almost 60 years, we have worked together with many different types of companies, recommending workspace storage and organization solutions. Through the years, we have earned a reputation for excellence in North America with large-scale companies in manufacturing and automotive industries, wholesalers, and government.

Our continued success can be attributed to our dynamic product development, values and attention to quality and detail. Our customers are at the core of every decision and we endeavor to ensure that this emphasis on service carries through from our informed suggestions to the products.

President and Chief Executive Officer



Rousseau product line



SPIDER® SHELVING SYSTEM

MODULAR DRAWER WORKSTATION STORAGE SYSTEM SYSTEM



PRINTED IN CANADA



7PN01A00

N01- FE09A

Toll free 1800 463-4271 418 598-3381 Telephone 418 598-6776 Fax E-mail sales@rousseaumetal.com 105, avenue de Gaspé Ouest Saint-Jean-Port-Joli (Québec) GOR 3G0 Canada

Rousseau is continuously improving its products and reserves the right to make any modifications judged necessary



www.rousseaumetal.com

For more information, please contact your local distributor: